

# Municipal Water Use in Kansas, 2017

Kansas Department of Agriculture

Division of Water Resources

In Cooperation with the United States Geological Survey



**Kansas Department of Agriculture**

Division of Water Resources

1320 Research Park Drive

Manhattan, Kansas 66502

785-564-6670

**United States Geological Survey**

Kansas Water Science Center

1217 Biltmore Drive

Lawrence, Kansas 66049

**Front cover images:**

City of Junction City Pump House by Topeka Field Office Staff (Upper Left)

City of Stockton Water Tower by Stockton Field Office Staff (Upper Right)

City of Garden City Water Tower by Garden City Field Office Staff (Lower Left)

City of Wichita Water Treatment Facility by Stafford Field Office Staff (Lower Right)

## **Abstract**

This report, prepared by the Kansas Department of Agriculture, Division of Water Resources (DWR) in cooperation with the United States Geological Survey, presents derivative statistics of 2017 municipal water use in Kansas. The per-capita usage and unaccounted for water percentage are presented for 793 public water suppliers. Regional averages of these statistics are also presented.

## **Introduction**

Water use in Kansas is regulated by the Kansas Department of Agriculture, Division of Water Resources. DWR requires annual water use reports from all public water suppliers with active water rights and from water suppliers that purchase water from State-owned storage in Federal reservoirs or from other water suppliers (Appendix A).

Information for the 793 suppliers in this publication was collected from the 814 public water suppliers that filed a 2017 Municipal Water Use Report. This includes cities, towns, rural water districts, and housing subdivisions. These public water suppliers provide information on quantity of water diverted, water purchased from and sold to other suppliers, sales to retail customers, metered free and unaccounted for water, population served, and number of connections. Public water suppliers serving fewer than ten residential connections were excluded from this publication.

The Division of Water Resources reviews the water use data to ensure that the information is as complete and accurate as feasible. DWR derives the statistics on per capita usage and percent of water unaccounted for. The review is also important for identifying problems with meter accuracy, bookkeeping or excessive water loss.

## **Population**

The number of persons served directly by a public supplier is reported on the annual water use report. When reported population is unavailable or unreliable an estimate is used. For cities, the estimated value is the census population plus the product of the number of connections outside of city limits and the county-average persons-per-household. For entities other than cities the product of the number of active residential connections and county-average persons-per-household is used.

## **Regional Per Capita Water Use**

Water use in gallons per capita per day (GPCD) is calculated for each water system from reported data on water use and population served. GPCD usage for individual suppliers is based on amounts of water sold for residential and commercial uses, free users and unaccounted for water. GPCD figures do not include sales to other suppliers, industries, bulk users or farmsteads using over 200,000 gallons per year.

Average GPCD figures were calculated for water suppliers in eight regions of the State which correspond to general patterns of per-capita water use and precipitation (Table 1, Figure 1). Averages were also calculated by source-water Regional Planning Area (Table 2, Figure 2). This allows individual suppliers to be compared to the average use for similar geographical area (Table 3). GPCD use increases from Eastern to Western Kansas, primarily due to increased outdoor use in the more arid regions. Average GPCD usage by Kansas public water suppliers by region and size is shown in Table 1 for years 2013 – 2017. In 2017, average per-capita water usage ranged from 214 gallons per day in Region 1 in westernmost Kansas to 71 gallons per day in Region 8 among small public water suppliers in easternmost Kansas.

## **Unaccounted for water**

The quantity of unaccounted for water is calculated by subtracting metered water reported sold or provided free from the total raw water diverted and water purchased from other public suppliers. Unaccounted for water is reported in column 7 of the annual municipal water use report. The fraction of total water diverted and purchased that is unaccounted for is presented by public supplier for 2013 through 2017 (Table 4).

## **Summary**

In 2017, 126 billion gallons of water were diverted for municipal use in Kansas, which includes 7 billion gallons reported by entities not represented by this report. The state average per-capita usage was 102 gallons per day. The average unaccounted-for water amongst public suppliers was 15 percent.

The Kansas Municipal Water Use publication has been prepared each year since 1987. Completion of the annual water use report by personnel at each water supply system is greatly appreciated. The data collected are valuable to DWR for administering water rights, to the Kansas Water Office for preparing water conservation plans, to the Kansas Rural Water Association in identifying candidates for technical assistance with excessive unaccounted for water, and many others.

For more information on the DWR water use report program visit [www.agriculture.ks.gov/WaterUse](http://www.agriculture.ks.gov/WaterUse).

**Table 1: Average GPCD for public water suppliers by region and size, 2013-2017**

Region <sup>1</sup>	Year					Average
	2013	2014	2015	2016	2017	
1	275	258	239	245	213	246
2	238	224	209	205	184	212
3	218	209	207	193	186	202
4	175	160	151	141	154	156
5	133	121	121	111	114	120
6ML	129	133	128	126	132	130
6S	116	120	124	111	109	116
7L	120	127	121	120	119	121
7M	94	95	90	91	92	92
7S	84	83	78	80	79	81
8L	115	116	105	108	103	109
8M	88	89	85	84	83	86
8S	72	72	71	69	71	71
<b>Kansas<sup>3</sup></b>	111	110	106	103	102	106

<sup>1</sup>Large suppliers (L) serve 10,000 persons or more. Medium (M) suppliers serve 500 to 9,999 persons. Small (S) suppliers serve fewer than 500 persons.

<sup>2</sup>Medium and large are combined because of limited number of systems in region

<sup>3</sup>State-wide GPCD is computed as the average of public-water supplier's GPCDs specified for use in a regional average

**Table 2: Average GPCD for public water suppliers by Regional Planning Area, 2013-2017**

Source-water Regional Planning Area	Year					Average
	2013	2014	2015	2016	2017	
Cimarron (Ci)	236	238	193	190	183	208
Equus-Walnut (Ew)	93	95	88	85	87	90
Great Bend Prairie (Gb)	130	123	121	111	116	120
Kansas (Ks)	89	89	85	88	84	87
Marais Des Cygnes (Mc)	80	79	77	77	76	78
Missouri (Mo)	97	92	88	87	90	91
Neosho (Ne)	87	87	85	86	83	85
Red Hills (Rh)	134	132	128	120	117	126
Smoky Hill-Saline (Ss)	104	106	106	100	103	104
Solomon-Republican (Sr)	134	137	131	124	130	131
Upper Arkansas (Ua)	207	192	182	185	175	188
Upper Republican (Ur)	259	239	247	230	211	237
Upper Smoky Hill (Us)	241	236	216	204	195	218
Verdigris (Ve)	80	83	77	80	80	80
<b>Kansas<sup>1</sup></b>	111	110	106	103	102	106

<sup>1</sup>State-wide GPCD is computed as the average of public-water suppliers' GPCDs specified for use in a regional average

**Table 3: Gallons per capita per day by public water supplier**

Public Water Supplier	DWR ID	EPA Water System Number	GPCD Region <sup>1</sup>	Source water RPA	Gallons per capita-day					Average (2013 – 17)	In Regional Average
					2013	2014	2015	2016	2017		
Abbyville	33073	KS2015512	6S	Ew	141 <sup>2</sup>	158 <sup>2</sup>	139 <sup>2</sup>	110 <sup>2</sup>	119 <sup>2</sup>	133	Y
Abilene	16	KS2004112	7M	Ss	134	143	152	133	160	144	Y
Admire	32367	KS2011103	7S	Ne	59	59	na	na	na	59	Y
Agenda	87	KS2015705	7S	Ks	95	99	72	62 <sup>2</sup>	55 <sup>2</sup>	77	Y
Agra	2841	KS2014707	5	Sr	113	78	85	89	74	88	Y
Albert	2842	KS2000914	6S	Gb	132	92	104	91	104 <sup>2</sup>	105	Y
Alexander	2843	KS2016503	5	Gb	89	86	100	66	87	86	Y
Allen	33090	KS2011102	7S	Ne	49	58	55	52	54	54	Y
Allen Co. RWD #04	23837	KS2000112	8S	Ne	81	134	102	94 <sup>2</sup>	129	108	Y
Allen Co. RWD #06	23839	KS2000107	8S	Ne	na	na	167 <sup>2</sup>	98 <sup>2</sup>	173 <sup>2</sup>	146	Y
Allen Co. RWD #08	23841	KS2000110	8M	Ne	105	135 <sup>2</sup>	na	92 <sup>2</sup>	77	102	Y
Allen Co. RWD #10	34203	KS2000109	8S	Ne	53	58	70	na	na	60	Y
Allen Co. RWD #12	34599	KS2000117	8S	Ne	52	37	25	35 <sup>2</sup>	35 <sup>2</sup>	37	Y
Allen Co. RWD #13	33777	KS2000118	8S	Ne	50 <sup>2</sup>	41 <sup>2</sup>	51	40	51	47	Y
Allen Co. RWD #15	34314	KS2000121	8S	Ne	61	58	62	63 <sup>2</sup>	58 <sup>2</sup>	61	Y
Allen Co. RWD #16	33776	KS2000122	8S	Ne	93	na	71	na	81 <sup>2</sup>	82	Y
Alma	2844	KS2019701	7M	Ks	107	110	85	102 <sup>2</sup>	99 <sup>2</sup>	101	Y
Almena	20310	KS2013701	4	Sr	183	227	119	124	100	151	Y
Alta Vista	30210	KS2019702	7S	Ne	58	60	56 <sup>2</sup>	59	59	59	Y
Altamont	227	KS2009901	8M	Ve	72	71	71	70	63	69	Y
Alton	20290	KS2014102	6S	Sr	141	137 <sup>2</sup>	218 <sup>2</sup>	132 <sup>2</sup>	152 <sup>2</sup>	156	Y
Altoona	233	KS2020508	7S	Ve	56	59	55	57	58	57	Y
Andale	38067	KS2017342	7M	Ew	75	76	69 <sup>2</sup>	69	73	72	Y
Anderson Co. RWD #01	34007	KS2000302	8S	Mc	72	66	72	93	100	81	Y
Anderson Co. RWD #01C	57826	KS2000311	8M	Mc	92	108	97	97	97	98	Y
Anderson Co. RWD #04	15200	KS2000303	8M	Mc	87	91 <sup>2</sup>	94 <sup>2</sup>	129 <sup>2</sup>	97 <sup>2</sup>	100	Y
Anderson Co. RWD #05	23842	KS2000306	8M	Ne	65	64	69	61	62	64	Y
Anthony	370	KS2007707	6ML	Rh	142	121	111	114	115	121	Y
Arcadia	2847	KS2003711	8S	Mc	59	67	71	79	na	69	Y
Argonia	411	KS2019116	7M	Rh	104	153	123	69	97	109	Y
Arkansas City	413	KS2003509	7L	Ew	127	145	136	129	129	133	Y

**Table 3: Gallons per capita per day by public water supplier – continued**

Public Water Supplier	DWR ID	EPA Water System Number	GPCD Region <sup>1</sup>	Source water RPA	Gallons per capita-day					Average (2013 – 17)	In Regional Average
					2013	2014	2015	2016	2017		
Arlington	416	KS2015511	6S	Ew	75	83	85	85	102 <sup>2</sup>	86	Y
Arma	417	KS2003713	8M	Mc	66	65	61	64	70	65	Y
Arnold	32854	KS2013506	4	Ss	140	153	139 <sup>2</sup>	228	244 <sup>2</sup>	181	Y
Ashland	471	KS2002502	4	Rh	212	195	193	173	178	190	Y
Assaria	484	KS2016902	7S	Ss	73	77 <sup>2</sup>	72 <sup>2</sup>	61 <sup>2</sup>	71 <sup>2</sup>	71	Y
Atchison	488	KS2000506	8L	Mo	157	149	147	118	132	141	Y
Atchison Co. RWD #01	33716	KS2000503	8M	Mo	70 <sup>2</sup>	74 <sup>2</sup>	83 <sup>2</sup>	59	65 <sup>2</sup>	70	Y
Atchison Co. RWD #05C	58472	KS2000511	8M	Mo	91	96	85	93	90	91	Y
Atchison Co. RWD #06	33720	KS2000510	8M	Mo	na	na	na	na	57	57	Y
Attica	504	KS2007703	6ML	Rh	199	257	253	247	336	258	Y
Atwood	22248	KS2015301	2	Ur	179	171	162	167	148	165	Y
Augusta	513	KS2001503	7M	Ew	124	123	127	123	119	123	Y
Aurora	20287	KS2002906	7S	Ks	128	81 <sup>2</sup>	102 <sup>2</sup>	88 <sup>2</sup>	71 <sup>2</sup>	94	Y
Axtell	536	KS2011711	7S	Ks	81	77	71	73	77	76	Y
Baldwin	649	KS2004510	8M	Ks	84	70	68	72 <sup>2</sup>	69	73	Y
Barber Co. RWD #01	34361	KS2000701	6S	Rh	157	159	152	152	143	153	Y
Barber Co. RWD #02	15195	KS2000704	6S	Rh	497	617	609	539	519	556	N
Barber Co. RWD #03	15199	KS2000709	6S	Rh	67	109	107	103	99	97	Y
Barnard	756	KS2010503	6S	Sr	95	57	50 <sup>2</sup>	62	74	68	Y
Barnes	764	KS2020110	7S	Ks	83	82	85	90	87	86	Y
Bartlett	54997	KS2009902	8S	Ve	na	na	105	na	111	108	Y
Barton Co. RWD #02	15196	KS2000907	6ML	Gb	371 <sup>2</sup>	383 <sup>2</sup>	464 <sup>2</sup>	398 <sup>2</sup>	458 <sup>2</sup>	415	N
Barton Hills Water District	33006	KS2000915	6S	Gb	41	na	na	38	36	38	Y
Baxter Springs	933	KS2002109	8M	Ne	155	150	150	158	171	157	Y
Bazine	943	KS2013505	4	Gb	109	101	90	87	81	94	Y
Beattie	22016	KS2011712	7S	Ks	114	137 <sup>2</sup>	120 <sup>2</sup>	100 <sup>2</sup>	93	113	Y
Bel Aire	25219	KS2017304	7M	Ew	93	113	na	na	na	103	Y
Belle Plaine	1098	KS2019115	7M	Ew	87	86	85	90	78	85	Y
Belleville	1099	KS2015704	7M	Sr	153	156	151	158	151	154	Y
Beloit	1100	KS2012301	6ML	Sr	124	120	123	116	114	119	Y
Belpre	1101	KS2004701	5	Gb	175 <sup>2</sup>	150 <sup>2</sup>	136	84	103	130	Y
Belvidere	6162		5	Rh	261	na	208 <sup>2</sup>	na	na	234	Y
Belvue	1104	KS2014902	7S	Ks	86 <sup>2</sup>	75 <sup>2</sup>	118 <sup>2</sup>	86 <sup>2</sup>	68 <sup>2</sup>	87	Y

**Table 3: Gallons per capita per day by public water supplier – continued**

Public Water Supplier	DWR ID	EPA Water System Number	GPCD Region <sup>1</sup>	Source water RPA	Gallons per capita-day					Average (2013 – 17)	In Regional Average
					2013	2014	2015	2016	2017		
Bennington	1131	KS2014303	7M	Sr	116	83	90	80	91	92	Y
Bentley	39238	KS2017341	7M	Ew	na	52	48	50	52 <sup>2</sup>	51	Y
Benton	1147	KS2001507	7M	Ew	66	66	64	61	64	64	Y
Bern	1196	KS2013104	7S	Mo	85	72	75 <sup>2</sup>	72 <sup>2</sup>	81 <sup>2</sup>	77	Y
Beverly	1250	KS2010504	6S	Ss	74	74	95	94 <sup>2</sup>	na	85	Y
Bird City	1319	KS2002301	1	Ur	323	266	352	261	252	291	Y
Bison	1350	KS2016501	5	Gb	77	77	74	64	71	73	Y
Blue Mound	1460	KS2010701	8S	Mc	67	64	62	64	na	64	Y
Blue Rapids	1461	KS2011710	7M	Ks	82	100	94	99	111	97	Y
Bluff City	1465	KS2007701	6S	Rh	70 <sup>2</sup>	68 <sup>2</sup>	95	71	82 <sup>2</sup>	77	Y
Bogue	1520	KS2006504	4	Sr	225	200	213	134	141 <sup>2</sup>	183	Y
Bonner Springs	1572	KS2020904	8M	Ks	130	115	105	109	114	115	Y
Bourbon Co. RWD #02C	34048	KS2001103	8M	Mc	73	81	82	78	77	78	Y
Bourbon Co. RWD #04	20867	KS2001101	8M	Mc	77	121	97 <sup>2</sup>	121	98	103	Y
Brewster	1909	KS2019303	2	Ur	210	213	197	180	158	191	Y
Bronson	1997	KS2001106	8S	Mc	64	55	56	58	55	58	Y
Brookville	2019	KS2016904	7S	Ss	na	na	na	na	86	86	Y
Brown Co. RWD #01	15192	KS2001304	8M	Mo	82	81	80	77	75	79	Y
Brown Co. RWD #02	38841	KS2001312	8M	Mo	91	107	112 <sup>2</sup>	105 <sup>2</sup>	112 <sup>2</sup>	105	Y
Brownell	20981	KS2013504	4	Ss	na	123 <sup>2</sup>	87	91	162	116	Y
Bucklin	2193	KS2005711	4	Ua	145	159	163	144	132	148	Y
Buffalo	2219	KS2020511	7S	Ve	70	63	58	60	63	63	Y
Buhler	2224	KS2015513	6ML	Ew	121	122	121	124	139	125	Y
Bunker Hill	2246	KS2016712	6S	Ss	102	82	95	81	90	90	Y
Burden	2260	KS2003503	7M	Ew	99	94	90	86	71	88	Y
Burdett	2264	KS2014501	5	Gb	137	134	109	86	92	111	Y
Burlingame	2305	KS2013915	7M	Mc	69 <sup>2</sup>	69 <sup>2</sup>	64 <sup>2</sup>	66	64	66	Y
Burlington	2306	KS2003101	7M	Ne	95	92	91	89	84	90	Y
Burns	2312	KS2011501	7S	Ew	79	86	79	72	71	77	Y
Burr Oak	2317	KS2008906	6S	Sr	108	141	201	213	91	151	Y
Burrton	2331	KS2007903	7M	Ew	73	79	71	73	115	82	Y
Bushton	2350	KS2015905	6S	Gb	120	138	133	114	127	126	Y
Butler Co. RWD #01	15191	KS2001514	7M	Ew	82	70	73	77	57	72	Y
Butler Co. RWD #02	29224	KS2001505	7M	Ew	75	92 <sup>2</sup>	47	63	97	75	Y

**Table 3: Gallons per capita per day by public water supplier – continued**

Public Water Supplier	DWR ID	EPA Water System Number	GPCD Region <sup>1</sup>	Source water RPA	Gallons per capita-day					Average (2013 – 17)	In Regional Average
					2013	2014	2015	2016	2017		
Butler Co. RWD #03	29226	KS2001513	7M	Ew	78	78	72	68	71	73	Y
Butler Co. RWD #04	29233	KS2001506	7M	Ew	na	na	na	70	73	71	Y
Butler Co. RWD #05	29227	KS2001526	7M	Ew	65	62	62	61	57	61	Y
Butler Co. RWD #06	29228	KS2001530	7M	Ew	103	122	83	76	80	93	Y
Butler Co. RWD #07	54998	KS2001531	7M	Ew	63	68	na	71 <sup>2</sup>	68 <sup>2</sup>	68	Y
Caldwell	32342	KS2019117	7M	Rh	90	85	96	98	97	93	Y
Cambridge	2465	KS2003504	7S	Ew	na	na	78	70 <sup>2</sup>	na	74	Y
Caney	2504	KS2012517	7M	Ve	108	175	115	133	136	133	Y
Canton	2512	KS2011313	7M	Ew	103	102	103	89	92	98	Y
Carbondale	2521	KS2013914	7M	Ks	108	127	117	137	123	123	Y
Cassoday	2644	KS2001501	7S	Ew	38 <sup>2</sup>	40 <sup>2</sup>	39 <sup>2</sup>	38 <sup>2</sup>	39 <sup>2</sup>	39	Y
Cawker City	2673	KS2012303	6S	Sr	128	129	134	126	121	128	Y
Cedar Point	34053	KS2001706	7S	Ne	70	75	78 <sup>2</sup>	63 <sup>2</sup>	61 <sup>2</sup>	69	Y
Cedar Vale	2689	KS2001902	7M	Ve	76	74	70	69	73	72	Y
Centralia	39511	KS2013106	7M	Ks	72	71	na	74	74	73	Y
Chanute	2740	KS2013307	8M	Ne	100	100	87	82	82	90	Y
Chapman	20907	KS2004108	7M	Ss	115	131	123	128	136	127	Y
Chase	20834	KS2015906	6S	Gb	100	110	106	87	81	97	Y
Chase Co. RWD #01	34363	KS2001705	7S	Ne	101	88	77	100	77	88	Y
Chautauqua	54999	KS2001907	7S	Ve	59	64 <sup>2</sup>	na	52 <sup>2</sup>	63	60	Y
Chautauqua Co. RWD #01	34459	KS2001905	7S	Ve	72	89	71	99	na	83	Y
Chautauqua Co. RWD #02	35446	KS2001908	7S	Ve	98	106	96	104	111	103	Y
Chautauqua Co. RWD #03	40615	KS2001909	7S	Ve	64 <sup>2</sup>	62	60	63 <sup>2</sup>	na	62	Y
Chautauqua Co. RWD #04	61986	KS2001911	7S	Ve	42	na	na	na	47 <sup>2</sup>	44	Y
Cheney	2758	KS2017327	7M	Rh	131	138	131	118	135	131	Y
Cherokee	2767	KS2003714	8M	Mc	51	52	58	44	49	51	Y
Cherokee Co. RWD #01	15193	KS2002111	8M	Ne	84	92	66 <sup>2</sup>	92	98	87	Y
Cherokee Co. RWD #02	15197	KS2002106	8M	Ne	82	84	78	83	82	82	Y
Cherokee Co. RWD #03	15198	KS2002107	8M	Ne	132	130	141	na	117	130	Y
Cherokee Co. RWD #04	15201	KS2002102	8M	Ne	96	110	114	119	99	108	Y



**Table 3: Gallons per capita per day by public water supplier – continued**

Public Water Supplier	DWR ID	EPA Water System Number	GPCD Region <sup>1</sup>	Source water RPA	Gallons per capita-day					Average (2013 – 17)	In Regional Average
					2013	2014	2015	2016	2017		
Cherokee Co. RWD #05	32690	KS2002117	8S	Mc	61	na	na	51	54	55	Y
Cherokee Co. RWD #07	34434	KS2002116	8S	Ne	99	127	125	83	137	114	Y
Cherokee Co. RWD #08	32219	KS2002121	8M	Ne	58	59	61	61	63	61	Y
Cherokee Co. RWD #09	55013	KS2002120	8M	Ne	na	na	na	na	65 <sup>2</sup>	65	Y
Cherryvale	2768	KS2012512	7M	Ve	72	89	69	68	na	75	Y
Chetopa	2773	KS2009905	8M	Ne	108	103	107	107	121	110	Y
Chicopee Rural Water District	34257	KS2003704	8S	Mc	79	80	72	67	71	74	Y
Cimarron	2830	KS2006903	3	Ua	246	222	219	198	195	216	Y
Circleville	34337	KS2008504	7S	Ks	55	na	49	46 <sup>2</sup>	46 <sup>2</sup>	49	Y
Clafflin	2857	KS2000905	6ML	Gb	128	114	136	117	119	123	Y
Clay Center	2934	KS2002701	7M	Ks	122	105	106	102	105	108	Y
Clay Co. RWD #01	15203	KS2002704	7S	Ks	121	103	96	81	96	99	Y
Clay Co. RWD #02	22113	KS2002710	7M	Ss	112 <sup>2</sup>	114 <sup>2</sup>	126 <sup>2</sup>	97 <sup>2</sup>	106 <sup>2</sup>	111	Y
Clayton	2938	KS2013706	4	Sr	129	77	54 <sup>2</sup>	60	92	82	Y
Clearwater	2939	KS2017329	7M	Ew	75	74	62	60	79	70	Y
Clifton	2962	KS2002709	7M	Ks	137	130	109	112 <sup>2</sup>	96	117	Y
Cloud Co. RWD #01	15204	KS2002901	7S	Sr	101	115	114	116	120	113	Y
Clyde	2987	KS2002905	7M	Ks	129	151	120	110	104	123	Y
Coal Hollow Water District	38417	KS2013302	8S	Ve	64	58	54	60	59 <sup>2</sup>	59	Y
Coats	2992	KS2015105	6S	Gb	209 <sup>2</sup>	206 <sup>2</sup>	281 <sup>2</sup>	199 <sup>2</sup>	144 <sup>2</sup>	208	Y
Coffey Co. RWD #02	22506	KS2003110	7M	Ne	87	76	86	87	93	86	Y
Coffey Co. RWD #03	33835	KS2003106	7M	Mc	67	100	104	105	140 <sup>2</sup>	103	Y
Coffeyville	3018	KS2012513	7L	Ve	170	202	210	150	117	170	Y
Colby	3038	KS2019302	2	Ur	285	278	261	258	223	261	Y
Coldwater	32341	KS2003304	5	Rh	255	167	177	161	162	184	Y
Collyer	3096	KS2019502	4	Ss	99	112 <sup>2</sup>	84	70 <sup>2</sup>	73 <sup>2</sup>	87	Y
Colony	3098	KS2000307	8S	Ne	76	77	na	na	74	76	Y
Columbus	3103	KS2002110	8M	Mc	100	91	82	90	81	89	Y
Colwich	37973	KS2017344	7M	Ew	78	76	73	76	74	75	Y
Comanche Co. RWD #01	34392	KS2003301	5	Rh	211 <sup>2</sup>	na	143	133	na	162	Y

**Table 3: Gallons per capita per day by public water supplier – continued**

Public Water Supplier	DWR ID	EPA Water System Number	GPCD Region <sup>1</sup>	Source water RPA	Gallons per capita-day					Average (2013 – 17)	In Regional Average
					2013	2014	2015	2016	2017		
Comanche Co. RWD #02	15211	KS2003303	5	Rh	809	741	705	788	684	745	N
Concordia	3122	KS2002907	7M	Sr	129	128	116	112	114	120	Y
Conway Springs	3166	KS2019118	7M	Rh	79	91	83	79	77	82	Y
Coolidge	3203	KS2007501	1	Ua	344	225	216	215	215 <sup>2</sup>	243	Y
Copeland	3247	KS2006904	3	Ua	247	224	209	224	191	219	Y
Corning	34298	KS2013107	7S	Ks	108 <sup>2</sup>	98 <sup>2</sup>	96 <sup>2</sup>	101 <sup>2</sup>	na	101	Y
Cottonwood Falls	3323	KS2001703	7M	Ne	76	na	na	na	71	74	Y
Council Grove	3340	KS2012702	7M	Ne	86	92	107	116	110	102	Y
Courtland	3351	KS2015703	7S	Sr	109	100	91 <sup>2</sup>	104	149	111	Y
Cowley Co. RWD #01	15205	KS2003507	7M	Ew	100 <sup>2</sup>	112 <sup>2</sup>	106 <sup>2</sup>	108 <sup>2</sup>	na	106	Y
Cowley Co. RWD #02	34394	KS2003512	7M	Ew	na	92 <sup>2</sup>	na	na	na	92	Y
Cowley Co. RWD #03	15218	KS2003505	7M	Ew	87	80	87	68	93	83	Y
Cowley Co. RWD #04	34395	KS2003511	7M	Ew	124	143	116	115	128	125	Y
Cowley Co. RWD #05	33722	KS2003508	7M	Ew	99	77	na	61	69	77	Y
Cowley Co. RWD #06	15226	KS2003506	7M	Ew	77	68	62	59	61	65	Y
Cowley Co. RWD #07	21282	KS2003516	7S	Ew	78	91	67	67	61	73	Y
Cowley Co. RWD #08	41516	KS2003515	7S	Ew	58	79	77	74	80	74	Y
Crawford Co. RWD #01	15206	KS2003703	8M	Ne	78	83	66	59 <sup>2</sup>	61 <sup>2</sup>	69	Y
Crawford Co. RWD #01C	30949	KS2003719	8M	Mc	178	176	138	118	140	150	Y
Crawford Co. RWD #02	15212	KS2003717	8M	Mc	na	68	na	52	65	62	Y
Crawford Co. RWD #03	15219	KS2003716	8S	Mc	64	60	50	54	55	57	Y
Crawford Co. RWD #04	15221	KS2003706	8M	Ne	75	65	61	69	68	68	Y
Crawford Co. RWD #05	15224	KS2003702	8M	Ne	77	106 <sup>2</sup>	81	88 <sup>2</sup>	94 <sup>2</sup>	89	Y
Crawford Co. RWD #06	15227	KS2003707	8M	Mc	94	91	102	96 <sup>2</sup>	76 <sup>2</sup>	92	Y
Cuba	3543	KS2015701	7S	Ks	117	83	113	106	101	104	Y
Cullison	3553	KS2015104	6S	Gb	156	221	151	164	155	169	Y
Culver	23878	KS2014306	7S	Ss	57	70	86	70	59	68	Y

**Table 3: Gallons per capita per day by public water supplier – continued**

Public Water Supplier	DWR ID	EPA Water System Number	GPCD Region <sup>1</sup>	Source water RPA	Gallons per capita-day					Average (2013 – 17)	In Regional Average
					2013	2014	2015	2016	2017		
Cunningham	3571	KS2009501	6S	Rh	186	166	185	171	175	177	Y
Damar	3670	KS2016305	5	Sr	99	85 <sup>2</sup>	108	108	106 <sup>2</sup>	101	Y
Dearing	33938	KS2012511	7S	Ve	61	63	60	64	62	62	Y
Deerfield	3893	KS2009302	2	Ua	180	189	163	160	138	166	Y
Delia	33123	KS2008507	7S	Ks	56	61	50	44	47	52	Y
Delphos	3932	KS2014305	7S	Sr	139	106	83	73	76	95	Y
Denison	34338	KS2008505	8S	Ks	46	47	47 <sup>2</sup>	43 <sup>2</sup>	48 <sup>2</sup>	46	Y
Derby (El Paso Water Company)	33488	KS2017328	7L	Ew	95	97	92	90	104	95	Y
DeSoto	3977	KS2009102	8M	Ks	193 <sup>2</sup>	165 <sup>2</sup>	114	96	76	129	Y
Dexter	4021	KS2003501	7S	Ew	80	85	82 <sup>2</sup>	82 <sup>2</sup>	73	80	Y
Dickinson Co. RWD #01	15207	KS2004104	7M	Ss	114	93	94	112	123	107	Y
Dickinson Co. RWD #02	15213	KS2004106	7M	Ss	129	130	130 <sup>3</sup>	100	109	120	Y
Dighton	4108	KS2010101	3	Us	208	191	205	186	144	187	Y
Dodge City	4207	KS2005710	4	Ua	159	132	126	121	132	134	Y
Doniphan Co. RWD #01	15208	KS2004305	8S	Mo	na	na	66 <sup>2</sup>	na	na	66	Y
Doniphan Co. RWD #02	15214	KS2004303	8S	Mo	64	70	68	64	69	67	Y
Doniphan Co. RWD #03	15202	KS2004301	8S	Mo	78	87 <sup>2</sup>	65	65	67	72	Y
Doniphan Co. RWD #05	23843	KS2004307	8M	Mo	na	73	94 <sup>2</sup>	na	89	85	Y
Dorrance	21622	KS2016711	6S	Ss	62	58	58 <sup>2</sup>	56 <sup>2</sup>	69 <sup>2</sup>	61	Y
Douglas Co. RWD #01	15209	KS2004506	8M	Ks	91	124 <sup>2</sup>	103 <sup>2</sup>	101 <sup>2</sup>	84	101	Y
Douglas Co. RWD #02	15215	KS2004508	8M	Ks	75	79	65	72 <sup>2</sup>	51	68	Y
Douglas Co. RWD #03 (Tri-District Water System)	15220	KS2004507	8M	Ks	78	108	136	125	117	113	Y
Douglas Co. RWD #04	55000	KS2004509	8M	Ks	73	76	85	91	74 <sup>2</sup>	80	Y
Douglas Co. RWD #05	39221	KS2004502	8M	Ks	66	65	57	59	57	61	Y
Douglas Co. RWD #06	55001	KS2004512	8M	Ks	83	80	na	74	81	79	Y
Douglass	4304	KS2001510	7M	Ew	69	73	66	68	68	69	Y
Downs	4336	KS2014101	6ML	Sr	137	132	131	123	129	131	Y
Durham	4480	KS2011502	7S	Ne	96	na	75	na	80	84	Y

**Table 3: Gallons per capita per day by public water supplier – continued**

Public Water Supplier	DWR ID	EPA Water System Number	GPCD Region <sup>1</sup>	Source water RPA	Gallons per capita-day					Average (2013 – 17)	In Regional Average
					2013	2014	2015	2016	2017		
Dwight	4511	KS2012701	7S	Ne	63	66	60	58	80	66	Y
Easton	31979	KS2010301	8S	Ks	122	93	85	108	66 <sup>2</sup>	95	Y
Edgerton	4610	KS2009103	8M	Mc	66	61	61	60	68	63	Y
Edna	4619	KS2009903	8S	Ve	63	63	63	62	59	62	Y
Effingham	4636	KS2000502	8M	Ks	70	72	65	66	63	67	Y
El Dorado	4698	KS2001511	7L	Ew	167	166	163	155	158	162	Y
Elbing	55002	KS2001512	7S	Ew	58	60	58	57	54	57	Y
Elgin	4708	KS2001901	7S	Ve	79	110	99	98	117	100	Y
Elk City	4709	KS2012520	7S	Ve	101	122	88	84	96	98	Y
Elk Co. RWD #01	34256	KS2004905	7M	Ve	91	87	81 <sup>2</sup>	83 <sup>2</sup>	79 <sup>2</sup>	84	Y
Elk Co. RWD #02	63748	KS2004906	7S	Ve	na	na	na	115	118	117	Y
Elkhart	4710	KS2012901	1	Ci	299	278	236	260	231	261	Y
Ellinwood	4717	KS2000906	6ML	Gb	101	91	100	93	94	96	Y
Ellis	4753	KS2005114	5	Ss	75	72	75	77	78	75	Y
Ellis Co. RWD #01C	57485	KS2005124	5	Ss	na	106	121	na	83 <sup>2</sup>	104	Y
Ellis Co. RWD #03	20643	KS2005113	5	Ss	49	46	45	43	na	46	N
Ellis Co. RWD #06	15222	KS2005122	5	Ss	161	110	132	na	127	132	Y
Ellsworth	4780	KS2005306	6ML	Ss	107	119	125	137	133	124	Y
Ellsworth Co. RWD #1	30564	KS2005309	6ML	Ss	na	na	na	na	202 <sup>2</sup>	202	Y
Elmdale	34037	KS2001704	7S	Ne	142	67 <sup>2</sup>	na	177 <sup>2</sup>	na	129	Y
Elwood	24494	KS2004302	8M	Mo	112	88	92	na	na	97	Y
Emmett	4812	KS2014901	7S	Ks	59 <sup>2</sup>	78	74	65	57	67	Y
Emporia	4817	KS2011105	7L	Ne	107	107	84	128	132	112	Y
Englewood	4853	KS2002503	4	Rh	284	220	223 <sup>2</sup>	188 <sup>2</sup>	185	220	Y
Ensign	4871	KS2006905	3	Ua	158	125	127	130 <sup>2</sup>	128 <sup>2</sup>	134	Y
Enterprise	4882	KS2004109	7M	Ss	84	86	85	71	79	81	Y
Erie	4908	KS2013310	8M	Ne	82	83	79	79	78	80	Y
Esbon	4927	KS2008904	6S	Sr	141 <sup>2</sup>	198	114	103	114 <sup>2</sup>	134	Y
Eskridge	26278	KS2019703	7M	Ks	112	141	112	113	111	118	Y
Eudora	4974	KS2004511	8M	Ks	85	83	79	78	60	77	Y
Eureka	4981	KS2007306	7M	Ve	118	120	115	103	104	112	Y
Everest	5007	KS2001308	8S	Ks	76	79	98	103	79	87	Y
Fall River	33228	KS2007304	7S	Ve	59	na	47 <sup>2</sup>	49 <sup>2</sup>	61 <sup>2</sup>	54	Y
Finney Co. RWD #01	25245	KS2005540	2	Ua	176 <sup>2</sup>	143 <sup>2</sup>	122 <sup>2</sup>	129 <sup>2</sup>	132 <sup>2</sup>	140	Y

**Table 3: Gallons per capita per day by public water supplier – continued**

Public Water Supplier	DWR ID	EPA Water System Number	GPCD Region <sup>1</sup>	Source water RPA	Gallons per capita-day					Average (2013 – 17)	In Regional Average
					2013	2014	2015	2016	2017		
Florence	5381	KS2011503	7S	Ne	82	81	103	79	81	85	Y
Fontana	5403	KS2012107	8S	Mc	56	42	35 <sup>2</sup>	49 <sup>2</sup>	52	47	Y
Ford	32601	KS2005709	4	Ua	232	248	225	173	322	240	Y
Formoso	5429	KS2008905	6S	Sr	89 <sup>2</sup>	83 <sup>2</sup>	91 <sup>2</sup>	81 <sup>2</sup>	90 <sup>2</sup>	87	Y
Fort Scott	5443	KS2001104	8M	Mc	132	134	142	133	143	137	Y
Fowler	5489	KS2011901	3	Ci	163	158	181	140	136	156	Y
Frankfort	5566	KS2011708	7M	Ks	114	120	124	162	162	136	Y
Franklin Co. RWD #01	21088	KS2005915	8M	Mc	71	64 <sup>2</sup>	74	68	63 <sup>2</sup>	68	Y
Franklin Co. RWD #02	33669	KS2005905	8S	Mc	63	61	na	43	45	53	Y
Franklin Co. RWD #03	34185	KS2005911	8S	Mc	54	60	57	59	68	60	Y
Franklin Co. RWD #04	15223	KS2005913	8M	Mc	89	82 <sup>2</sup>	79 <sup>2</sup>	86 <sup>2</sup>	91	86	Y
Franklin Co. RWD #05	5568	KS2005908	8M	Mc	60	57	61	64	63	61	Y
Franklin Co. RWD #06	5569	KS2005909	8M	Mc	97	103	103	106	95	101	Y
Fredonia	5611	KS2020513	7M	Ve	100	111	100	111 <sup>2</sup>	123	109	Y
Frontenac	5729	KS2003720	8M	Ne	92	93	85	72	88 <sup>2</sup>	86	Y
Fulton	5776	KS2001102	8S	Mc	45	56 <sup>2</sup>	45 <sup>2</sup>	43 <sup>2</sup>	42 <sup>2</sup>	46	Y
Galena	5822	KS2002113	8M	Ne	95	115	106	117	117	110	Y
Galesburg	5823	KS2013308	8S	Ve	78	78	104 <sup>2</sup>	110 <sup>2</sup>	103 <sup>2</sup>	95	Y
Galva	5832	KS2011312	7M	Ew	108	114	118 <sup>2</sup>	114 <sup>2</sup>	132 <sup>2</sup>	117	Y
Garden City	5855	KS2005511	2	Ua	183	178	171	205 <sup>2</sup>	186 <sup>2</sup>	185	Y
Garden Plain	30142	KS2017339	7M	Rh	87	92	83	92	79	87	Y
Gardner	5862	KS2009106	8L	Mc	87	88	64	89	88	83	Y
Garnett	5890	KS2000304	8M	Mc	84	86	93	90	65	84	Y
Gas	34316	KS2000102	8M	Ne	68	67 <sup>2</sup>	na	54	64	63	Y
Gaylord	5932	KS2018301	6S	Sr	122	99	92	113 <sup>2</sup>	110 <sup>2</sup>	107	Y
Geary Co. RWD #01	34329	KS2006103	7S	Ks	70	88	na	39	92	72	Y
Geary Co. RWD #02	37064	KS2006102	7S	Ks	84	84	79	79	45	74	Y
Geary Co. RWD #04	22303	KS2006105	7M	Ks	76	100 <sup>2</sup>	95 <sup>2</sup>	94 <sup>2</sup>	93 <sup>2</sup>	92	Y
Geneseo	5973	KS2015907	6S	Gb	108	95	85	109	106	101	Y
Geuda Springs	6018	KS2019114	7S	Rh	84	92	113	97	100	97	Y
Girard	6127	KS2003718	8M	Mc	109	113	97	111	105	107	Y
Glade	6137	KS2014708	5	Sr	71	69 <sup>2</sup>	79	75	86	76	Y
Glasco	6139	KS2002904	7S	Sr	74	87	69	64	63	71	Y

**Table 3: Gallons per capita per day by public water supplier – continued**

Public Water Supplier	DWR ID	EPA Water System Number	GPCD Region <sup>1</sup>	Source water RPA	Gallons per capita-day					Average (2013 – 17)	In Regional Average
					2013	2014	2015	2016	2017		
Glen Elder	6157	KS2012305	6S	Sr	124	119	112	103	113	114	Y
Goddard	6168	KS2017325	7M	Ew	116	122 <sup>2</sup>	112	111 <sup>2</sup>	110 <sup>2</sup>	114	Y
Goessel	6219	KS2011504	7M	Ew	98	112	94	86	97	97	Y
Goff	6233	KS2013108	7S	Ks	60	60 <sup>2</sup>	52 <sup>2</sup>	na	55 <sup>2</sup>	57	Y
Goodland	6270	KS2018102	1	Ur	282	298	292	261	206	268	Y
Gorham	6302	KS2016713	6S	Ss	85	89	75	66	74	78	Y
Gove	6332	KS2006303	3	Us	119 <sup>2</sup>	190 <sup>2</sup>	189	132 <sup>2</sup>	186	163	Y
Grainfield	6383	KS2006302	3	Ur	201 <sup>2</sup>	194	232 <sup>2</sup>	239 <sup>2</sup>	216 <sup>2</sup>	216	Y
Grandview Plaza	6390	KS2006106	7M	Ks	76	72	72	79	71	74	Y
Great Bend	23133	KS2000911	6ML	Gb	114	114	105	96	93	104	Y
Greeley	6456	KS2000305	8S	Mc	46	54	na	56	52	52	Y
Green	6463	KS2002703	7S	Ks	71	63 <sup>2</sup>	66 <sup>2</sup>	62 <sup>2</sup>	66 <sup>2</sup>	66	Y
Greenleaf	6493	KS2020106	7S	Ks	125	122	106	116	116	117	Y
Greensburg	6496	KS2009702	5	Gb	269	233	242	229	236	242	Y
Greenwood Co. RWD #01	33858	KS2007305	7M	Ve	93	84	73	71 <sup>2</sup>	67 <sup>2</sup>	78	Y
Greenwood Co. RWD #02	33859	KS2007302	7M	Ve	98	96	68	64	68	79	Y
Greenwood Co. RWD #03	53335	KS2007309	7S	Ve	96	82	77	99	82	87	Y
Grenola	20856	KS2004904	7S	Ve	62	66	68	62	61	64	Y
Gridley	6524	KS2003103	7S	Ne	68	65	na	64	64	65	Y
Grinnell	6570	KS2006301	3	Ur	252	258	261 <sup>2</sup>	236 <sup>2</sup>	207 <sup>2</sup>	243	Y
Gypsum	6666	KS2016906	7S	Ss	79	68 <sup>2</sup>	75 <sup>2</sup>	88	83	79	Y
Haddam	6698	KS2020109	7S	Ks	89	85	68	81	106	86	Y
Halstead	6801	KS2007901	7M	Ew	65	63	63	62	62	63	Y
Hamilton	6807	KS2007303	7S	Ve	64	64	59	63	na	63	Y
Hamilton Co. RWD #01	22258	KS2007503	1	Ua	80	78	65	na	64	72	Y
Hanston	6934	KS2008302	4	Gb	170	160	153	171	147	160	Y
Hardtner	6957	KS2000706	6S	Rh	139	174	177	170	165	165	Y
Harper	7022	KS2007702	6ML	Rh	140	137	121	117	127	128	Y
Harper Co. RWD #01	34302	KS2007706	6S	Rh	na	na	na	438 <sup>2</sup>	363 <sup>2</sup>	401	N
Harper Co. RWD #02	33885	KS2007705	6S	Rh	na	85	77	80	82	81	Y
Harper Co. RWD #04	36758	KS2007708	6S	Rh	87	95	112	80 <sup>2</sup>	111	97	Y
Hartford	7088	KS2011111	7M	Ne	na	na	66	na	na	66	Y
Harvey Co. RWD #01	34259	KS2007907	7M	Ew	53	54	60	51	46	53	Y

**Table 3: Gallons per capita per day by public water supplier – continued**

Public Water Supplier	DWR ID	EPA Water System Number	GPCD Region <sup>1</sup>	Source water RPA	Gallons per capita-day					Average (2013 – 17)	In Regional Average
					2013	2014	2015	2016	2017		
Harveyville	7124	KS2019704	7S	Mc	54 <sup>2</sup>	51 <sup>2</sup>	62	59	49 <sup>2</sup>	55	Y
Haven	7184	KS2015514	6ML	Ew	95	100	102	92	99	98	Y
Havensville	7186	KS2014903	7S	Ks	52 <sup>2</sup>	55 <sup>2</sup>	53 <sup>2</sup>	53 <sup>2</sup>	48 <sup>2</sup>	52	Y
Haviland	7187	KS2009703	5	Gb	134	136	127	119	116	126	Y
Hays	7227	KS2005111	5	Ss	88	81	88	82	83	84	Y
Hays City Suburban Estates	7224	KS2005116	5	Ss	103	103	123	90	124	109	Y
Haysville	7238	KS2017322	7L	Ew	83	81	86	79	82	82	Y
Hazelton	7246	KS2000705	6S	Rh	168	155	148	150	118	148	Y
Herington	7470	KS2004102	7M	Ss	109	103	97	90	91	98	Y
Herndon	7491	KS2015302	2	Ur	300	200 <sup>2</sup>	237 <sup>2</sup>	264 <sup>2</sup>	207 <sup>2</sup>	242	Y
Hesston	7561	KS2007902	7M	Ew	158	164	146	139	161	154	Y
Hiawatha	7590	KS2001305	8M	Mo	98	100	99	101	100	100	Y
Highland	7636	KS2004306	8M	Mo	108	113	98	95	94	102	Y
Hill City	7652	KS2006503	4	Ur	250	253	217	188	201	222	Y
Hillsboro	7699	KS2011505	7M	Ne	113	114	110	103	103	109	Y
Hoisington	7858	KS2000903	6ML	Gb	100	89	86	95	98	93	Y
Holcomb	7861	KS2005509	2	Ua	143	131	138	134	119	133	Y
Holton	21613	KS2008503	7M	Ks	112	92	100	105	110	104	Y
Holyrood	7958	KS2005305	6S	Gb	106	115	118	109	107	111	Y
Hope	8005	KS2004101	7S	Ss	68	63	65	64	59	64	Y
Horace	8013	KS2007101	1	Us	382	390 <sup>2</sup>	344 <sup>2</sup>	290 <sup>2</sup>	292 <sup>2</sup>	340	Y
Horton	8041	KS2001306	8M	Ks	86	80	77	82	82 <sup>2</sup>	82	Y
Howard	8100	KS2004901	7M	Ve	69	77	86	87	66	77	Y
Howison Heights Water District	32822	KS2016909	7S	Ss	140 <sup>2</sup>	130 <sup>2</sup>	96 <sup>2</sup>	120 <sup>2</sup>	na	121	Y
Hoxie	8123	KS2017901	3	Ur	262	290	284	240	224	260	Y
Hoyt	55003	KS2008501	7M	Ks	na	60	54	57	54	56	Y
Hugoton	8223	KS2018901	2	Ci	351	332	276	286	262	301	Y
Humboldt	8241	KS2000111	8M	Ne	102	102	101	96	99	100	Y
Hutchinson	8330	KS2015509	6ML	Ew	137	141	137	133	132	136	Y
Independence	8379	KS2012508	7L	Ve	125	158	130 <sup>2</sup>	168	177	152	Y
Ingalls	8384	KS2006902	3	Ua	177	153	170	147	145	159	Y
Inman	8388	KS2011310	7M	Ew	121	121	125	105	132	121	Y
Iola	8395	KS2000103	8M	Ne	120	120	120	113	111	117	Y
Isabel	8436	KS2000703	6S	Rh	101	83	77	82	115	92	Y
Iuka	33046	KS2015107	6S	Gb	68	66	75	124	140	95	Y

**Table 3: Gallons per capita per day by public water supplier – continued**

Public Water Supplier	DWR ID	EPA Water System Number	GPCD Region <sup>1</sup>	Source water RPA	Gallons per capita-day					Average (2013 – 17)	In Regional Average
					2013	2014	2015	2016	2017		
Jackson Co. RWD #01	23895	KS2008511	7M	Ks	63	72	na	60	53	62	Y
Jackson Co. RWD #03	21090	KS2008510	7M	Ks	88	86	91	96	98	92	Y
Jamestown	8540	KS2002902	7S	Sr	82	73	95	91	136	95	Y
Jefferson Co. RWD #01	8627	KS2008706	8M	Ks	92	92 <sup>2</sup>	90 <sup>2</sup>	84 <sup>2</sup>	84 <sup>2</sup>	88	Y
Jefferson Co. RWD #02	8628	KS2008719	8M	Ks	90	na	93	102 <sup>2</sup>	111 <sup>2</sup>	99	Y
Jefferson Co. RWD #03	8622	KS2008708	8M	Ks	112	132 <sup>2</sup>	99 <sup>2</sup>	106 <sup>2</sup>	104 <sup>2</sup>	111	Y
Jefferson Co. RWD #07	20800	KS2008713	8M	Ks	108	101	96	112 <sup>2</sup>	112	106	Y
Jefferson Co. RWD #08	20700	KS2008705	8S	Ks	82	73	69	na	na	75	Y
Jefferson Co. RWD #09	21091	KS2008715	8S	Ks	54	61	62	74	70	64	Y
Jefferson Co. RWD #10	20750	KS2008709	8S	Ks	107	76	92	104	88 <sup>2</sup>	94	Y
Jefferson Co. RWD #11	20752	KS2008712	8S	Ks	89	69	69	107	65	80	Y
Jefferson Co. RWD #12	20541	KS2008717	8M	Ks	89	74	83	77	73	79	Y
Jefferson Co. RWD #13	21092	KS2008704	8M	Ks	99	99	99	87	103	97	Y
Jefferson co. RWD #14	35816	KS2008722	8S	Ks	na	na	65	67	65	66	Y
Jefferson Co. RWD #15	21093	KS2008721	8S	Ks	39	48	50	45	42	45	Y
Jennings	8647	KS2003904	3	Ur	338 <sup>2</sup>	198 <sup>2</sup>	212 <sup>2</sup>	173 <sup>2</sup>	178 <sup>2</sup>	220	Y
Jetmore	8671	KS2008301	4	Gb	215	137	129	126	151	152	Y
Jewell	8672	KS2008902	6S	Sr	60	63	61	62	58	61	Y
Jewell Co. RWD #01	15281	KS2008907	6S	Sr	168	237	348	193	201	229	Y
Johnson City	8719	KS2018702	1	Ua	279	280	253	279	249	268	Y
Johnson Co. RWD #06C	25243	KS2009113	8M	Ks	96	99	90	107	na	98	Y
Johnson Co. RWD #07	23910	KS2009104	8M	Mc	113	125	na	122	147	127	Y
Junction City	8979	KS2006108	7L	Ks	126	136	138	124	115	128	Y
Kanopolis	9033	KS2005304	6S	Ss	70	76	75	96	83	80	Y
Kanorado	9034	KS2018101	1	Ur	292	280	286	311	242	282	Y
Kansas City Board of Public Utilities	20297	KS2020906	8L	Mo	158	156	165	147	147	155	Y



**Table 3: Gallons per capita per day by public water supplier – continued**

Public Water Supplier	DWR ID	EPA Water System Number	GPCD Region <sup>1</sup>	Source water RPA	Gallons per capita-day					Average (2013 – 17)	In Regional Average
					2013	2014	2015	2016	2017		
Kechi	35516	KS2017334	7M	Ew	na	74 <sup>2</sup>	7 <sup>2</sup>	64 <sup>2</sup>	73	55	Y
Kensington	9265	KS2018302	6S	Sr	131	149	157	122	119	136	Y
Kincaid	55004	KS2000301	8S	Ne	na	na	61	na	na	61	Y
Kingman	9404	KS2009503	6ML	Rh	108	118	100	102	56 <sup>2</sup>	97	Y
Kingman Co. RWD #01	33775	KS2009502	6S	Rh	64	61	61	52	55	59	Y
Kinsley	9417	KS2004703	5	Gb	123	125	117	111	119	119	Y
Kiowa	9423	KS2000707	6ML	Rh	107	162	127	122	109	125	Y
Kirwin	9468	KS2014702	5	Sr	149 <sup>2</sup>	137 <sup>2</sup>	125 <sup>2</sup>	86 <sup>2</sup>	97 <sup>2</sup>	119	Y
Kismet	9474	KS2017503	2	Ci	193	203	165	109	115	157	Y
Konza Valley Water District	41962	KS2016109	7S	Ks	9	8	7	9	9	8	Y
La Crosse	10038	KS2016507	5	Gb	138	112	106	101	108	113	Y
La Cygne	10036	KS2010703	8M	Mc	74	70	72	75	80 <sup>2</sup>	74	Y
La Harpe	33754	KS2000105	8M	Ne	80	82 <sup>2</sup>	61	64 <sup>2</sup>	70 <sup>2</sup>	71	Y
Labette Co. RWD #01C	62649	KS2009919	8S	Ne	89	97	107	111	95	100	Y
Labette Co. RWD #03	55006	KS2009917	8S	Ve	82	88 <sup>2</sup>	78	66	66	76	Y
Labette Co. RWD #06	23845	KS2009916	8M	Ve	na	80	64	72	66	70	Y
Labette Co. RWD #07	55007	KS2009912	8M	Ve	63	76	68	60 <sup>2</sup>	59 <sup>2</sup>	65	Y
Labette Co. RWD #08	23846	KS2009904	8M	Ve	109	90	74	115	117	101	Y
Labette RWD 05 (merged with LB-2)	34379	KS2009906	8M	Ve	na	na	74	na	na	74	Y
Lakeside Village Improvement District	10062	KS2008716	8S	Ks	60 <sup>2</sup>	79 <sup>2</sup>	80 <sup>2</sup>	56	46 <sup>2</sup>	64	Y
Lakin	10065	KS2009301	2	Ua	176	178	183	196	165	180	Y
Lancaster	10103	KS2000507	8S	Mo	53	53	50	52	52	52	Y
Lane	10129	KS2005901	8S	Mc	60	62	58	66 <sup>2</sup>	na	62	Y
Lane Co. RWD #01	20681	KS2010102	3	Us	269	271	241	209	196	237	Y
Lansing (Lan-Del Water District)	34182	KS2010313	8M	Mo	87	80	79	84	82	82	Y
Larned	10164	KS2014505	5	Gb	179	171	167	150	160	165	Y
Latham	10220	KS2001517	7S	Ew	70	85	77	72	66	74	Y

**Table 3: Gallons per capita per day by public water supplier – continued**

Public Water Supplier	DWR ID	EPA Water System Number	GPCD Region <sup>1</sup>	Source water RPA	Gallons per capita-day					Average (2013 – 17)	In Regional Average
					2013	2014	2015	2016	2017		
Lawrence	10239	KS2004503	8L	Ks	112	104	96	100	95	101	Y
Leavenworth	10277	KS2010317	8L	Mo	94	86	83	95	97	91	Y
Leavenworth Co. RWD #01	34178	KS2010316	8M	Mo	na	na	59	na	na	59	Y
Leavenworth Co. RWD #01C	15267	KS2010323	8M	Mo	57 <sup>2</sup>	41 <sup>2</sup>	37 <sup>2</sup>	44 <sup>2</sup>	76	51	Y
Leavenworth Co. RWD #02	34179	KS2010319	8M	Mo	116	103	103	na	115	109	Y
Leavenworth Co. RWD #05	34180	KS2010318	8M	Mo	82	80	70	70	70	74	Y
Leavenworth Co. RWD #06	33868	KS2010305	8M	Mo	76	73 <sup>2</sup>	73 <sup>2</sup>	83 <sup>2</sup>	68 <sup>2</sup>	75	Y
Leavenworth Co. RWD #07	33869	KS2010320	8M	Ks	71	66	64	68	70	68	Y
Leavenworth Co. RWD #08	34181	KS2010309	8M	Mo	76	73	na	66	71	71	Y
Leavenworth Co. RWD #09	15276	KS2010308	8M	Mo	80	70	75	76	69	74	Y
Leavenworth Co. RWD #10	34371	KS2010315	8M	Ks	68	na	na	88	91 <sup>2</sup>	82	Y
Lebanon	10279	KS2018304	6S	Sr	96	91	93 <sup>2</sup>	85 <sup>2</sup>	88 <sup>2</sup>	90	Y
Lebo	10280	KS2003104	7M	Mc	67	61	57	55	63	61	Y
Lecompton	10287	KS2004501	8M	Ks	55	50	51	49	71	55	Y
Lehigh	10317	KS2011506	7S	Ne	82	87	84	90	82	85	Y
Lenora	10379	KS2013705	4	Sr	193	176	176	182	164	178	Y
Leon	10381	KS2001515	7M	Ew	114	107	98	61	80	92	Y
Leonardville	10399	KS2016120	7S	Ks	74	69 <sup>2</sup>	71 <sup>2</sup>	86	85	77	Y
Leoti	10402	KS2020301	2	Us	249	196	167	151	149 <sup>2</sup>	182	Y
LeRoy	10405	KS2003109	7M	Ne	54	53	na	51	51	52	Y
Lewis	10437	KS2004702	5	Gb	132	120	116	120	155	129	Y
Liberal	10482	KS2017504	2	Ci	191	296	119	162	149	184	Y
Liebenthal	20452	KS2016508	5	Ss	72	79	75	75	65	73	Y
Lincoln Center	10543	KS2010501	6ML	Ss	96	101	94	86	92	94	Y
Lindsborg	10570	KS2011308	7M	Ss	100	97	97	92	101	98	Y
Linn	10585	KS2020104	7S	Ks	93	88	79	79	88	86	Y
Linn Co. RWD #01	33757	KS2010702	8M	Mc	96	82	88	86 <sup>2</sup>	88 <sup>2</sup>	88	Y
Linn Co. RWD #02	34376	KS2010707	8M	Mc	56	76	68	69	63	66	Y
Linn Co. RWD #03	33758	KS2010708	8M	Mc	107	147	85	88	77	101	Y
Linn Valley	65869	KS2010712	8M	Mc	na	na	na	na	45	45	Y

**Table 3: Gallons per capita per day by public water supplier – continued**

Public Water Supplier	DWR ID	EPA Water System Number	GPCD Region <sup>1</sup>	Source water RPA	Gallons per capita-day					Average (2013 – 17)	In Regional Average
					2013	2014	2015	2016	2017		
Linwood	10595	KS2010310	8S	Ks	53	61	62	62	61	60	Y
Little River	10607	KS2015904	6ML	Ew	95	105	130	96	97	104	Y
Logan	10655	KS2014701	5	Sr	144	115	144	138	137	136	Y
Long Island	10681	KS2014703	5	Sr	182	168	137	160	223	174	Y
Longford	10693	KS2002706	7S	Ss	90	81	88	91	118	94	Y
Longton	10695	KS2004903	7S	Ve	112	66	66	68	67	76	Y
Lorraine	10713	KS2005303	6S	Gb	80	60 <sup>2</sup>	63 <sup>2</sup>	66 <sup>2</sup>	67 <sup>2</sup>	68	Y
Louisburg	10734	KS2012106	8M	Mc	101	109	113	110	103	107	Y
Lucas	10790	KS2016702	6S	Ss	90	92	70	68	76	79	Y
Luray	10838	KS2016701	6S	Ss	81	79	74	na	na	78	Y
Lyndon	10859	KS2013901	7M	Mc	85	69	59	65	65	69	Y
Lyon Co. RWD #01	15230	KS2011101	7M	Ne	55	na	49	53	56	53	Y
Lyon Co. RWD #02	23887	KS2011108	7M	Ne	94	86	77	81	69	81	Y
Lyon Co. RWD #03	34166	KS2011113	7S	Ne	78	58	88	77	90	78	Y
Lyon Co. RWD #04	23888	KS2011110	7M	Ne	na	61	55	na	64 <sup>2</sup>	60	Y
Lyon Co. RWD #05	34168	KS2011107	7M	Ne	125	na	na	132	66	108	Y
Lyons	10864	KS2015903	6ML	Gb	183	159	165	153	145	161	Y
Macksville	10889	KS2018501	6ML	Gb	119	110	112	103	102 <sup>2</sup>	109	Y
Madison	10909	KS2007301	7M	Ve	94	99	87	85	96	92	Y
Mahaska	10934	KS2020102	7S	Ks	169	171 <sup>2</sup>	157 <sup>2</sup>	102 <sup>2</sup>	na	150	Y
Maize	22377	KS2017345	7M	Ew	70	75	70	71	74	72	Y
Manchester	10986	KS2004103	7S	Ss	62	61	na	52 <sup>2</sup>	58 <sup>2</sup>	58	Y
Manhattan	10997	KS2016112	7L	Ks	118	119	116	117	118	118	Y
Mankato	10999	KS2008903	6ML	Sr	170	183	172	183	200	181	Y
Manter	11022	KS2018701	1	Ci	264	254	168	158	148	199	Y
Maple Hill	11026	KS2019708	7M	Ks	79	80	64	63	60	69	Y
Marion	11052	KS2011507	7M	Ne	103	115	135	120	117 <sup>2</sup>	118	Y
Marion Co. Improvement District #02	51710	KS2011512	7S	Ne	37	38	41	38	39	39	Y
Marion Co. RWD #01	15231	KS2011510	7M	Ne	101	96	87	123	94	100	Y
Marion Co. RWD #02	55008	KS2011508	7S	Ew	na	na	38	40	37	38	Y
Marion Co. RWD #04	23219	KS2011511	7M	Ew	109	80	77	82	80	86	Y
Marquette	11075	KS2011302	7M	Ss	102	108	127	191	154	136	Y

**Table 3: Gallons per capita per day by public water supplier – continued**

Public Water Supplier	DWR ID	EPA Water System Number	GPCD Region <sup>1</sup>	Source water RPA	Gallons per capita-day					Average (2013 – 17)	In Regional Average
					2013	2014	2015	2016	2017		
Marshall Co. RWD #01	15232	KS2011707	7S	Ks	na	na	na	116	na	116	Y
Marshall Co. RWD #03	15261	KS2011713	7M	Ks	100	113	93	89	102	99	Y
Marysville	11144	KS2011706	7M	Ks	112	102	100	112	109 <sup>2</sup>	107	Y
Matfield Green	33118	KS2001702	7S	Ne	74	76 <sup>2</sup>	71 <sup>2</sup>	72 <sup>2</sup>	72 <sup>2</sup>	73	Y
Mayetta	33072	KS2008512	7S	Ks	60	49 <sup>2</sup>	48 <sup>2</sup>	51 <sup>2</sup>	49 <sup>2</sup>	52	Y
Mayfield	34417	KS2019102	7S	Rh	57	56	56	56	60 <sup>2</sup>	57	Y
McCracken	32339	KS2016502	5	Ss	66	54	54	86	63	65	Y
McCune	11416	KS2003708	8S	Ne	59	67	na	54	53	58	Y
McDonald	11436	KS2015303	2	Ur	422	443	422	270	243	360	Y
McFarland	22114	KS2019707	7S	Ks	73	73	63	65	64	68	Y
McLouth	11588	KS2008702	8M	Ks	65	na	59	61	61	62	Y
McPherson	11618	KS2011309	7L	Ew	156	154	149	135	151	149	Y
McPherson Co. RWD #01	15233	KS2011301	7S	Ne	148	136	133	124	117	132	Y
McPherson Co. RWD #02	34332	KS2011307	7S	Ew	na	127	na	94	118	113	Y
McPherson Co. RWD #03	34333	KS2011306	7S	Ew	126	107	88	82	113	103	Y
McPherson Co. RWD #04	34334	KS2011305	7M	Ew	115	112 <sup>2</sup>	112 <sup>2</sup>	108 <sup>2</sup>	113 <sup>2</sup>	112	Y
McPherson Co. RWD #06	57737	KS2011315	7S	Ss	na	na	52	56	58	55	Y
Meade	11636	KS2011902	3	Ci	196	185	162	168	167	176	Y
Medicine Lodge	11663	KS2000702	6ML	Rh	137	135	115	138	113	128	Y
Melvern	11736	KS2013905	7S	Mc	104	84	81	68	71	82	Y
Miami Co. RWD #01	34426	KS2012102	8M	Mc	71	64	na	69	61	66	Y
Miami Co. RWD #02	15252	KS2012101	8L	Mc	86	na	74	84	74	80	Y
Miami Co. RWD #03	34427	KS2012104	8M	Mc	70	76	79	80	88	79	Y
Miami Co. RWD #04	36767	KS2012108	8M	Mc	71	67	64	73	85	72	Y
Milford	11883	KS2006109	7M	Ks	55	49	48	55	46	51	Y
Miltonvale	12083	KS2002903	7M	Ss	91	93	83	74	94	87	Y
Minneapolis	12094	KS2014301	7M	Sr	93	117	102	101	103	103	Y
Minneola	12095	KS2002501	4	Rh	200	159	159	157	154	166	Y
Mitchell Co. RWD #02	15253	KS2012304	6ML	Sr	250	316	183	256 <sup>2</sup>	393 <sup>2</sup>	280	Y
Moline	12169	KS2004902	7S	Ve	89 <sup>2</sup>	na	80	71	87	82	Y

**Table 3: Gallons per capita per day by public water supplier – continued**

Public Water Supplier	DWR ID	EPA Water System Number	GPCD Region <sup>1</sup>	Source water RPA	Gallons per capita-day					Average (2013 – 17)	In Regional Average
					2013	2014	2015	2016	2017		
Montezuma	12199	KS2006901	3	Ua	270	258	230	233	215	241	Y
Montgomery Co. RWD #01	23847	KS2012505	7S	Ve	74	71	79	102	98	85	Y
Montgomery Co. RWD #01C	55339	KS2012509	7M	Ve	56	55	62	50	66 <sup>2</sup>	58	Y
Montgomery Co. RWD #02	23848	KS2012504	7M	Ve	74	76	75	77 <sup>2</sup>	71 <sup>2</sup>	75	Y
Montgomery Co. RWD #02C	61793	KS2012526	7M	Ve	66	57	na	66	na	63	Y
Montgomery Co. RWD #06	55009	KS2012506	7M	Ve	117	116	114	109	94	110	Y
Montgomery Co. RWD #08	23852	KS2012507	7S	Ve	na	69 <sup>2</sup>	63	na	na	66	Y
Montgomery Co. RWD #09	23853	KS2012519	7S	Ve	107	91	88	92	80	92	Y
Montgomery Co. RWD #12	34326	KS2012521	7M	Ve	76	73	61 <sup>2</sup>	65 <sup>2</sup>	60 <sup>2</sup>	67	Y
Montgomery Co. RWD #13	40366	KS2012524	7S	Ve	61	na	na	na	na	61	Y
Montgomery Co. RWD #14	56883	KS2012525	7S	Ve	72	72	74	69	80	73	Y
Moran	12278	KS2000116	8M	Ne	73	80	83	82	76	79	Y
Morganville	12308	KS2002705	7S	Ks	74	64	61	60	69	66	Y
Morland	12319	KS2006501	4	Ur	215	211 <sup>2</sup>	219	162	246	211	Y
Morrill	12322	KS2001307	8S	Mo	58	55	64	64	58	60	Y
Morris Co. RWD #01	34865	KS2012704	7M	Ks	157	195	163	140	170	165	Y
Morrowville	12363	KS2020103	7S	Ks	96	100	79	91	79	89	Y
Moscow	12380	KS2018902	2	Ci	219	na	na	200	199	206	Y
Mound City	12429	KS2010709	8M	Mc	88	87	142	103	95	103	Y
Mound Valley	12430	KS2009910	8S	Ve	66	75	65	71	na	69	Y
Moundridge	12431	KS2011304	7M	Ew	120	135	126	116	133	126	Y
Mount Hope	12432	KS2017319	7M	Ew	128	181	115	211	159	159	Y
Mulberry	12476	KS2003710	8M	Mc	98	75	71	66	68	76	Y
Mullinville	20461	KS2009701	5	Gb	185	140 <sup>2</sup>	152 <sup>2</sup>	162	146	157	Y
Mulvane	12492	KS2019113	7M	Ew	85	86	86	84	81	84	Y
Munden	12497	KS2015708	7S	Ks	89 <sup>2</sup>	79	75 <sup>2</sup>	72	80	79	Y
Muscotah	12560	KS2000508	8S	Ks	76	90	66 <sup>2</sup>	60	55	69	Y
Narka	12605	KS2015707	7S	Ks	111	125	71	59	81	89	Y
Natoma	12620	KS2014106	6S	Ss	104	80	88	77	89	87	Y
Nemaha Co. RWD #01	15234	KS2013105	7S	Mo	170	150	124	135	158	147	Y

**Table 3: Gallons per capita per day by public water supplier – continued**

Public Water Supplier	DWR ID	EPA Water System Number	GPCD Region <sup>1</sup>	Source water RPA	Gallons per capita-day					Average (2013 – 17)	In Regional Average
					2013	2014	2015	2016	2017		
Nemaha Co. RWD #03	15262	KS2013110	7M	Ks	95	85	86	94	87	89	Y
Nemaha Co. RWD #04	34423	KS2013112	7M	Ks	136	117	152 <sup>2</sup>	154 <sup>2</sup>	159 <sup>2</sup>	144	Y
Neodesha	12743	KS2020502	7M	Ve	99	105	100	100	106 <sup>2</sup>	102	Y
Neosho Co. RWD #01C	55011	KS2013320	8M	Ne	na	na	70	na	74 <sup>2</sup>	72	Y
Neosho Co. RWD #02	15254	KS2013314	8M	Ne	68	71	66	62	67	67	Y
Neosho Co. RWD #03	55010	KS2013315	8S	Ve	na	na	na	na	62	62	Y
Neosho Co. RWD #04	39323	KS2013317	8M	Ve	na	na	79	75	74	76	Y
Neosho Co. RWD #06	34294	KS2013305	8S	Ve	67	70	72	65	65	68	Y
Neosho Co. RWD #07	33778	KS2013303	8M	Ve	78	86	87	79	86	83	Y
Neosho Co. RWD #08	34393	KS2013309	8S	Ne	68	105	104	110	78 <sup>2</sup>	93	Y
Neosho Co. RWD #09	33759	KS2013301	8S	Ve	83	68	57	61	59	66	Y
Neosho Co. RWD #12	33779	KS2013321	8S	Ve	69	72	68	71	91	74	Y
Ness City	12744	KS2013503	4	Gb	133	125	128	122	120	126	Y
Netawaka	34339	KS2008509	7S	Ks	87 <sup>2</sup>	86 <sup>2</sup>	95	105	90	93	Y
New Strawn	12765	KS2003105	7S	Ne	87	77	72	69	71	75	Y
Newton	12788	KS2007905	7L	Ew	83	82	80	77	80	80	Y
Nickerson	12853	KS2015505	6ML	Ew	75	71	78	67	74	73	Y
Norcatour	12973	KS2003902	3	Ur	118	121	92	85	106	104	Y
North Newton	26573	KS2007906	7M	Ew	78	80	65	79	83	77	Y
Norton	13015	KS2013702	4	Sr	186	179	187	190	191	187	Y
Norton Co. RWD #01	15235	KS2013703	4	Sr	47	38	34	34	33	37	Y
Nortonville	13022	KS2008703	8M	Ks	75	78	76	72	70	74	Y
Norwich	13023	KS2009505	6S	Rh	80	128 <sup>2</sup>	104 <sup>2</sup>	na	89 <sup>2</sup>	100	Y
Oakley	13097	KS2010901	2	Ur	257	254	247	234	214	241	Y
Oberlin	13110	KS2003903	3	Ur	186	166	169	153	148	164	Y
Offerle	13167	KS2004704	5	Gb	119	96 <sup>2</sup>	103 <sup>2</sup>	92	99	102	Y
Ogden	13169	KS2016128	7M	Ks	62	62	65	78	63	66	Y
Oketo	13183	KS2011704	7S	Ks	na	115 <sup>2</sup>	99 <sup>2</sup>	124 <sup>2</sup>	109 <sup>2</sup>	111	Y
Olathe	13184	KS2009115	8L	Ks	92	80 <sup>2</sup>	75 <sup>2</sup>	82	76	81	Y
Olmitz	20925	KS2000904	6S	Gb	100	92	107	135	86	104	Y
Olpe	13210	KS2011112	7M	Ne	72	68	64	65	62	66	Y

**Table 3: Gallons per capita per day by public water supplier – continued**

Public Water Supplier	DWR ID	EPA Water System Number	GPCD Region <sup>1</sup>	Source water RPA	Gallons per capita-day					Average (2013 – 17)	In Regional Average
					2013	2014	2015	2016	2017		
Olsburg	34885	KS2014907	7S	Ks	71	66	70	77	70	71	Y
Onaga	13244	KS2014905	7M	Ks	83	74	69	70	67	73	Y
Oneida	13245	KS2013103	7S	Mo	64	76	49 <sup>2</sup>	59	60	61	Y
Osage City	13263	KS2013907	7M	Mc	75	78	79	71	72	75	Y
Osage Co. RWD #02	15255	KS2013912	7S	Mc	60	68	64	66	66	65	Y
Osage Co. RWD #03	15263	KS2013910	7M	Mc	106	97	97	102	96	100	Y
Osage Co. RWD #04	15268	KS2013917	7M	Mc	78	87	101	76	78	84	Y
Osage Co. RWD #05	15119	KS2013904	7M	Ks	86	80	75	82	83	81	Y
Osage Co. RWD #06	40021	KS2013902	7S	Mc	98	88	82	95	81	89	Y
Osage Co. RWD #07	33876	KS2013906	7M	Mc	58	62	57	57	58	58	Y
Osage Co. RWD #08	55012	KS2013918	7M	Ks	na	68	na	63 <sup>2</sup>	na	65	Y
Osawatomic	13264	KS2012105	8M	Mc	136	127	131	118	94	121	Y
Osborne	13269	KS2014105	6ML	Sr	141	119	121	109	131	124	Y
Osborne Co. RWD #01A	15249	KS2014103	6S	Sr	1408	4015 <sup>2</sup>	4371 <sup>2</sup>	4371	5078	3849	N
Osborne Co. RWD #02	25758	KS2014107	6S	Ss	121	161	275	169	122	170	Y
Oskaloosa	13276	KS2008714	8M	Ks	79	76	na	71	74	75	Y
Oswego	13299	KS2009908	8M	Ne	90	97	101	91	91	94	Y
Otis	13300	KS2016505	5	Gb	165	134	125	128	96	130	Y
Ottawa	13308	KS2005906	8L	Mc	101	105	99	107	90	100	Y
Ottawa Co. RWD #01	15282	KS2014304	7S	Sr	60 <sup>2</sup>	49 <sup>2</sup>	50 <sup>2</sup>	71 <sup>2</sup>	106	67	Y
Ottawa Co. RWD #02	15256	KS2014307	7M	Ss	77	85	90	96	98	89	Y
Overbrook	13323	KS2013903	7M	Ks	54	80	70	109	76	78	Y
Oxford	13353	KS2019111	7M	Ew	74	97	90	87	90	88	Y
Ozawkie	13358	KS2008718	8M	Ks	69	71	65	70	72	70	Y
Palco	13384	KS2016302	5	Ss	95	81 <sup>2</sup>	91	82	83	86	Y
Palmer	13393	KS2020105	7S	Ks	92	118	133	114	132	118	Y
Paola	13415	KS2012103	8M	Mc	90	87	80	85	87	86	Y
Paradise	13419	KS2016708	6S	Ss	108 <sup>2</sup>	113 <sup>2</sup>	112 <sup>2</sup>	81 <sup>2</sup>	88 <sup>2</sup>	100	Y
Park	13430	KS2006304	3	Ur	258	303	311 <sup>2</sup>	372	320	313	Y
Park City	13427	KS2017303	7M	Ew	142	na	na	na	na	142	Y
Parker	33098	KS2010706	8S	Mc	57	59 <sup>2</sup>	54	53	na	56	Y

**Table 3: Gallons per capita per day by public water supplier – continued**

Public Water Supplier	DWR ID	EPA Water System Number	GPCD Region <sup>1</sup>	Source water RPA	Gallons per capita-day					Average (2013 – 17)	In Regional Average
					2013	2014	2015	2016	2017		
Parsons	13488	KS2009914	8L	Ne	134	153	128	119	107	128	Y
Pawnee Rock	31008	KS2000916	6S	Gb	110	72	62	64	66 <sup>2</sup>	75	Y
Paxico	13551	KS2019705	7S	Ks	68	66	65	66	72	68	Y
Peabody	13561	KS2011509	7M	Ne	138	91	104	90	79	100	Y
Perry	20928	KS2008720	8M	Ks	81	66	66	72	64	70	Y
Peru	13688	KS2001906	7S	Ve	60 <sup>2</sup>	62	54	69 <sup>2</sup>	58 <sup>2</sup>	60	Y
Phillips Co. RWD #01	15236	KS2014709	5	Sr	133	149 <sup>2</sup>	173 <sup>2</sup>	162 <sup>2</sup>	129	149	Y
Phillipsburg	13808	KS2014706	5	Sr	141	147	177	160	154	156	Y
Pittsburg	13876	KS2003705	8L	Ne	102	100	98	100	96	99	Y
Plains	19243	KS2011903	3	Ci	250	241	214	209	226 <sup>2</sup>	228	Y
Plainville	13883	KS2016301	5	Ss	118	110	126	147 <sup>2</sup>	114 <sup>2</sup>	123	Y
Pleasanton	13889	KS2010704	8M	Mc	114	104	79	80	79	91	Y
Pomona	13946	KS2005907	8M	Mc	77	62	72	83	71	73	Y
Portis	13980	KS2014104	6S	Sr	92	106 <sup>2</sup>	124 <sup>2</sup>	100 <sup>2</sup>	111 <sup>2</sup>	106	Y
Pottawatomie Co. RWD #01	15237	KS2014912	7M	Ks	107	97	86	91	95	95	Y
Pottawatomie Co. RWD #02	21005	KS2014906	7M	Ks	113	81	80	85	88	89	Y
Pottawatomie Co. RWD #03	34075	KS2014904	7M	Ks	103	91	77	84	86	88	Y
Pottawatomie Co. RWD #04	50614	KS2014922	7M	Ks	110	115 <sup>2</sup>	109 <sup>2</sup>	98	102	107	Y
Potwin	14009	KS2001518	7S	Ew	61	54	63	70	49	59	Y
Prairie View	14043	KS2014704	5	Sr	143	198	153	128	120	148	Y
Pratt	14050	KS2015103	6ML	Gb	186	220	228	217	232	217	Y
Prescott	22619	KS2010705	8S	Mc	71	63	65	na	56	64	Y
Preston	14074	KS2015102	6S	Gb	74	83	77	64	67	73	Y
Pretty Prairie	14078	KS2015501	6ML	Ew	92	96	97	90	85	92	Y
Princeton	14125	KS2005912	8S	Mc	77	84	82	78	77	80	Y
Protection	14152	KS2003302	5	Rh	176	164	187	165	184	175	Y
Quenemo	14200	KS2013913	7S	Mc	na	57	55	52	47	53	Y
Quinter	14220	KS2006305	3	Ur	198	183	192	156	147	175	Y
Randall	14294	KS2008901	6S	Sr	160 <sup>2</sup>	141 <sup>2</sup>	144 <sup>2</sup>	97 <sup>2</sup>	77 <sup>2</sup>	124	Y
Randolph	14309	KS2016126	7S	Ks	93	76	81	78	81	82	Y
Ransom	14322	KS2013501	4	Ss	114	99	119	92	83	102	Y
Rantoul	14323	KS2005902	8S	Mc	52	57	66	53	60	58	Y
Raymond	14383	KS2015901	6S	Gb	115 <sup>2</sup>	134 <sup>2</sup>	120 <sup>2</sup>	113 <sup>2</sup>	139 <sup>2</sup>	124	Y
Reading	14386	KS2011114	7S	Mc	na	56 <sup>2</sup>	54 <sup>2</sup>	na	na	55	Y



**Table 3: Gallons per capita per day by public water supplier – continued**

Public Water Supplier	DWR ID	EPA Water System Number	GPCD Region <sup>1</sup>	Source water RPA	Gallons per capita-day					Average (2013 – 17)	In Regional Average
					2013	2014	2015	2016	2017		
Red Bud Lake Improvement District	14391	KS2004111	7S	Ss	23	na	37	36	27 <sup>2</sup>	31	Y
Reno Co. RWD #01	15238	KS2015510	6S	Ew	72	74	77	111	68	80	Y
Reno Co. RWD #03	15264	KS2015516	6S	Ew	146 <sup>2</sup>	136 <sup>2</sup>	121	119	126	130	Y
Reno Co. RWD #04	34153	KS2015517	6S	Ew	71	68 <sup>2</sup>	75 <sup>2</sup>	77 <sup>2</sup>	57 <sup>2</sup>	70	Y
Reno Co. RWD #08	29055	KS2015508	6S	Ew	145	126	118	114	108	122	Y
Reno Co. Water District #101	30458	KS2015518	6S	Ew	103	109	101	125	131	114	Y
Republic	14580	KS2015709	7S	Sr	102	110	106	117	120	111	Y
Republic Co. RWD #01	15239	KS2015702	7S	Sr	383	435	308	378	349	371	Y
Republic Co. RWD #02	15257	KS2015711	7M	Sr	243 <sup>2</sup>	231 <sup>2</sup>	234 <sup>2</sup>	236 <sup>2</sup>	279 <sup>2</sup>	245	Y
Reserve	14589	KS2001302	8S	Mo	152	93 <sup>2</sup>	60	58	60	85	Y
Rexford	14597	KS2019304	2	Ur	233	224	229 <sup>2</sup>	255 <sup>2</sup>	246 <sup>2</sup>	237	Y
Rice Co. RWD #01	40441	KS2015908	6ML	Gb	114	109	104	107	119	111	Y
Richmond	14683	KS2005904	8S	Mc	72	72	81	69	70	73	Y
Riley	14753	KS2016124	7M	Ks	77	70	75	83	70	75	Y
Riley Co. RWD #01	15240	KS2016135	7M	Ks	85	93 <sup>2</sup>	na	87 <sup>2</sup>	97 <sup>2</sup>	90	Y
Robinson	14882	KS2001301	8S	Mo	84	97 <sup>2</sup>	102	88	72	89	Y
Rocky Ford Water Company	35916	KS2016136	7S	Ks	65	79 <sup>2</sup>	63	92 <sup>2</sup>	68	73	Y
Rolla	14999	KS2012902	1	Ci	223	232	193	196	204	210	Y
Rooks Co. RWD #01	15283	KS2016303	5	Sr	76	93	91	88	88	87	Y
Rooks Co. RWD #02	15258	KS2016306	5	Ss	71	65	65	60	56	64	Y
Rooks Co. RWD #03	15265	KS2016308	5	Ss	227 <sup>2</sup>	312 <sup>2</sup>	111 <sup>2</sup>	115 <sup>2</sup>	120 <sup>2</sup>	177	Y
Rose Hill	15031	KS2001520	7M	Ew	68	71	70	64	65	68	Y
Roseland	34296	KS2002105	8S	Ne	51	58	59	59	63	58	Y
Rossville	15076	KS2017712	7M	Ks	74	68	73	74	72	72	Y
Rozel	15118	KS2014502	5	Gb	153	138 <sup>2</sup>	90	82	92 <sup>2</sup>	111	Y
Rush Center	15286	KS2016506	5	Gb	109	117	120	127 <sup>2</sup>	142 <sup>2</sup>	123	Y
Rush Co. RWD #01	15241	KS2016509	5	Ss	168	192	223	246 <sup>2</sup>	240 <sup>2</sup>	214	Y

**Table 3: Gallons per capita per day by public water supplier – continued**

Public Water Supplier	DWR ID	EPA Water System Number	GPCD Region <sup>1</sup>	Source water RPA	Gallons per capita-day					Average (2013 – 17)	In Regional Average
					2013	2014	2015	2016	2017		
Russell	15300	KS2016703	6ML	Ss	101	135	137	157	145	135	Y
Russell Co. RWD #01	15242	KS2016707	6S	Ss	98	121	104	85	109	103	Y
Russell Co. RWD #02	15259	KS2016706	6S	Ss	234 <sup>2</sup>	203 <sup>2</sup>	264 <sup>2</sup>	264 <sup>2</sup>	329 <sup>2</sup>	259	Y
Russell Co. RWD #03	20482	KS2016704	6ML	Gb	174 <sup>2</sup>	na	158 <sup>2</sup>	156 <sup>2</sup>	161 <sup>2</sup>	162	Y
Russell Co. RWD #04	15269	KS2016705	6S	Ss	248	270	297	219	180	243	Y
Sabetha	15348	KS2013101	7M	Mo	117	117	119	119	119	118	Y
Salina	15366	KS2016914	7L	Ss	107	102	99	99	97	101	Y
Saline Co. RWD #01	15243	KS2016901	7S	Ss	61	60	64	58	58	60	Y
Saline Co. RWD #02	15260	KS2016911	7S	Ss	112	81	117	92	136	108	Y
Saline Co. RWD #03	34359	KS2016912	7M	Ss	75	na	71	77	83	76	Y
Saline Co. RWD #04	15270	KS2016913	7M	Ss	80	83	82	80	91	83	Y
Saline Co. RWD #06	15273	KS2016916	7S	Ss	103	86	79	77	96	88	Y
Saline Co. RWD #07	35556	KS2016917	7S	Ss	57	60	na	55	55	57	Y
Saline Co. RWD #08	50063	KS2016918	7S	Ss	107	113	93	99	107	104	Y
Satanta	15444	KS2008102	2	Ci	246	231	210	202	185	215	Y
Sawyer	15461	KS2015101	6S	Gb	137	137	126	148	139	137	Y
Scammon	15474	KS2002101	8S	Ne	64	55	62	56	52	58	Y
Scandia	15476	KS2015710	7S	Sr	119	138	126	128	142	131	Y
Schoenchen	61775	KS2005118	5	Ss	72	67	64	55	52	62	Y
Scott City	21022	KS2017101	2	Us	218	215	219	219	202	215	Y
Scranton	16052	KS2013911	7M	Ks	53	51	56	55	49	53	Y
Sedan	16086	KS2001903	7M	Ve	80	102	79	76	78	83	Y
Sedgwick	16088	KS2007904	7M	Ew	78	71	70	63	60	68	Y
Sedgwick Co. RWD #01	24790	KS2017316	7M	Ew	73	60	55	52	67	61	Y
Sedgwick Co. RWD #02	23894	KS2017315	7M	Ew	79	na	77	78	69	76	Y
Sedgwick Co. RWD #03	24791	KS2017306	7M	Ew	70	71	na	66	75	70	Y
Sedgwick Co. RWD #04	26327	KS2017338	7M	Ew	94	103 <sup>2</sup>	78	60	61	79	Y
Selden	16120	KS2017902	3	Ur	244	243	243	223	241	239	Y
Seneca	16149	KS2013102	7M	Mo	135	130	129	126	145	133	Y

**Table 3: Gallons per capita per day by public water supplier – continued**

Public Water Supplier	DWR ID	EPA Water System Number	GPCD Region <sup>1</sup>	Source water RPA	Gallons per capita-day					Average (2013 – 17)	In Regional Average
					2013	2014	2015	2016	2017		
Severy	37790	KS2007308	7S	Ve	96	90	99 <sup>2</sup>	143	112	108	Y
Sharon	16223	KS2000708	6S	Rh	204 <sup>2</sup>	216 <sup>2</sup>	247 <sup>2</sup>	223 <sup>2</sup>	na	223	Y
Sharon Springs	16222	KS2019903	1	Us	252	241	205	196	192	217	Y
Shawnee Co. RWD #01C	23881	KS2017704	7M	Ks	84	68	59	76 <sup>2</sup>	76 <sup>2</sup>	73	Y
Shawnee Co. RWD #02C	31683	KS2017713	7M	Ks	84 <sup>2</sup>	90 <sup>2</sup>	82 <sup>2</sup>	83 <sup>2</sup>	82 <sup>2</sup>	84	Y
Shawnee Co. RWD #03C	58394	KS2017717	7M	Ks	101	97	93	89	91	94	Y
Shawnee Co. RWD #04C	58395	KS2017718	7L	Ks	102	108	97	107	98 <sup>2</sup>	102	Y
Shawnee Co. RWD #08	15275	KS2017708	7M	Ks	92	75	89	85	83 <sup>2</sup>	85	Y
Silver Lake	16478	KS2017714	7M	Ks	68	66	65	61	62 <sup>2</sup>	64	Y
Simmons Subdivision Sanitation System	60582	KS2001519	7S	Ew	59	59	60	51	43	54	Y
Simpson	16521	KS2012307	6S	Sr	111	118	109	76	77 <sup>2</sup>	98	Y
Smith Center	16631	KS2018303	6ML	Sr	156	167	134	142	155	151	Y
Smith Co. RWD #01	24115	KS2018305	6S	Sr	271	319	240	235	240	261	Y
Soldier	34340	KS2008508	7S	Ks	40 <sup>2</sup>	40 <sup>2</sup>	43 <sup>2</sup>	53	44	44	Y
Solomon	16867	KS2004105	7M	Sr	94	99	84	107	98	96	Y
South Haven	16878	KS2019104	7S	Rh	76	77	68	71	74	73	Y
South Hutchinson	16879	KS2015504	6ML	Ew	142	140	152	135	na	142	Y
Spearville	16915	KS2005712	4	Ua	152	141	131	134	131	138	Y
Speed	16919	KS2014705	5	Sr	91	103 <sup>2</sup>	83 <sup>2</sup>	82 <sup>2</sup>	114 <sup>2</sup>	95	Y
Spivey	16977	KS2009504	6S	Rh	131	115	118	110 <sup>2</sup>	73	109	Y
Spring Hill	20489	KS2009120	8M	Mc	75	73	48 <sup>2</sup>	54 <sup>2</sup>	43 <sup>2</sup>	59	Y
St. Francis	17027	KS2002302	1	Ur	294	257	251	251	229 <sup>2</sup>	256	Y
St. George	17028	KS2014917	7M	Ks	71	78	64 <sup>2</sup>	142	68	85	Y
St. John	17029	KS2018502	6ML	Gb	132	137	115	96	95	115	Y
St. Marys	17032	KS2014914	7M	Ks	89	91	88	84	90	88	Y
St. Paul	17033	KS2013316	8M	Ne	89	96	96	58	79	84	Y
Stafford	17056	KS2018503	6ML	Gb	100	106	107	114	141	114	Y
Sterling	17250	KS2015902	6ML	Gb	91	90	91	80	86	88	Y
Stockton	17320	KS2016304	5	Sr	140 <sup>2</sup>	147 <sup>2</sup>	137 <sup>2</sup>	119 <sup>2</sup>	152	139	Y
Strong City	17454	KS2001701	7S	Ne	109	83	107	156	96	110	Y
Sublette	17539	KS2008103	2	Ci	253	236	202	190	186	213	Y

**Table 3: Gallons per capita per day by public water supplier – continued**

Public Water Supplier	DWR ID	EPA Water System Number	GPCD Region <sup>1</sup>	Source water RPA	Gallons per capita-day					Average (2013 – 17)	In Regional Average
					2013	2014	2015	2016	2017		
Suburban Water Company	24951	KS2010321	8M	Mo	91	88	89	88	86	88	Y
Summerfield	17582	KS2011702	7S	Ks	88	88 <sup>2</sup>	101	107	113	100	Y
Sumner Co. RWD #01	34418	KS2019106	7S	Rh	109	109	101	90	91	100	Y
Sumner Co. RWD #02	34419	KS2019107	7S	Rh	85	86	97	80	77	85	Y
Sumner Co. RWD #03	34420	KS2019105	7S	Rh	115	158	148	99	103	125	Y
Sumner Co. RWD #04	25252	KS2019103	7M	Ew	80	82	66	70	74	74	Y
Sumner Co. RWD #05	24552	KS2019101	7M	Rh	82	na	56 <sup>2</sup>	73 <sup>2</sup>	81 <sup>2</sup>	73	Y
Sumner Co. RWD #06	34318	KS2019110	7S	Ew	94	90	86	91	80	88	Y
Susank	55014	KS2000901	6S	Gb	77	76	45 <sup>2</sup>	74	100	74	Y
Sylvan Grove	17695	KS2010502	6S	Ss	110	123	119	91	101	109	Y
Sylvia	17700	KS2015502	6S	Gb	115	96	114	75	71 <sup>2</sup>	94	Y
Syracuse	17702	KS2007502	1	Ua	371	387	362	331	299	350	Y
Tescott	17827	KS2014302	7S	Ss	77	73	73	63	72	72	Y
Thayer	17839	KS2013312	8M	Ve	94	114 <sup>2</sup>	89	88	80 <sup>2</sup>	93	Y
Timber Creek Water and Sewer District	36072	KS2014910	7M	Ks	135	132	117	119	126	126	Y
Timken	18023	KS2016504	5	Gb	68	97 <sup>2</sup>	64 <sup>2</sup>	63 <sup>2</sup>	63 <sup>2</sup>	71	Y
Tipton	18041	KS2012310	6S	Sr	104	111	107	98	103	105	Y
Tonganoxie	18085	KS2010306	8M	Ks	78	73	68	75	79	75	Y
Topeka	18096	KS2017701	7L	Ks	116	109	105	110	104	109	Y
Toronto	18107	KS2020701	7S	Ve	89	75	72	77	68	76	Y
Towanda	18112	KS2001524	7M	Ew	na	na	na	na	70	70	Y
Trego Co. RWD #01	28343	KS2019503	4	Ss	149	120	144	122	139	135	Y
Trego Co. RWD #02	36275	KS2019504	4	Ss	200	183	175	147	159	173	Y
Tribune	18175	KS2007102	1	Us	276	304	256	250	232	264	Y
Troy	18204	KS2004304	8M	Mo	96	90	91	92	94	93	Y
Turon	18272	KS2015503	6S	Gb	120	99	117	63	74 <sup>2</sup>	95	Y
Udall	18307	KS2003510	7M	Ew	82	78	83	79	81	80	Y
Ulysses	18327	KS2006704	2	Ci	217	211	188	189	167	194	Y
Uniontown	18355	KS2001108	8S	Mc	98 <sup>2</sup>	75	na	76	76	81	Y
University Park Water District	18363	KS2016103	7S	Ks	na	41	42	49	42	44	Y

**Table 3: Gallons per capita per day by public water supplier – continued**

Public Water Supplier	DWR ID	EPA Water System Number	GPCD Region <sup>1</sup>	Source water RPA	Gallons per capita-day					Average (2013 – 17)	In Regional Average
					2013	2014	2015	2016	2017		
Utica	18454	KS2013502	4	Gb	242	227	207	207	237	224	Y
Valley Center	18473	KS2017318	7M	Ew	58 <sup>2</sup>	57 <sup>2</sup>	52 <sup>2</sup>	37 <sup>2</sup>	40 <sup>2</sup>	49	Y
Valley Falls	18474	KS2008710	8M	Ks	99	91	80	84	80	87	Y
Vermillion	22017	KS2011701	7S	Ks	98	94 <sup>2</sup>	104 <sup>2</sup>	119 <sup>2</sup>	125	108	Y
Victoria	18587	KS2005119	5	Ss	84	58	55	55	50	60	Y
Viola	18599	KS2017313	7S	Ew	95	81 <sup>2</sup>	68 <sup>2</sup>	69 <sup>2</sup>	71 <sup>2</sup>	77	Y
Virgil	21302	KS2007307	7S	Ve	77	59 <sup>2</sup>	47	47 <sup>2</sup>	46	55	Y
Wabaunsee Co. RWD #01	15244	KS2019706	7S	Ks	105	101	na	97	91	99	Y
Wabaunsee Co. RWD #02	33095	KS2019711	7M	Ks	92	88	81	84	79	85	Y
WaKeeney	18717	KS2019501	4	Ss	177	173	188	175	171	177	Y
Wakefield	18718	KS2002708	7M	Ks	91	95	88	82	77	87	Y
Waldo	18732	KS2016709	6S	Ss	92 <sup>2</sup>	105 <sup>2</sup>	111 <sup>2</sup>	78 <sup>2</sup>	76 <sup>2</sup>	92	Y
Wallace	18794	KS2019902	1	Us	235	163	170	160 <sup>2</sup>	158	177	Y
Wallace Co. RWD #01	15245	KS2019901	1	Us	200 <sup>2</sup>	194 <sup>2</sup>	166 <sup>2</sup>	248	197	201	Y
Walnut	33755	KS2003701	8S	Ne	209	176	68	na	94 <sup>2</sup>	137	Y
Walton	55500	KS2007908	7S	Ew	59	na	na	66	58	61	Y
Wamego	18859	KS2014908	7M	Ks	109	109	106	109	111	109	Y
Washington	18929	KS2020101	7M	Ks	134	146	173	128	121	140	Y
Washington Co. RWD #01	15246	KS2020107	7M	Ks	101	101	92	97	106	99	Y
Washington Co. RWD #02	20337	KS2020113	7M	Ks	161	144	194	370 <sup>2</sup>	357	245	Y
WaterOne–Johnson Co.	8693	KS2009110	8L	Ks	147	139	126	142	135	138	Y
Waterville	18965	KS2011703	7M	Ks	95	98	99	94	108	99	Y
Wathena	21969	KS2004308	8M	Mo	125	121	119	130	124	124	Y
Waverly	18996	KS2003108	7M	Mc	85	73	65	65	71	72	Y
Weir	19108	KS2002114	8M	Mc	64	70	70	65	69	68	Y
Wellington	19136	KS2019119	7M	Rh	91	147	137	158	110	128	Y
Wellsville	19154	KS2005916	8M	Ks	61	66	63	64	63	63	Y
West Hills Water Company	41680	KS2015519	6S	Ew	na	230 <sup>2</sup>	401	498 <sup>2</sup>	na	376	N
West Mineral	19242	KS2002115	8S	Mc	56	62 <sup>2</sup>	61	58 <sup>2</sup>	66 <sup>2</sup>	61	Y
Westmoreland	19288	KS2014909	7M	Ks	na	na	na	70	69	69	Y
Wetmore	19290	KS2013111	7S	Ks	78	113	81	76	72	84	Y
White City	19348	KS2012703	7M	Ks	56	59	49	51	57	54	Y
White Cloud	33077	KS2004309	8S	Mo	98 <sup>2</sup>	102 <sup>2</sup>	90 <sup>2</sup>	87	126 <sup>2</sup>	101	Y

**Table 3: Gallons per capita per day by public water supplier – continued**

Public Water Supplier	DWR ID	EPA Water System Number	GPCD Region <sup>1</sup>	Source water RPA	Gallons per capita-day					Average (2013 – 17)	In Regional Average
					2013	2014	2015	2016	2017		
Whitewater	19409	KS2001523	7M	Ew	76	76	77	63	65	71	Y
Whiting	19416	KS2008513	7S	Ks	58	61	72	65	56	62	Y
Wichita	19449	KS2017308	7L	Ew	117	126	117	124	112	119	Y
Williamsburg	19628	KS2005914	8S	Mc	63	71	53	58	58	61	Y
Willis	34204	KS2001311	8S	Ks	na	74 <sup>2</sup>	70 <sup>2</sup>	79 <sup>2</sup>	na	74	Y
Wilsey	56248	KS2012705	7S	Ne	67	58	57	72 <sup>2</sup>	64	64	Y
Wilson	20377	KS2005301	6ML	Ss	94	96	101	99	112	100	Y
Wilson Co. RWD #01	33731	KS2020515	7S	Ve	91	93	na	89	98	93	Y
Wilson Co. RWD #02	33732	KS2020514	7S	Ve	60	38 <sup>2</sup>	32 <sup>2</sup>	32 <sup>2</sup>	na	41	Y
Wilson Co. RWD #05	23885	KS2020507	7S	Ve	31	38	na	33	33	34	Y
Wilson Co. RWD #06	34324	KS2020505	7S	Ve	93	97	61	100	71	84	Y
Wilson Co. RWD #07	33735	KS2020516	7S	Ve	na	na	na	107	102	105	Y
Wilson Co. RWD #11	33715	KS2020519	7M	Ve	46	48	45	44	58	48	Y
Wilson Co. RWD #12	34325	KS2020501	7S	Ve	74	83	60	62	59	68	Y
Wilson Co. RWD #13	34529	KS2020512	7S	Ve	65	54	55	54	56 <sup>2</sup>	57	Y
Winchester	19671	KS2008701	8M	Ks	66	69	66	64	60	65	Y
Windom	38134	KS2011314	7S	Ew	86	91	82	74	82	83	Y
Winfield	19679	KS2003513	7L	Ew	124	137	136	134	127	132	Y
Winona	19724	KS2010903	2	Ur	355	189 <sup>2</sup>	308	347	247	289	Y
Woodbine	40930	KS2004117	7S	Ss	58	59 <sup>2</sup>	68 <sup>2</sup>	50 <sup>2</sup>	50 <sup>2</sup>	57	Y
Woodson Co. RWD #01	15247	KS2020703	7M	Ve	54	60	50	49	na	53	Y
Woodston	19886	KS2016307	5	Sr	64	85	na	75	60	71	Y
Yates Center	19999	KS2020702	7M	Ve	96	98	100	89	98	96	Y
Zenda	20148	KS2009506	6S	Rh	152	136 <sup>2</sup>	145 <sup>2</sup>	125 <sup>2</sup>	136 <sup>2</sup>	139	Y

<sup>1</sup>Large suppliers (L) serve 10,000 persons or more. Medium (M) suppliers serve 500 to 9,999 persons. Small (S) suppliers serve fewer than 500 persons; medium and large are combined for Region 6 because of the limited number of systems

<sup>2</sup>An estimated population was used based on available census data and reported connections

<sup>3</sup>Population from the previous year was used

**Table 4: Unaccounted for water by public water supplier**

Public Water Supplier <sup>1</sup>	DWR ID	EPA Water System Number	GPCD Region <sup>1</sup>	Source water RPA	Percent Unaccounted					Average (2013 – 17)
					2013	2014	2015	2016	2017	
Abbyville	33073	KS2015512	6S	Ew	7	20	11	18	17	15
Abilene	16	KS2004112	7M	Ss	4	na	na	na	15	9
Admire	32367	KS2011103	7S	Ne	9	11	na	na	na	10
Agenda	87	KS2015705	7S	Ks	4	2	0	na	3	2
Agra	2841	KS2014707	5	Sr	13	1	10	14	3	8
Albert	2842	KS2000914	6S	Gb	9	10	10	na	21	12
Alexander	2843	KS2016503	5	Gb	14	8	12	9	24	13
Allen	33090	KS2011102	7S	Ne	4	4	4	5	4	4
Allen Co. RWD #04	23837	KS2000112	8S	Ne	17	29	15	23	na	21
Allen Co. RWD #06	23839	KS2000107	8S	Ne	na	na	2	4	7	4
Allen Co. RWD #08	23841	KS2000110	8M	Ne	38	36	na	20	32	32
Allen Co. RWD #10	34203	KS2000109	8S	Ne	12	17	35	na	na	21
Allen Co. RWD #12	34599	KS2000117	8S	Ne	na	na	na	na	na	na
Allen Co. RWD #13	33777	KS2000118	8S	Ne	9	10	1	5	4	6
Allen Co. RWD #15	34314	KS2000121	8S	Ne	1	na	9	1	8	5
Allen Co. RWD #16	33776	KS2000122	8S	Ne	17	na	2	5	na	8
Alma	2844	KS2019701	7M	Ks	8	10	2	7	7	7
Almena	20310	KS2013701	4	Sr	29	27	15	13	14	20
Alta Vista	30210	KS2019702	7S	Ne	na	3	5	1	4	3
Altamont	227	KS2009901	8M	Ve	6	8	14	2	3	7
Alton	20290	KS2014102	6S	Sr	7	43	62	24	42	36
Altoona	233	KS2020508	7S	Ve	11	15	14	na	25	16
Andale	38067	KS2017342	7M	Ew	9	4	4	5	5	5
Anderson Co. RWD #01	34007	KS2000302	8S	Mc	10	12	11	7	24	13
Anderson Co. RWD #01C	57826	KS2000311	8M	Mc	17	16	20	13	18	17
Anderson Co. RWD #04	15200	KS2000303	8M	Mc	15	17	23	27	21	21
Anderson Co. RWD #05	23842	KS2000306	8M	Ne	18	22	27	15	16	20
Anthony	370	KS2007707	6ML	Rh	24	6	10	9	7	11
Arcadia	2847	KS2003711	8S	Mc	10	5	13	14	na	11
Argonia	411	KS2019116	7M	Rh	12	28	na	na	9	16
Arkansas City	413	KS2003509	7L	Ew	28	32	29	27	26	28
Arlington	416	KS2015511	6S	Ew	6	6	18	26	25	16
Arma	417	KS2003713	8M	Mc	3	0	6	11	11	6
Arnold	32854	KS2013506	4	Ss	na	na	na	na	na	na
Ashland	471	KS2002502	4	Rh	16	16	9	16	16	15
Assaria	484	KS2016902	7S	Ss	9	8	2	2	11	6
Atchison	488	KS2000506	8L	Mo	21	18	15	11	16	16
Atchison Co. RWD #01	33716	KS2000503	8M	Mo	5	17	27	5	4	11

**Table 4: Unaccounted for water by public water supplier – continued**

Public Water Supplier <sup>1</sup>	DWR ID	EPA Water System Number	GPCD Region <sup>1</sup>	Source water RPA	Percent Unaccounted					Average (2013 – 17)
					2013	2014	2015	2016	2017	
Atchison Co. RWD #05C	58472	KS2000511	8M	Mo	21	17	9	15	14	15
Atchison Co. RWD #06	33720	KS2000510	8M	Mo	na	na	na	na	23	23
Attica	504	KS2007703	6ML	Rh	31	45	50	52	69	49
Atwood	22248	KS2015301	2	Ur	8	9	4	8	8	8
Augusta	513	KS2001503	7M	Ew	8	6	6	10	8	8
Aurora	20287	KS2002906	7S	Ks	42	na	18	15	8	21
Axtell	536	KS2011711	7S	Ks	9	14	11	12	9	11
Baldwin	649	KS2004510	8M	Ks	16	0	8	11	9	9
Barber Co. RWD #01	34361	KS2000701	6S	Rh	na	na	na	na	na	na
Barber Co. RWD #02	15195	KS2000704	6S	Rh	19	32	26	34	na	28
Barber Co. RWD #03	15199	KS2000709	6S	Rh	11	28	22	20	na	20
Barnard	756	KS2010503	6S	Sr	39	6	12	10	16	17
Barnes	764	KS2020110	7S	Ks	4	11	10	3	9	7
Bartlett	54997	KS2009902	8S	Ve	na	na	13	na	13	13
Barton Co. RWD #02	15196	KS2000907	6ML	Gb	na	na	na	na	na	na
Barton Hills Water District	33006	KS2000915	6S	Gb	3	3	3	1	2	2
Baxter Springs	933	KS2002109	8M	Ne	52	51	53	54	48	52
Bazine	943	KS2013505	4	Gb	6	12	8	10	7	8
Beattie	22016	KS2011712	7S	Ks	25	26	17	15	19	20
Bel Aire	25219	KS2017304	7M	Ew	6	3	na	na	na	4
Belle Plaine	1098	KS2019115	7M	Ew	10	6	10	9	28	13
Belleville	1099	KS2015704	7M	Sr	11	9	8	9	9	9
Beloit	1100	KS2012301	6ML	Sr	6	3	1	3	na	3
Belpre	1101	KS2004701	5	Gb	21	15	na	3	18	14
Belvidere	6162		5	Rh	na	na	na	na	na	na
Belvue	1104	KS2014902	7S	Ks	2	3	na	1	0	2
Bennington	1131	KS2014303	7M	Sr	50	29	29	4	22	27
Bentley	39238	KS2017341	7M	Ew	na	13	3	7	2	7
Benton	1147	KS2001507	7M	Ew	1	na	4	0	na	2
Bern	1196	KS2013104	7S	Mo	1	4	na	na	na	3
Beverly	1250	KS2010504	6S	Ss	na	na	na	0	na	0
Bird City	1319	KS2002301	1	Ur	26	25	44	24	23	28
Bison	1350	KS2016501	5	Gb	14	17	12	13	16	14
Blue Mound	1460	KS2010701	8S	Mc	12	12	11	11	na	12
Blue Rapids	1461	KS2011710	7M	Ks	na	15	13	14	14	14
Bluff City	1465	KS2007701	6S	Rh	0	na	26	na	na	13
Bogue	1520	KS2006504	4	Sr	19	9	10	9	12	12
Bonner Springs	1572	KS2020904	8M	Ks	23	21	17	21	26	22
Bourbon Co. RWD #02C	34048	KS2001103	8M	Mc	17	20	27	24	25	23



**Table 4: Unaccounted for water by public water supplier – continued**

Public Water Supplier <sup>1</sup>	DWR ID	EPA Water System Number	GPCD Region <sup>1</sup>	Source water RPA	Percent Unaccounted					Average (2013 – 17)
					2013	2014	2015	2016	2017	
Bourbon Co. RWD #04	20867	KS2001101	8M	Mc	4	13	16	7	18	12
Brewster	1909	KS2019303	2	Ur	14	na	na	na	na	14
Bronson	1997	KS2001106	8S	Mc	11	10	8	8	11	10
Brookville	2019	KS2016904	7S	Ss	na	na	na	na	5	5
Brown Co. RWD #01	15192	KS2001304	8M	Mo	23	22	24	20	na	22
Brown Co. RWD #02	38841	KS2001312	8M	Mo	21	19	20	23	19	20
Brownell	20981	KS2013504	4	Ss	na	7	2	1	38	12
Bucklin	2193	KS2005711	4	Ua	11	10	12	10	na	11
Buffalo	2219	KS2020511	7S	Ve	16	21	13	13	13	15
Buhler	2224	KS2015513	6ML	Ew	5	5	8	11	12	8
Bunker Hill	2246	KS2016712	6S	Ss	5	1	3	4	5	4
Burden	2260	KS2003503	7M	Ew	10	10	7	8	2	7
Burdett	2264	KS2014501	5	Gb	19	22	21	9	9	16
Burlingame	2305	KS2013915	7M	Mc	7	12	7	11	14	10
Burlington	2306	KS2003101	7M	Ne	2	2	5	2	3	3
Burns	2312	KS2011501	7S	Ew	8	12	17	10	4	10
Burr Oak	2317	KS2008906	6S	Sr	14	40	63	62	12	38
Burrton	2331	KS2007903	7M	Ew	9	14	10	12	41	17
Bushton	2350	KS2015905	6S	Gb	11	20	13	13	15	14
Butler Co. RWD #01	15191	KS2001514	7M	Ew	20	15	24	37	18	23
Butler Co. RWD #02	29224	KS2001505	7M	Ew	17	11	15	15	39	20
Butler Co. RWD #03	29226	KS2001513	7M	Ew	20	20	13	12	13	16
Butler Co. RWD #04	29233	KS2001506	7M	Ew	na	na	na	8	15	11
Butler Co. RWD #05	29227	KS2001526	7M	Ew	2	2	1	2	na	2
Butler Co. RWD #06	29228	KS2001530	7M	Ew	29	38	23	20	23	27
Butler Co. RWD #07	54998	KS2001531	7M	Ew	8	5	na	14	14	10
Caldwell	32342	KS2019117	7M	Rh	15	0	11	11	15	10
Cambridge	2465	KS2003504	7S	Ew	na	na	19	15	na	17
Caney	2504	KS2012517	7M	Ve	40	60	34	27	45	41
Canton	2512	KS2011313	7M	Ew	13	5	16	20	9	13
Carbondale	2521	KS2013914	7M	Ks	34	31	29	39	37	34
Cassoday	2644	KS2001501	7S	Ew	9	20	21	17	15	17
Cawker City	2673	KS2012303	6S	Sr	8	7	8	11	7	8
Cedar Point	34053	KS2001706	7S	Ne	2	3	2	13	na	5
Cedar Vale	2689	KS2001902	7M	Ve	22	17	12	11	11	15
Centralia	39511	KS2013106	7M	Ks	1	11	na	na	1	4
Chanute	2740	KS2013307	8M	Ne	15	17	11	6	5	10
Chapman	20907	KS2004108	7M	Ss	6	2	0	3	8	4
Chase	20834	KS2015906	6S	Gb	10	13	10	8	6	9

**Table 4: Unaccounted for water by public water supplier – continued**

Public Water Supplier <sup>1</sup>	DWR ID	EPA Water System Number	GPCD Region <sup>1</sup>	Source water RPA	Percent Unaccounted					Average (2013 – 17)
					2013	2014	2015	2016	2017	
Chase Co. RWD #01	34363	KS2001705	7S	Ne	34	29	11	na	10	21
Chautauqua	54999	KS2001907	7S	Ve	7	26	na	14	18	16
Chautauqua Co. RWD #01	34459	KS2001905	7S	Ve	na	24	34	14	na	24
Chautauqua Co. RWD #02	35446	KS2001908	7S	Ve	22	26	15	24	na	22
Chautauqua Co. RWD #03	40615	KS2001909	7S	Ve	7	7	6	2	na	5
Chautauqua Co. RWD #04	61986	KS2001911	7S	Ve	6	na	na	na	8	7
Cheney	2758	KS2017327	7M	Rh	5	6	7	5	5	6
Cherokee	2767	KS2003714	8M	Mc	2	na	4	na	na	3
Cherokee Co. RWD #01	15193	KS2002111	8M	Ne	22	21	31	25	33	26
Cherokee Co. RWD #02	15197	KS2002106	8M	Ne	20	20	23	23	na	22
Cherokee Co. RWD #03	15198	KS2002107	8M	Ne	45	41	43	40	44	42
Cherokee Co. RWD #04	15201	KS2002102	8M	Ne	37	43	46	47	36	42
Cherokee Co. RWD #05	32690	KS2002117	8S	Mc	32	24	na	21	21	24
Cherokee Co. RWD #07	34434	KS2002116	8S	Ne	43	52	63	46	55	52
Cherokee Co. RWD #08	32219	KS2002121	8M	Ne	8	11	12	13	12	11
Cherokee Co. RWD #09	55013	KS2002120	8M	Ne	16	20	16	19	31	21
Cherryvale	2768	KS2012512	7M	Ve	14	11	12	11	na	12
Chetopa	2773	KS2009905	8M	Ne	29	32	23	20	20	25
Chicopee Rural Water District	34257	KS2003704	8S	Mc	15	16	12	na	5	12
Cimarron	2830	KS2006903	3	Ua	6	5	6	9	6	6
Circleville	34337	KS2008504	7S	Ks	14	na	6	12	9	10
Claffin	2857	KS2000905	6ML	Gb	18	10	8	11	10	11
Clay Center	2934	KS2002701	7M	Ks	12	11	5	6	8	8
Clay Co. RWD #01	15203	KS2002704	7S	Ks	13	11	13	10	8	11
Clay Co. RWD #02	22113	KS2002710	7M	Ss	23	24	37	17	15	23
Clayton	2938	KS2013706	4	Sr	14	0	1	6	25	9
Clearwater	2939	KS2017329	7M	Ew	15	12	12	12	17	14
Clifton	2962	KS2002709	7M	Ks	26	23	21	17	19	21
Cloud Co. RWD #01	15204	KS2002901	7S	Sr	19	24	28	30	28	26
Clyde	2987	KS2002905	7M	Ks	22	22	24	22	23	23
Coal Hollow Water District	38417	KS2013302	8S	Ve	9	6	7	11	5	8
Coats	2992	KS2015105	6S	Gb	11	10	6	4	6	7
Coffey Co. RWD #02	22506	KS2003110	7M	Ne	24	12	14	1	12	13
Coffey Co. RWD #03	33835	KS2003106	7M	Mc	4	17	12	13	7	11
Coffeyville	3018	KS2012513	7L	Ve	9	12	16	16	na	13
Colby	3038	KS2019302	2	Ur	15	13	14	9	9	12
Coldwater	32341	KS2003304	5	Rh	1	3	21	2	na	7
Collyer	3096	KS2019502	4	Ss	8	na	1	na	1	3

**Table 4: Unaccounted for water by public water supplier – continued**

Public Water Supplier <sup>1</sup>	DWR ID	EPA Water System Number	GPCD Region <sup>1</sup>	Source water RPA	Percent Unaccounted					Average (2013 – 17)
					2013	2014	2015	2016	2017	
Colony	3098	KS2000307	8S	Ne	8	3	na	na	10	7
Columbus	3103	KS2002110	8M	Mc	29	22	17	21	13	20
Colwich	37973	KS2017344	7M	Ew	21	26	29	26	22	25
Comanche Co. RWD #01	34392	KS2003301	5	Rh	25	na	22	19	18	21
Comanche Co. RWD #02	15211	KS2003303	5	Rh	67	56	61	55	43	56
Concordia	3122	KS2002907	7M	Sr	25	25	19	8	11	18
Conway Springs	3166	KS2019118	7M	Rh	8	12	16	20	21	16
Coolidge	3203	KS2007501	1	Ua	5	na	3	5	1	3
Copeland	3247	KS2006904	3	Ua	14	17	11	14	13	14
Corning	34298	KS2013107	7S	Ks	11	5	11	2	na	7
Cottonwood Falls	3323	KS2001703	7M	Ne	6	na	na	na	1	3
Council Grove	3340	KS2012702	7M	Ne	11	12	13	11	16	13
Courtland	3351	KS2015703	7S	Sr	11	14	4	10	10	10
Cowley Co. RWD #01	15205	KS2003507	7M	Ew	9	9	7	6	7	8
Cowley Co. RWD #02	34394	KS2003512	7M	Ew	na	11	na	na	na	11
Cowley Co. RWD #03	15218	KS2003505	7M	Ew	12	8	17	10	15	12
Cowley Co. RWD #04	34395	KS2003511	7M	Ew	24	26	27	23	18	24
Cowley Co. RWD #05	33722	KS2003508	7M	Ew	26	23	na	20	19	22
Cowley Co. RWD #06	15226	KS2003506	7M	Ew	16	11	6	8	7	10
Cowley Co. RWD #07	21282	KS2003516	7S	Ew	29	28	30	18	14	24
Cowley Co. RWD #08	41516	KS2003515	7S	Ew	4	8	21	23	26	16
Crawford Co. RWD #01	15206	KS2003703	8M	Ne	11	11	9	4	6	8
Crawford Co. RWD #01C	30949	KS2003719	8M	Mc	9	5	26	23	28	18
Crawford Co. RWD #02	15212	KS2003717	8M	Mc	na	8	na	6	16	10
Crawford Co. RWD #03	15219	KS2003716	8S	Mc	6	5	6	7	4	6
Crawford Co. RWD #04	15221	KS2003706	8M	Ne	23	15	16	17	18	18
Crawford Co. RWD #05	15224	KS2003702	8M	Ne	12	17	27	12	17	17
Crawford Co. RWD #06	15227	KS2003707	8M	Mc	23	16	25	26	15	21
Cuba	3543	KS2015701	7S	Ks	15	12	23	17	14	16
Cullison	3553	KS2015104	6S	Gb	25	33	17	23	39	27
Culver	23878	KS2014306	7S	Ss	15	22	36	23	15	22
Cunningham	3571	KS2009501	6S	Rh	31	27	21	26	20	25
Damar	3670	KS2016305	5	Sr	na	1	1	10	6	4
Dearing	33938	KS2012511	7S	Ve	na	1	na	4	na	2
Deerfield	3893	KS2009302	2	Ua	10	6	8	8	7	8
Delia	33123	KS2008507	7S	Ks	na	28	21	13	19	20
Delphos	3932	KS2014305	7S	Sr	32	29	14	11	13	20
Denison	34338	KS2008505	8S	Ks	9	13	7	7	15	10

**Table 4: Unaccounted for water by public water supplier – continued**

Public Water Supplier <sup>1</sup>	DWR ID	EPA Water System Number	GPCD Region <sup>1</sup>	Source water RPA	Percent Unaccounted					Average (2013 – 17)
					2013	2014	2015	2016	2017	
Derby (El Paso Water Company)	33488	KS2017328	7L	Ew	10	na	5	5	20	10
DeSoto	3977	KS2009102	8M	Ks	40	36	42	23	2	29
Dexter	4021	KS2003501	7S	Ew	23	17	14	16	24	19
Dickinson Co. RWD #01	15207	KS2004104	7M	Ss	37	26	28	30	31	31
Dickinson Co. RWD #02	15213	KS2004106	7M	Ss	45	41	40	26	33	37
Dighton	4108	KS2010101	3	Us	5	3	8	6	na	5
Dodge City	4207	KS2005710	4	Ua	11	na	na	na	7	9
Doniphan Co. RWD #01	15208	KS2004305	8S	Mo	na	na	na	na	na	na
Doniphan Co. RWD #02	15214	KS2004303	8S	Mo	18	24	21	16	na	20
Doniphan Co. RWD #03	15202	KS2004301	8S	Mo	37	34	16	11	13	22
Doniphan Co. RWD #05	23843	KS2004307	8M	Mo	na	20	10	na	29	20
Dorrance	21622	KS2016711	6S	Ss	1	11	11	13	9	9
Douglas Co. RWD #01	15209	KS2004506	8M	Ks	19	23	18	10	16	17
Douglas Co. RWD #02	15215	KS2004508	8M	Ks	10	14	12	16	14	13
Douglas Co. RWD #03 (Tri-District Water System)	15220	KS2004507	8M	Ks	20	10	24	20	19	19
Douglas Co. RWD #04	55000	KS2004509	8M	Ks	6	8	32	12	6	13
Douglas Co. RWD #05	39221	KS2004502	8M	Ks	13	14	4	9	9	10
Douglas Co. RWD #06	55001	KS2004512	8M	Ks	6	9	na	4	na	6
Douglass	4304	KS2001510	7M	Ew	13	12	12	11	20	13
Downs	4336	KS2014101	6ML	Sr	6	19	15	13	13	13
Durham	4480	KS2011502	7S	Ne	18	na	8	na	8	11
Dwight	4511	KS2012701	7S	Ne	3	4	6	10	33	11
Easton	31979	KS2010301	8S	Ks	28	22	6	35	24	23
Edgerton	4610	KS2009103	8M	Mc	3	7	14	11	18	11
Edna	4619	KS2009903	8S	Ve	7	10	12	15	11	11
Effingham	4636	KS2000502	8M	Ks	10	7	5	11	4	7
El Dorado	4698	KS2001511	7L	Ew	4	2	3	3	3	3
Elbing	55002	KS2001512	7S	Ew	9	11	13	12	4	10
Elgin	4708	KS2001901	7S	Ve	36	38	35	38	49	39
Elk City	4709	KS2012520	7S	Ve	14	18	12	13	18	15
Elk Co. RWD #01	34256	KS2004905	7M	Ve	24	19	21	26	28	23
Elk Co. RWD #02	63748	KS2004906	7S	Ve	na	na	na	6	6	6
Elkhart	4710	KS2012901	1	Ci	17	19	14	18	18	17
Ellinwood	4717	KS2000906	6ML	Gb	7	4	5	4	5	5
Ellis	4753	KS2005114	5	Ss	15	14	11	14	14	14
Ellis Co. RWD #01C	57485	KS2005124	5	Ss	na	2	5	na	na	4
Ellis Co. RWD #03	20643	KS2005113	5	Ss	na	12	20	25	na	19

**Table 4: Unaccounted for water by public water supplier – continued**

Public Water Supplier <sup>1</sup>	DWR ID	EPA Water System Number	GPCD Region <sup>1</sup>	Source water RPA	Percent Unaccounted					Average (2013 – 17)
					2013	2014	2015	2016	2017	
Ellis Co. RWD #06	15222	KS2005122	5	Ss	25	25	25	na	20	24
Ellsworth	4780	KS2005306	6ML	Ss	19	25	24	36	34	28
Ellsworth Co. RWD #1	30564		0	0	na	na	na	na	19	19
Elmdale	34037	KS2001704	7S	Ne	17	99	74	56	na	61
Elwood	24494	KS2004302	8M	Mo	7	11	12	na	na	10
Emmett	4812	KS2014901	7S	Ks	12	18	24	14	7	15
Emporia	4817	KS2011105	7L	Ne	5	11	5	23	25	14
Englewood	4853	KS2002503	4	Rh	na	na	45	44	55	48
Ensign	4871	KS2006905	3	Ua	8	8	4	7	12	8
Enterprise	4882	KS2004109	7M	Ss	35	31	33	31	37	33
Erie	4908	KS2013310	8M	Ne	9	10	6	6	6	7
Esbon	4927	KS2008904	6S	Sr	32	47	39	34	na	38
Eskridge	26278	KS2019703	7M	Ks	8	11	4	5	7	7
Eudora	4974	KS2004511	8M	Ks	17	21	19	11	3	14
Eureka	4981	KS2007306	7M	Ve	15	14	14	11	9	12
Everest	5007	KS2001308	8S	Ks	12	15	32	34	21	23
Fall River	33228	KS2007304	7S	Ve	34	na	7	17	17	19
Finney Co. RWD #01	25245	KS2005540	2	Ua	3	1	1	4	1	2
Florence	5381	KS2011503	7S	Ne	11	10	20	12	19	15
Fontana	5403	KS2012107	8S	Mc	15	na	na	na	na	15
Ford	32601	KS2005709	4	Ua	na	na	na	na	na	na
Formoso	5429	KS2008905	6S	Sr	4	4	11	7	7	7
Fort Scott	5443	KS2001104	8M	Mc	21	26	23	24	10	21
Fowler	5489	KS2011901	3	Ci	13	8	29	16	12	16
Frankfort	5566	KS2011708	7M	Ks	5	7	2	13	4	6
Franklin Co. RWD #01	21088	KS2005915	8M	Mc	7	4	11	7	9	8
Franklin Co. RWD #02	33669	KS2005905	8S	Mc	4	4	na	2	7	4
Franklin Co. RWD #03	34185	KS2005911	8S	Mc	11	6	4	11	11	9
Franklin Co. RWD #04	15223	KS2005913	8M	Mc	19	15	15	16	11	15
Franklin Co. RWD #05	5568	KS2005908	8M	Mc	12	13	14	10	15	13
Franklin Co. RWD #06	5569	KS2005909	8M	Mc	13	15	13	16	10	13
Fredonia	5611	KS2020513	7M	Ve	21	19	7	25	29	20
Frontenac	5729	KS2003720	8M	Ne	11	14	11	13	16	13
Fulton	5776	KS2001102	8S	Mc	9	25	19	14	12	16
Galena	5822	KS2002113	8M	Ne	26	23	26	38	40	31
Galesburg	5823	KS2013308	8S	Ve	16	8	9	16	15	13
Galva	5832	KS2011312	7M	Ew	8	10	5	14	na	9
Garden City	5855	KS2005511	2	Ua	8	5	8	5	11	7
Garden Plain	30142	KS2017339	7M	Rh	23	na	6	13	7	12

**Table 4: Unaccounted for water by public water supplier – continued**

Public Water Supplier <sup>1</sup>	DWR ID	EPA Water System Number	GPCD Region <sup>1</sup>	Source water RPA	Percent Unaccounted					Average (2013 – 17)
					2013	2014	2015	2016	2017	
Gardner	5862	KS2009106	8L	Mc	9	9	4	11	16	10
Garnett	5890	KS2000304	8M	Mc	13	10	11	10	11	11
Gas	34316	KS2000102	8M	Ne	na	13	na	6	6	8
Gaylord	5932	KS2018301	6S	Sr	8	10	11	12	19	12
Geary Co. RWD #01	34329	KS2006103	7S	Ks	na	23	na	na	44	33
Geary Co. RWD #02	37064	KS2006102	7S	Ks	na	na	na	na	na	na
Geary Co. RWD #04	22303	KS2006105	7M	Ks	4	3	3	5	5	4
Geneseo	5973	KS2015907	6S	Gb	54	38	17	12	40	32
Geuda Springs	6018	KS2019114	7S	Rh	16	25	26	21	19	22
Girard	6127	KS2003718	8M	Mc	19	19	16	14	15	17
Glade	6137	KS2014708	5	Sr	16	25	29	36	40	29
Glasco	6139	KS2002904	7S	Sr	18	31	8	14	17	17
Glen Elder	6157	KS2012305	6S	Sr	10	16	9	9	7	10
Goddard	6168	KS2017325	7M	Ew	12	10	7	9	8	9
Goessel	6219	KS2011504	7M	Ew	20	15	11	7	9	13
Goff	6233	KS2013108	7S	Ks	10	6	na	na	na	8
Goodland	6270	KS2018102	1	Ur	18	24	23	16	15	19
Gorham	6302	KS2016713	6S	Ss	20	21	10	9	16	15
Gove	6332	KS2006303	3	Us	3	7	11	12	30	12
Grainfield	6383	KS2006302	3	Ur	5	4	2	5	2	3
Grandview Plaza	6390	KS2006106	7M	Ks	7	6	8	9	na	8
Great Bend	23133	KS2000911	6ML	Gb	19	17	13	10	8	14
Greeley	6456	KS2000305	8S	Mc	4	4	na	4	3	4
Green	6463	KS2002703	7S	Ks	19	na	11	3	4	9
Greenleaf	6493	KS2020106	7S	Ks	3	6	12	15	8	9
Greensburg	6496	KS2009702	5	Gb	10	7	10	8	8	8
Greenwood Co. RWD #01	33858	KS2007305	7M	Ve	33	34	37	35	35	35
Greenwood Co. RWD #02	33859	KS2007302	7M	Ve	20	20	17	16	24	20
Greenwood Co. RWD #03	53335	KS2007309	7S	Ve	11	15	21	30	23	20
Grenola	20856	KS2004904	7S	Ve	12	18	10	12	7	12
Gridley	6524	KS2003103	7S	Ne	5	na	na	na	na	5
Grinnell	6570	KS2006301	3	Ur	9	9	3	3	4	6
Gypsum	6666	KS2016906	7S	Ss	na	9	14	19	24	17
Haddam	6698	KS2020109	7S	Ks	32	34	27	30	40	33
Halstead	6801	KS2007901	7M	Ew	5	1	6	7	6	5
Hamilton	6807	KS2007303	7S	Ve	13	11	14	23	na	16
Hamilton Co. RWD #01	22258	KS2007503	1	Ua	2	4	na	na	3	3
Hanston	6934	KS2008302	4	Gb	8	5	8	12	12	9
Hardtner	6957	KS2000706	6S	Rh	1	19	4	1	13	8

**Table 4: Unaccounted for water by public water supplier – continued**

Public Water Supplier <sup>1</sup>	DWR ID	EPA Water System Number	GPCD Region <sup>1</sup>	Source water RPA	Percent Unaccounted					Average (2013 – 17)
					2013	2014	2015	2016	2017	
Harper	7022	KS2007702	6ML	Rh	12	9	1	10	15	9
Harper Co. RWD #01	34302	KS2007706	6S	Rh	na	na	na	1	na	1
Harper Co. RWD #02	33885	KS2007705	6S	Rh	na	10	2	8	7	7
Harper Co. RWD #04	36758	KS2007708	6S	Rh	30	29	40	21	19	28
Hartford	7088	KS2011111	7M	Ne	na	na	17	na	na	17
Harvey Co. RWD #01	34259	KS2007907	7M	Ew	11	11	21	14	11	14
Harveyville	7124	KS2019704	7S	Mc	4	0	1	2	1	2
Haven	7184	KS2015514	6ML	Ew	21	20	25	24	21	22
Havensville	7186	KS2014903	7S	Ks	9	11	19	9	11	12
Haviland	7187	KS2009703	5	Gb	3	15	15	18	14	13
Hays	7227	KS2005111	5	Ss	9	8	14	15	18	13
Hays City Suburban Estates	7224	KS2005116	5	Ss	na	na	na	na	na	na
Haysville	7238	KS2017322	7L	Ew	16	13	17	15	13	15
Hazelton	7246	KS2000705	6S	Rh	10	16	15	19	13	15
Herington	7470	KS2004102	7M	Ss	7	12	14	7	12	10
Herndon	7491	KS2015302	2	Ur	13	18	33	20	3	18
Hesston	7561	KS2007902	7M	Ew	4	13	1	3	2	5
Hiawatha	7590	KS2001305	8M	Mo	6	6	6	6	7	6
Highland	7636	KS2004306	8M	Mo	14	16	15	17	14	15
Hill City	7652	KS2006503	4	Ur	25	36	23	24	31	28
Hillsboro	7699	KS2011505	7M	Ne	6	17	8	14	5	10
Hoisington	7858	KS2000903	6ML	Gb	14	9	7	10	12	10
Holcomb	7861	KS2005509	2	Ua	8	10	12	9	9	10
Holton	21613	KS2008503	7M	Ks	17	14	17	13	13	15
Holyrood	7958	KS2005305	6S	Gb	0	2	0	0	1	1
Hope	8005	KS2004101	7S	Ss	na	na	5	8	12	8
Horace	8013	KS2007101	1	Us	25	24	22	18	1	18
Horton	8041	KS2001306	8M	Ks	18	15	11	23	24	18
Howard	8100	KS2004901	7M	Ve	na	9	5	7	5	6
Howison Heights Water District	32822	KS2016909	7S	Ss	22	16	9	32	na	20
Hoxie	8123	KS2017901	3	Ur	16	19	18	14	16	17
Hoyt	55003	KS2008501	7M	Ks	na	6	8	11	9	8
Hugoton	8223	KS2018901	2	Ci	8	7	8	8	9	8
Humboldt	8241	KS2000111	8M	Ne	13	10	7	7	10	9
Hutchinson	8330	KS2015509	6ML	Ew	8	11	10	7	7	9
Independence	8379	KS2012508	7L	Ve	21	33	17	21	20	22
Ingalls	8384	KS2006902	3	Ua	na	8	13	15	12	12
Inman	8388	KS2011310	7M	Ew	2	7	12	9	9	8

**Table 4: Unaccounted for water by public water supplier – continued**

Public Water Supplier <sup>1</sup>	DWR ID	EPA Water System Number	GPCD Region <sup>1</sup>	Source water RPA	Percent Unaccounted					Average (2013 – 17)
					2013	2014	2015	2016	2017	
Iola	8395	KS2000103	8M	Ne	24	24	20	20	24	22
Isabel	8436	KS2000703	6S	Rh	13	6	5	6	13	9
Iuka	33046	KS2015107	6S	Gb	1	na	na	47	22	23
Jackson Co. RWD #01	23895	KS2008511	7M	Ks	8	8	na	13	3	8
Jackson Co. RWD #03	21090	KS2008510	7M	Ks	17	16	20	19	20	18
Jamestown	8540	KS2002902	7S	Sr	14	10	20	32	28	21
Jefferson Co. RWD #01	8627	KS2008706	8M	Ks	24	21	25	19	22	22
Jefferson Co. RWD #02	8628	KS2008719	8M	Ks	18	na	29	27	37	28
Jefferson Co. RWD #03	8622	KS2008708	8M	Ks	45	51	39	39	39	43
Jefferson Co. RWD #07	20800	KS2008713	8M	Ks	27	23	24	24	31	26
Jefferson Co. RWD #08	20700	KS2008705	8S	Ks	7	7	na	na	na	7
Jefferson Co. RWD #09	21091	KS2008715	8S	Ks	27	31	34	32	na	31
Jefferson Co. RWD #10	20750	KS2008709	8S	Ks	39	30	37	18	22	29
Jefferson Co. RWD #11	20752	KS2008712	8S	Ks	10	3	5	4	3	5
Jefferson Co. RWD #12	20541	KS2008717	8M	Ks	23	16	28	18	16	20
Jefferson Co. RWD #13	21092	KS2008704	8M	Ks	14	20	25	14	23	19
Jefferson co. RWD #14	35816	KS2008722	8S	Ks	na	na	6	4	10	6
Jefferson Co. RWD #15	21093	KS2008721	8S	Ks	16	25	26	na	11	20
Jennings	8647	KS2003904	3	Ur	35	27	31	20	26	28
Jetmore	8671	KS2008301	4	Gb	23	5	7	13	17	13
Jewell	8672	KS2008902	6S	Sr	8	9	11	11	10	10
Jewell Co. RWD #01	15281	KS2008907	6S	Sr	20	25	93	28	40	41
Johnson City	8719	KS2018702	1	Ua	16	14	13	13	14	14
Johnson Co. RWD #06C	25243	KS2009113	8M	Ks	8	12	10	18	na	12
Johnson Co. RWD #07	23910	KS2009104	8M	Mc	9	19	na	16	37	20
Junction City	8979	KS2006108	7L	Ks	25	28	25	20	18	23
Kanopolis	9033	KS2005304	6S	Ss	5	6	9	27	22	14
Kanorado	9034	KS2018101	1	Ur	15	24	17	18	15	18
Kansas City Board of Public Utilities	20297	KS2020906	8L	Mo	18	17	20	22	25	20
Kechi	35516	KS2017334	7M	Ew	na	0	8	1	6	4
Kensington	9265	KS2018302	6S	Sr	16	33	37	21	25	26
Kincaid	55004	KS2000301	8S	Ne	na	na	5	na	na	5
Kingman	9404	KS2009503	6ML	Rh	11	7	7	8	5	8
Kingman Co. RWD #01	33775	KS2009502	6S	Rh	37	35	38	34	31	35
Kinsley	9417	KS2004703	5	Gb	14	11	9	8	15	11
Kiowa	9423	KS2000707	6ML	Rh	na	11	na	4	na	7
Kirwin	9468	KS2014702	5	Sr	30	29	24	21	22	25
Kismet	9474	KS2017503	2	Ci	23	34	36	18	15	25



**Table 4: Unaccounted for water by public water supplier – continued**

Public Water Supplier <sup>1</sup>	DWR ID	EPA Water System Number	GPCD Region <sup>1</sup>	Source water RPA	Percent Unaccounted					Average (2013 – 17)
					2013	2014	2015	2016	2017	
Konza Valley Water District	41962	KS2016109	7S	Ks	na	6	na	6	4	6
La Crosse	10038	KS2010703	5	Gb	0	9	5	10	14	8
La Cygne	10036	KS2016507	8M	Mc	10	9	10	12	20	12
La Harpe	33754	KS2000105	8M	Ne	20	26	27	9	22	21
Labette Co. RWD #01C	62649	KS2009919	8S	Ne	32	28	28	27	25	28
Labette Co. RWD #03	55006	KS2009917	8S	Ve	9	19	17	14	14	15
Labette Co. RWD #06	23845	KS2009916	8M	Ve	na	6	9	13	na	9
Labette Co. RWD #07	55007	KS2009912	8M	Ve	7	15	10	7	8	9
Labette Co. RWD #08	23846	KS2009904	8M	Ve	19	32	17	29	27	25
Labette RWD 05 (merged with LB-2)	34379	KS2009906	8M	Ve	na	na	17	na	na	17
Lakeside Village Improvement District	10062	KS2008716	8S	Ks	54	63	68	43	55	56
Lakin	10065	KS2009301	2	Ua	5	na	7	10	5	7
Lancaster	10103	KS2000507	8S	Mo	12	16	17	13	14	14
Lane	10129	KS2005901	8S	Mc	16	13	12	12	na	13
Lane Co. RWD #01	20681	KS2010102	3	Us	15	14	15	13	15	14
Lansing (Lan-Del Water District)	34182	KS2010313	8M	Mo	6	6	7	6	6	6
Larned	10164	KS2014505	5	Gb	11	11	6	2	na	8
Latham	10220	KS2001517	7S	Ew	7	7	10	4	5	7
Lawrence	10239	KS2004503	8L	Ks	1	1	6	5	8	4
Leavenworth	10277	KS2010317	8L	Mo	15	17	11	11	9	13
Leavenworth Co. RWD #01	34178	KS2010316	8M	Mo	na	na	na	na	na	na
Leavenworth Co. RWD #01C	15267	KS2010323	8M	Mo	9	7	na	6	10	8
Leavenworth Co. RWD #02	34179	KS2010319	8M	Mo	49	48	52	na	56	51
Leavenworth Co. RWD #05	34180	KS2010318	8M	Mo	5	4	13	11	6	8
Leavenworth Co. RWD #06	33868	KS2010305	8M	Mo	15	4	10	13	10	10
Leavenworth Co. RWD #07	33869	KS2010320	8M	Ks	13	13	15	16	18	15
Leavenworth Co. RWD #08	34181	KS2010309	8M	Mo	12	11	na	13	9	11
Leavenworth Co. RWD #09	15276	KS2010308	8M	Mo	17	13	17	11	7	13
Leavenworth Co. RWD #10	34371	KS2010315	8M	Ks	18	na	na	30	36	28
Lebanon	10279	KS2018304	6S	Sr	8	12	9	8	12	10
Lebo	10280	KS2003104	7M	Mc	0	3	4	6	8	4

**Table 4: Unaccounted for water by public water supplier – continued**

Public Water Supplier <sup>1</sup>	DWR ID	EPA Water System Number	GPCD Region <sup>1</sup>	Source water RPA	Percent Unaccounted					Average (2013 – 17)
					2013	2014	2015	2016	2017	
Lecompton	10287	KS2004501	8M	Ks	11	10	12	11	0	9
Lehigh	10317	KS2011506	7S	Ne	8	9	17	15	8	12
Lenora	10379	KS2013705	4	Sr	19	18	19	19	24	20
Leon	10381	KS2001515	7M	Ew	33	40	35	8	27	28
Leonardville	10399	KS2016120	7S	Ks	12	10	12	11	12	11
Leoti	10402	KS2020301	2	Us	8	6	7	7	7	7
LeRoy	10405	KS2003109	7M	Ne	9	10	na	6	na	9
Lewis	10437	KS2004702	5	Gb	9	13	5	5	6	8
Liberal	10482	KS2017504	2	Ci	9	34	na	na	0	14
Liebenthal	20452	KS2016508	5	Ss	13	18	19	19	20	18
Lincoln Center	10543	KS2010501	6ML	Ss	7	5	6	6	11	7
Lindsborg	10570	KS2011308	7M	Ss	9	8	8	7	9	8
Linn	10585	KS2020104	7S	Ks	3	5	4	5	12	6
Linn Co. RWD #01	33757	KS2010702	8M	Mc	17	12	2	3	6	8
Linn Co. RWD #02	34376	KS2010707	8M	Mc	22	35	31	25	11	25
Linn Co. RWD #03	33758	KS2010708	8M	Mc	37	37	18	17	16	25
Linn Valley	65869	KS2005309	6ML	Ss	na	na	na	na	36	36
Linwood	10595	KS2010310	8S	Ks	22	27	31	29	20	26
Little River	10607	KS2015904	6ML	Ew	1	1	11	4	na	4
Logan	10655	KS2014701	5	Sr	9	na	13	14	11	11
Long Island	10681	KS2014703	5	Sr	7	5	na	8	6	7
Longford	10693	KS2002706	7S	Ss	12	6	5	4	27	11
Longton	10695	KS2004903	7S	Ve	39	9	11	8	11	16
Lorraine	10713	KS2005303	6S	Gb	19	21	12	15	26	19
Louisburg	10734	KS2012106	8M	Mc	26	35	39	35	31	33
Lucas	10790	KS2016702	6S	Ss	11	11	na	na	na	11
Luray	10838	KS2016701	6S	Ss	7	12	11	na	na	10
Lyndon	10859	KS2013901	7M	Mc	29	17	9	9	14	16
Lyon Co. RWD #01	15230	KS2011101	7M	Ne	na	na	na	na	na	na
Lyon Co. RWD #02	23887	KS2011108	7M	Ne	3	10	9	10	0	7
Lyon Co. RWD #03	34166	KS2011113	7S	Ne	14	11	15	11	15	13
Lyon Co. RWD #04	23888	KS2011110	7M	Ne	na	12	5	na	6	8
Lyon Co. RWD #05	34168	KS2011107	7M	Ne	13	na	na	na	4	9
Lyons	10864	KS2015903	6ML	Gb	27	18	17	18	14	19
Macksville	10889	KS2018501	6ML	Gb	13	14	5	8	9	10
Madison	10909	KS2007301	7M	Ve	12	17	6	8	14	12
Mahaska	10934	KS2020102	7S	Ks	1	6	7	3	na	4
Maize	22377	KS2017345	7M	Ew	7	11	10	10	16	11
Manchester	10986	KS2004103	7S	Ss	8	11	na	na	na	9

**Table 4: Unaccounted for water by public water supplier – continued**

Public Water Supplier <sup>1</sup>	DWR ID	EPA Water System Number	GPCD Region <sup>1</sup>	Source water RPA	Percent Unaccounted					Average (2013 – 17)
					2013	2014	2015	2016	2017	
Manhattan	10997	KS2016112	7L	Ks	6	5	7	6	7	6
Mankato	10999	KS2008903	6ML	Sr	24	22	24	30	32	26
Manter	11022	KS2018701	1	Ci	20	20	14	15	18	17
Maple Hill	11026	KS2019708	7M	Ks	19	20	8	8	6	12
Marion	11052	KS2011507	7M	Ne	17	25	37	31	28	27
Marion Co. Improvement District #02	51710	KS2011512	7S	Ne	7	5	8	9	13	8
Marion Co. RWD #01	15231	KS2011510	7M	Ne	na	21	16	21	17	19
Marion Co. RWD #02	55008	KS2011508	7S	Ew	na	na	7	6	1	5
Marion Co. RWD #04	23219	KS2011511	7M	Ew	14	8	11	15	10	12
Marquette	11075	KS2011302	7M	Ss	12	11	9	7	9	10
Marshall Co. RWD #01	15232	KS2011707	7S	Ks	na	na	na	7	na	7
Marshall Co. RWD #03	15261	KS2011713	7M	Ks	10	11	12	8	11	10
Marysville	11144	KS2011706	7M	Ks	26	23	21	17	19	21
Matfield Green	33118	KS2001702	7S	Ne	5	8	6	7	14	8
Mayetta	33072	KS2008512	7S	Ks	4	11	9	6	13	9
Mayfield	34417	KS2019102	7S	Rh	11	6	1	11	7	7
McCracken	32339	KS2016502	5	Ss	1	2	2	3	5	3
McCune	11416	KS2003708	8S	Ne	5	10	na	6	6	7
McDonald	11436	KS2015303	2	Ur	38	62	44	49	45	48
McFarland	22114	KS2019707	7S	Ks	6	16	6	12	7	9
McLouth	11588	KS2008702	8M	Ks	16	54	9	8	12	20
McPherson	11618	KS2011309	7L	Ew	na	9	9	9	7	9
McPherson Co. RWD #01	15233	KS2011301	7S	Ne	24	23	12	22	16	19
McPherson Co. RWD #02	34332	KS2011307	7S	Ew	na	8	na	7	9	8
McPherson Co. RWD #03	34333	KS2011306	7S	Ew	1	na	na	na	na	1
McPherson Co. RWD #04	34334	KS2011305	7M	Ew	12	7	15	15	13	12
McPherson Co. RWD #06	57737	KS2011315	7S	Ss	na	na	6	18	14	12
Meade	11636	KS2011902	3	Ci	15	16	14	18	16	16
Medicine Lodge	11663	KS2000702	6ML	Rh	21	na	13	27	15	19
Melvern	11736	KS2013905	7S	Mc	31	17	14	8	12	17
Miami Co. RWD #01	34426	KS2012102	8M	Mc	11	15	na	15	9	12
Miami Co. RWD #02	15252	KS2012101	8L	Mc	14	na	7	6	3	8
Miami Co. RWD #03	34427	KS2012104	8M	Mc	18	26	34	26	36	28
Miami Co. RWD #04	36767	KS2012108	8M	Mc	6	3	9	11	26	11
Milford	11883	KS2006109	7M	Ks	5	2	6	12	5	6
Miltonvale	12083	KS2002903	7M	Ss	16	14	12	10	23	15
Minneapolis	12094	KS2014301	7M	Sr	10	14	na	10	13	12
Minneola	12095	KS2002501	4	Rh	11	10	10	9	12	10

**Table 4: Unaccounted for water by public water supplier – continued**

Public Water Supplier <sup>1</sup>	DWR ID	EPA Water System Number	GPCD Region <sup>1</sup>	Source water RPA	Percent Unaccounted					Average (2013 – 17)
					2013	2014	2015	2016	2017	
Mitchell Co. RWD #02	15253	KS2012304	6ML	Sr	17	na	2	na	15	12
Moline	12169	KS2004902	7S	Ve	27	na	32	27	38	31
Montezuma	12199	KS2006901	3	Ua	5	2	6	10	9	6
Montgomery Co. RWD #01	23847	KS2012505	7S	Ve	6	7	4	8	7	7
Montgomery Co. RWD #01C	55339	KS2012509	7M	Ve	24	23	22	14	18	20
Montgomery Co. RWD #02	23848	KS2012504	7M	Ve	7	7	7	11	5	7
Montgomery Co. RWD #02C	61793	KS2012526	7M	Ve	13	13	na	18	na	15
Montgomery Co. RWD #06	55009	KS2012506	7M	Ve	33	33	40	33	27	33
Montgomery Co. RWD #08	23852	KS2012507	7S	Ve	na	12	10	na	na	11
Montgomery Co. RWD #09	23853	KS2012519	7S	Ve	37	30	36	32	23	31
Montgomery Co. RWD #12	34326	KS2012521	7M	Ve	25	18	9	17	15	17
Montgomery Co. RWD #13	40366	KS2012524	7S	Ve	26	na	na	na	na	26
Montgomery Co. RWD #14	56883	KS2012525	7S	Ve	18	12	17	14	24	17
Moran	12278	KS2000116	8M	Ne	10	13	11	8	10	11
Morganville	12308	KS2002705	7S	Ks	na	na	na	na	5	5
Morland	12319	KS2006501	4	Ur	3	10	11	15	28	13
Morrill	12322	KS2001307	8S	Mo	2	4	11	15	0	6
Morris Co. RWD #01	34865	KS2012704	7M	Ks	12	7	7	12	15	11
Morrowville	12363	KS2020103	7S	Ks	15	1	na	1	1	5
Moscow	12380	KS2018902	2	Ci	24	na	na	na	95	59
Mound City	12429	KS2010709	8M	Mc	8	5	37	6	6	12
Mound Valley	12430	KS2009910	8S	Ve	10	15	14	19	na	14
Moundridge	12431	KS2011304	7M	Ew	2	3	4	5	3	3
Mount Hope	12432	KS2017319	7M	Ew	12	18	10	43	8	18
Mulberry	12476	KS2003710	8M	Mc	47	29	26	25	18	29
Mullinville	20461	KS2009701	5	Gb	17	12	7	8	1	9
Mulvane	12492	KS2019113	7M	Ew	8	7	8	8	8	8
Munden	12497	KS2015708	7S	Ks	22	9	8	14	17	14
Muscotah	12560	KS2000508	8S	Ks	9	28	10	16	6	14
Narka	12605	KS2015707	7S	Ks	40	46	14	6	25	27
Natoma	12620	KS2014106	6S	Ss	27	13	16	18	30	21
Nemaha Co. RWD #01	15234	KS2013105	7S	Mo	13	10	12	15	19	14
Nemaha Co. RWD #03	15262	KS2013110	7M	Ks	4	na	3	6	3	4
Nemaha Co. RWD #04	34423	KS2013112	7M	Ks	15	15	16	19	19	17
Neodesha	12743	KS2020502	7M	Ve	23	2	1	13	11	10
Neosho Co. RWD #01C	55011	KS2013320	8M	Ne	na	8	13	na	19	13
Neosho Co. RWD #02	15254	KS2013314	8M	Ne	26	26	19	22	24	23

**Table 4: Unaccounted for water by public water supplier – continued**

Public Water Supplier <sup>1</sup>	DWR ID	EPA Water System Number	GPCD Region <sup>1</sup>	Source water RPA	Percent Unaccounted					Average (2013 – 17)
					2013	2014	2015	2016	2017	
Neosho Co. RWD #03	55010	KS2013315	8S	Ve	na	1	na	na	19	10
Neosho Co. RWD #04	39323	KS2013317	8M	Ve	18	13	17	12	14	15
Neosho Co. RWD #06	34294	KS2013305	8S	Ve	5	11	11	12	7	9
Neosho Co. RWD #07	33778	KS2013303	8M	Ve	13	19	26	17	30	21
Neosho Co. RWD #08	34393	KS2013309	8S	Ne	16	6	18	17	36	19
Neosho Co. RWD #09	33759	KS2013301	8S	Ve	21	15	7	9	9	12
Neosho Co. RWD #12	33779	KS2013321	8S	Ve	13	10	11	10	32	15
Ness City	12744	KS2013503	4	Gb	2	0	6	7	10	5
Netawaka	34339	KS2008509	7S	Ks	20	16	12	13	7	14
New Strawn	12765	KS2003105	7S	Ne	15	10	10	11	9	11
Newton	12788	KS2007905	7L	Ew	14	14	13	15	13	14
Nickerson	12853	KS2015505	6ML	Ew	19	12	25	14	18	18
Norcatour	12973	KS2003902	3	Ur	2	2	3	7	4	4
North Newton	26573	KS2007906	7M	Ew	3	na	na	12	7	7
Norton	13015	KS2013702	4	Sr	16	14	17	24	23	19
Norton Co. RWD #01	15235	KS2013703	4	Sr	4	11	3	8	8	7
Nortonville	13022	KS2008703	8M	Ks	6	8	9	9	9	8
Norwich	13023	KS2009505	6S	Rh	11	3	na	na	28	14
Oakley	13097	KS2010901	2	Ur	21	14	11	13	10	14
Oberlin	13110	KS2003903	3	Ur	9	11	11	11	9	10
Offerle	13167	KS2004704	5	Gb	13	10	14	13	14	13
Ogden	13169	KS2016128	7M	Ks	5	5	4	23	10	9
Oketo	13183	KS2011704	7S	Ks	na	10	9	15	18	13
Olathe	13184	KS2009115	8L	Ks	18	11	13	14	12	14
Olmitz	20925	KS2000904	6S	Gb	20	21	15	20	22	20
Olpe	13210	KS2011112	7M	Ne	6	3	3	1	4	3
Olsburg	34885	KS2014907	7S	Ks	9	2	2	6	1	4
Onaga	13244	KS2014905	7M	Ks	4	5	4	1	4	3
Oneida	13245	KS2013103	7S	Mo	15	21	8	11	12	13
Osage City	13263	KS2013907	7M	Mc	7	6	6	5	3	5
Osage Co. RWD #02	15255	KS2013912	7S	Mc	11	10	6	8	7	8
Osage Co. RWD #03	15263	KS2013910	7M	Mc	10	8	11	10	9	9
Osage Co. RWD #04	15268	KS2013917	7M	Mc	18	20	15	8	12	14
Osage Co. RWD #05	15119	KS2013904	7M	Ks	20	16	16	20	20	18
Osage Co. RWD #06	40021	KS2013902	7S	Mc	21	9	16	4	10	12
Osage Co. RWD #07	33876	KS2013906	7M	Mc	10	16	9	12	1	10
Osage Co. RWD #08	55012	KS2013918	7M	Ks	na	10	na	7	na	8
Osawatomic	13264	KS2012105	8M	Mc	12	9	na	na	na	11
Osborne	13269	KS2014105	6ML	Sr	6	14	5	14	15	11

**Table 4: Unaccounted for water by public water supplier – continued**

Public Water Supplier <sup>1</sup>	DWR ID	EPA Water System Number	GPCD Region <sup>1</sup>	Source water RPA	Percent Unaccounted					Average (2013 – 17)
					2013	2014	2015	2016	2017	
Osborne Co. RWD #01A	15249	KS2014103	6S	Sr	57	69	58	59	66	62
Osborne Co. RWD #02	25758	KS2014107	6S	Ss	8	8	22	25	17	16
Oskaloosa	13276	KS2008714	8M	Ks	5	10	na	13	15	11
Oswego	13299	KS2009908	8M	Ne	6	7	15	8	7	8
Otis	13300	KS2016505	5	Gb	9	9	7	7	2	7
Ottawa	13308	KS2005906	8L	Mc	15	18	18	22	7	16
Ottawa Co. RWD #01	15282	KS2014304	7S	Sr	26	29	32	51	36	35
Ottawa Co. RWD #02	15256	KS2014307	7M	Ss	11	17	na	16	15	15
Overbrook	13323	KS2013903	7M	Ks	0	28	3	8	15	11
Oxford	13353	KS2019111	7M	Ew	na	11	9	8	10	10
Ozawkie	13358	KS2008718	8M	Ks	14	14	11	15	25	16
Palco	13384	KS2016302	5	Ss	6	16	12	23	17	15
Palmer	13393	KS2020105	7S	Ks	6	10	25	8	6	11
Paola	13415	KS2012103	8M	Mc	15	17	14	15	19	16
Paradise	13419	KS2016708	6S	Ss	38	27	33	15	16	26
Park	13430	KS2006304	3	Ur	31	49	53	58	53	49
Park City	13427	KS2017303	7M	Ew	4	na	na	na	na	4
Parker	33098	KS2010706	8S	Mc	8	7	2	9	na	7
Parsons	13488	KS2009914	8L	Ne	10	15	6	4	1	7
Pawnee Rock	31008	KS2000916	6S	Gb	30	10	3	16	20	16
Paxico	13551	KS2019705	7S	Ks	4	1	2	4	7	4
Peabody	13561	KS2011509	7M	Ne	16	15	14	14	15	15
Perry	20928	KS2008720	8M	Ks	20	2	1	11	2	7
Peru	13688	KS2001906	7S	Ve	14	13	13	27	18	17
Phillips Co. RWD #01	15236	KS2014709	5	Sr	20	9	11	15	17	15
Phillipsburg	13808	KS2014706	5	Sr	7	11	15	15	18	13
Pittsburg	13876	KS2003705	8L	Ne	21	10	15	15	12	15
Plains	19243	KS2011903	3	Ci	14	20	22	23	15	18
Plainville	13883	KS2016301	5	Ss	14	12	11	na	17	13
Pleasanton	13889	KS2010704	8M	Mc	13	14	7	15	13	13
Pomona	13946	KS2005907	8M	Mc	9	7	8	15	9	10
Portis	13980	KS2014104	6S	Sr	19	33	24	28	23	26
Pottawatomie Co. RWD #01	15237	KS2014912	7M	Ks	17	20	18	18	19	18
Pottawatomie Co. RWD #02	21005	KS2014906	7M	Ks	24	18	15	17	16	18
Pottawatomie Co. RWD #03	34075	KS2014904	7M	Ks	18	19	13	20	16	17
Pottawatomie Co. RWD #04	50614	KS2014922	7M	Ks	8	8	11	8	12	9

**Table 4: Unaccounted for water by public water supplier – continued**

Public Water Supplier <sup>1</sup>	DWR ID	EPA Water System Number	GPCD Region <sup>1</sup>	Source water RPA	Percent Unaccounted					Average (2013 – 17)
					2013	2014	2015	2016	2017	
Potwin	14009	KS2001518	7S	Ew	1	1	5	5	0	2
Prairie View	14043	KS2014704	5	Sr	7	17	8	6	2	8
Pratt	14050	KS2015103	6ML	Gb	22	11	18	14	10	15
Prescott	22619	KS2010705	8S	Mc	20	17	14	na	13	16
Preston	14074	KS2015102	6S	Gb	18	25	24	19	21	21
Pretty Prairie	14078	KS2015501	6ML	Ew	8	2	na	4	15	7
Princeton	14125	KS2005912	8S	Mc	9	na	na	na	na	9
Protection	14152	KS2003302	5	Rh	9	9	24	29	23	19
Quenemo	14200	KS2013913	7S	Mc	na	9	17	17	16	15
Quinter	14220	KS2006305	3	Ur	5	8	11	3	7	7
Randall	14294	KS2008901	6S	Sr	6	na	7	5	1	5
Randolph	14309	KS2016126	7S	Ks	28	14	10	2	6	12
Ransom	14322	KS2013501	4	Ss	19	6	12	4	1	8
Rantoul	14323	KS2005902	8S	Mc	9	6	1	na	24	10
Raymond	14383	KS2015901	6S	Gb	4	5	4	10	11	7
Reading	14386	KS2011114	7S	Mc	na	3	4	na	na	3
Red Bud Lake Improvement District	14391	KS2004111	7S	Ss	0	na	2	1	1	1
Reno Co. RWD #01	15238	KS2015510	6S	Ew	1	2	5	na	na	3
Reno Co. RWD #03	15264	KS2015516	6S	Ew	23	21	16	17	na	19
Reno Co. RWD #04	34153	KS2015517	6S	Ew	13	4	15	27	2	12
Reno Co. RWD #08	29055	KS2015508	6S	Ew	16	13	14	11	11	13
Reno Co. Water District #101	30458	KS2015518	6S	Ew	4	7	5	6	6	6
Republic	14580	KS2015709	7S	Sr	20	19	9	28	35	22
Republic Co. RWD #01	15239	KS2015702	7S	Sr	45	53	39	48	na	46
Republic Co. RWD #02	15257	KS2015711	7M	Sr	28	30	31	31	37	31
Reserve	14589	KS2001302	8S	Mo	64	59	34	23	16	39
Rexford	14597	KS2019304	2	Ur	10	10	9	10	9	10
Rice Co. RWD #01	40441	KS2015908	6ML	Gb	10	8	3	14	17	10
Richmond	14683	KS2005904	8S	Mc	18	19	31	14	16	19
Riley	14753	KS2016124	7M	Ks	14	12	7	15	2	10
Riley Co. RWD #01	15240	KS2016135	7M	Ks	5	9	na	11	10	9
Robinson	14882	KS2001301	8S	Mo	22	34	9	37	34	27
Rocky Ford Water Company	35916	KS2016136	7S	Ks	na	na	na	na	na	na
Rolla	14999	KS2012902	1	Ci	22	19	15	18	27	20
Rooks Co. RWD #01	15283	KS2016303	5	Sr	0	1	0	0	0	0
Rooks Co. RWD #02	15258	KS2016306	5	Ss	21	20	15	10	10	15
Rooks Co. RWD #03	15265	KS2016308	5	Ss	17	31	0	0	4	10

**Table 4: Unaccounted for water by public water supplier – continued**

Public Water Supplier <sup>1</sup>	DWR ID	EPA Water System Number	GPCD Region <sup>1</sup>	Source water RPA	Percent Unaccounted					Average (2013 – 17)
					2013	2014	2015	2016	2017	
Rose Hill	15031	KS2001520	7M	Ew	na	3	na	3	5	4
Roseland	34296	KS2002105	8S	Ne	23	33	39	30	33	32
Rossville	15076	KS2017712	7M	Ks	3	2	11	12	8	7
Rozel	15118	KS2014502	5	Gb	7	3	18	15	na	11
Rush Center	15286	KS2016506	5	Gb	0	10	16	19	31	15
Rush Co. RWD #01	15241	KS2016509	5	Ss	12	14	12	27	32	19
Russell	15300	KS2016703	6ML	Ss	17	28	20	20	19	21
Russell Co. RWD #01	15242	KS2016707	6S	Ss	22	16	23	21	15	19
Russell Co. RWD #02	15259	KS2016706	6S	Ss	na	na	na	na	na	na
Russell Co. RWD #03	20482	KS2016704	6ML	Gb	18	na	18	20	33	22
Russell Co. RWD #04	15269	KS2016705	6S	Ss	38	40	36	39	29	36
Sabetha	15348	KS2013101	7M	Mo	9	9	12	7	10	9
Salina	15366	KS2016914	7L	Ss	14	10	9	13	10	11
Saline Co. RWD #01	15243	KS2016901	7S	Ss	1	1	2	3	2	2
Saline Co. RWD #02	15260	KS2016911	7S	Ss	2	12	11	26	39	18
Saline Co. RWD #03	34359	KS2016912	7M	Ss	6	9	7	13	4	8
Saline Co. RWD #04	15270	KS2016913	7M	Ss	20	17	11	19	18	17
Saline Co. RWD #06	15273	KS2016916	7S	Ss	27	15	7	7	20	15
Saline Co. RWD #07	35556	KS2016917	7S	Ss	4	9	na	4	4	5
Saline Co. RWD #08	50063	KS2016918	7S	Ss	25	31	13	26	14	22
Satanta	15444	KS2008102	2	Ci	4	6	4	8	5	6
Sawyer	15461	KS2015101	6S	Gb	4	7	8	7	6	6
Scammon	15474	KS2002101	8S	Ne	4	2	1	na	na	2
Scandia	15476	KS2015710	7S	Sr	1	1	0	7	8	4
Schoenchen	61775	KS2005118	5	Ss	19	29	16	10	3	15
Scott City	21022	KS2017101	2	Us	10	8	10	9	12	10
Scranton	16052	KS2013911	7M	Ks	13	12	20	18	34	19
Sedan	16086	KS2001903	7M	Ve	15	20	3	11	4	11
Sedgwick	16088	KS2007904	7M	Ew	6	9	9	10	6	8
Sedgwick Co. RWD #01	24790	KS2017316	7M	Ew	8	8	10	4	25	11
Sedgwick Co. RWD #02	23894	KS2017315	7M	Ew	9	na	na	na	11	10
Sedgwick Co. RWD #03	24791	KS2017306	7M	Ew	3	4	na	3	5	3
Sedgwick Co. RWD #04	26327	KS2017338	7M	Ew	13	6	6	4	11	8
Selden	16120	KS2017902	3	Ur	10	7	3	8	7	7
Seneca	16149	KS2013102	7M	Mo	1	1	1	1	6	2
Severy	37790	KS2007308	7S	Ve	25	17	25	1	31	20
Sharon	16223	KS2000708	6S	Rh	15	11	12	16	na	14
Sharon Springs	16222	KS2019903	1	Us	11	10	9	8	10	10
Shawnee Co. RWD #01C	23881	KS2017704	7M	Ks	8	9	6	10	9	8



**Table 4: Unaccounted for water by public water supplier – continued**

Public Water Supplier <sup>1</sup>	DWR ID	EPA Water System Number	GPCD Region <sup>1</sup>	Source water RPA	Percent Unaccounted					Average (2013 – 17)
					2013	2014	2015	2016	2017	
Shawnee Co. RWD #02C	31683	KS2017713	7M	Ks	9	20	17	17	13	15
Shawnee Co. RWD #03C	58394	KS2017717	7M	Ks	3	2	5	3	5	4
Shawnee Co. RWD #04C	58395	KS2017718	7L	Ks	5	15	12	16	18	13
Shawnee Co. RWD #08	15275	KS2017708	7M	Ks	15	na	14	14	15	14
Silver Lake	16478	KS2017714	7M	Ks	6	8	12	11	9	9
Simmons Subdivision Sanitation System	60582	KS2001519	7S	Ew	na	na	na	na	na	na
Simpson	16521	KS2012307	6S	Sr	33	44	53	34	28	38
Smith Center	16631	KS2018303	6ML	Sr	34	34	34	28	32	32
Smith Co. RWD #01	24115	KS2018305	6S	Sr	13	14	11	17	16	14
Soldier	34340	KS2008508	7S	Ks	3	8	6	29	16	13
Solomon	16867	KS2004105	7M	Sr	13	5	10	15	15	12
South Haven	16878	KS2019104	7S	Rh	5	6	6	10	8	7
South Hutchinson	16879	KS2015504	6ML	Ew	9	7	11	12	na	10
Spearville	16915	KS2005712	4	Ua	8	15	8	8	8	9
Speed	16919	KS2014705	5	Sr	3	3	5	10	1	4
Spivey	16977	KS2009504	6S	Rh	15	na	na	35	33	27
Spring Hill	20489	KS2009120	8M	Mc	na	8	12	19	9	12
St. Francis	17027	KS2002302	1	Ur	4	9	3	2	6	5
St. George	17028	KS2014917	7M	Ks	13	10	18	43	na	21
St. John	17029	KS2018502	6ML	Gb	23	27	19	21	10	20
St. Marys	17032	KS2014914	7M	Ks	5	3	7	5	5	5
St. Paul	17033	KS2013316	8M	Ne	15	19	21	na	10	16
Stafford	17056	KS2018503	6ML	Gb	10	14	4	18	33	16
Sterling	17250	KS2015902	6ML	Gb	8	3	na	1	3	4
Stockton	17320	KS2016304	5	Sr	11	29	3	4	34	16
Strong City	17454	KS2001701	7S	Ne	26	15	31	55	17	29
Sublette	17539	KS2008103	2	Ci	9	5	5	4	7	6
Suburban Water Company	24951	KS2010321	8M	Mo	11	11	15	10	8	11
Summerfield	17582	KS2011702	7S	Ks	18	23	14	14	14	17
Sumner Co. RWD #01	34418	KS2019106	7S	Rh	17	17	20	15	25	19
Sumner Co. RWD #02	34419	KS2019107	7S	Rh	13	13	12	9	2	10
Sumner Co. RWD #03	34420	KS2019105	7S	Rh	17	49	17	8	17	22
Sumner Co. RWD #04	25252	KS2019103	7M	Ew	35	44	30	33	40	36
Sumner Co. RWD #05	24552	KS2019101	7M	Rh	5	na	4	16	na	8
Sumner Co. RWD #06	34318	KS2019110	7S	Ew	14	4	0	3	9	6
Susank	55014	KS2000901	6S	Gb	6	6	2	na	26	10
Sylvan Grove	17695	KS2010502	6S	Ss	14	17	12	8	9	12
Sylvia	17700	KS2015502	6S	Gb	28	12	29	na	1	17

**Table 4: Unaccounted for water by public water supplier – continued**

Public Water Supplier <sup>1</sup>	DWR ID	EPA Water System Number	GPCD Region <sup>1</sup>	Source water RPA	Percent Unaccounted					Average (2013 – 17)
					2013	2014	2015	2016	2017	
Syracuse	17702	KS2007502	1	Ua	3	2	11	4	5	5
Tescott	17827	KS2014302	7S	Ss	12	6	14	5	2	8
Thayer	17839	KS2013312	8M	Ve	11	7	22	19	19	16
Timber Creek Water and Sewer District	36072	KS2014910	7M	Ks	11	11	3	3	4	7
Timken	18023	KS2016504	5	Gb	2	27	2	na	16	12
Tipton	18041	KS2012310	6S	Sr	6	8	7	9	8	8
Tonganoxie	18085	KS2010306	8M	Ks	18	23	11	18	17	17
Topeka	18096	KS2017701	7L	Ks	6	5	8	9	5	7
Toronto	18107	KS2020701	7S	Ve	13	12	7	8	7	9
Towanda	18112	KS2001524	7M	Ew	na	na	na	na	2	2
Trego Co. RWD #01	28343	KS2019503	4	Ss	20	18	15	13	16	16
Trego Co. RWD #02	36275	KS2019504	4	Ss	14	13	13	11	16	14
Tribune	18175	KS2007102	1	Us	14	6	10	9	10	10
Troy	18204	KS2004304	8M	Mo	9	16	14	21	13	15
Turon	18272	KS2015503	6S	Gb	15	na	na	9	11	12
Udall	18307	KS2003510	7M	Ew	12	16	20	12	18	16
Ulysses	18327	KS2006704	2	Ci	7	8	6	6	7	7
Uniontown	18355	KS2001108	8S	Mc	14	15	na	6	8	11
University Park Water District	18363	KS2016103	7S	Ks	na	4	na	5	6	5
Utica	18454	KS2013502	4	Gb	23	23	11	18	13	18
Valley Center	18473	KS2017318	7M	Ew	2	2	na	na	na	2
Valley Falls	18474	KS2008710	8M	Ks	9	11	14	16	14	13
Vermillion	22017	KS2011701	7S	Ks	6	6	4	15	na	8
Victoria	18587	KS2005119	5	Ss	23	8	11	15	9	13
Viola	18599	KS2017313	7S	Ew	29	6	7	6	5	11
Virgil	21302	KS2007307	7S	Ve	30	13	na	6	na	16
Wabaunsee Co. RWD #01	15244	KS2019706	7S	Ks	18	18	na	19	18	18
Wabaunsee Co. RWD #02	33095	KS2019711	7M	Ks	10	12	9	12	10	11
WaKeeney	18717	KS2019501	4	Ss	12	11	11	14	20	14
Wakefield	18718	KS2002708	7M	Ks	12	17	17	18	22	17
Waldo	18732	KS2016709	6S	Ss	4	9	1	1	1	3
Wallace	18794	KS2019902	1	Us	1	1	17	11	12	8
Wallace Co. RWD #01	15245	KS2019901	1	Us	na	3	na	0	12	5
Walnut	33755	KS2003701	8S	Ne	na	na	na	na	na	na
Walton	55500	KS2007908	7S	Ew	na	na	na	19	13	16
Wamego	18859	KS2014908	7M	Ks	7	11	9	12	15	11
Washington	18929	KS2020101	7M	Ks	23	31	40	22	16	26

**Table 4: Unaccounted for water by public water supplier – continued**

Public Water Supplier <sup>1</sup>	DWR ID	EPA Water System Number	GPCD Region <sup>1</sup>	Source water RPA	Percent Unaccounted					Average (2013 – 17)
					2013	2014	2015	2016	2017	
Washington Co. RWD #01	15246	KS2020107	7M	Ks	9	7	6	14	15	10
Washington Co. RWD #02	20337	KS2020113	7M	Ks	22	19	22	22	23	21
WaterOne–Johnson Co.	8693	KS2009110	8L	Ks	9	14	13	12	12	12
Waterville	18965	KS2011703	7M	Ks	na	na	6	4	4	5
Wathena	21969	KS2004308	8M	Mo	26	32	35	32	31	31
Waverly	18996	KS2003108	7M	Mc	21	12	6	12	19	14
Weir	19108	KS2002114	8M	Mc	9	10	14	12	12	11
Wellington	19136	KS2019119	7M	Rh	6	30	33	44	43	31
Wellsville	19154	KS2005916	8M	Ks	11	5	7	8	5	7
West Hills Water Company	41680	KS2015519	6S	Ew	na	na	na	na	na	na
West Mineral	19242	KS2002115	8S	Mc	12	17	29	24	25	21
Westmoreland	19288	KS2014909	7M	Ks	na	na	na	26	12	19
Wetmore	19290	KS2013111	7S	Ks	16	39	12	15	12	19
White City	19348	KS2012703	7M	Ks	10	18	6	10	26	14
White Cloud	33077	KS2004309	8S	Mo	42	39	34	49	49	42
Whitewater	19409	KS2001523	7M	Ew	20	22	24	6	9	16
Whiting	19416	KS2008513	7S	Ks	10	12	34	21	na	19
Wichita	19449	KS2017308	7L	Ew	12	12	10	17	10	12
Williamsburg	19628	KS2005914	8S	Mc	16	21	4	10	8	12
Willis	34204	KS2001311	8S	Ks	na	8	12	15	na	11
Wilsey	56248	KS2012705	7S	Ne	2	na	9	8	na	6
Wilson	20377	KS2005301	6ML	Ss	13	13	18	21	25	18
Wilson Co. RWD #01	33731	KS2020515	7S	Ve	13	14	na	21	25	18
Wilson Co. RWD #02	33732	KS2020514	7S	Ve	na	na	na	7	na	7
Wilson Co. RWD #05	23885	KS2020507	7S	Ve	6	12	na	3	9	8
Wilson Co. RWD #06	34324	KS2020505	7S	Ve	26	38	15	36	11	25
Wilson Co. RWD #07	33735	KS2020516	7S	Ve	na	na	na	39	31	35
Wilson Co. RWD #11	33715	KS2020519	7M	Ve	19	21	19	20	29	22
Wilson Co. RWD #12	34325	KS2020501	7S	Ve	18	9	5	10	9	10
Wilson Co. RWD #13	34529	KS2020512	7S	Ve	35	21	16	26	22	24
Winchester	19671	KS2008701	8M	Ks	7	5	7	6	5	6
Windom	38134	KS2011314	7S	Ew	9	16	17	11	7	12
Winfield	19679	KS2003513	7L	Ew	9	12	15	10	9	11
Winona	19724	KS2010903	2	Ur	14	na	24	19	22	20
Woodbine	40930	KS2004117	7S	Ss	4	4	13	2	3	5
Woodson Co. RWD #01	15247	KS2020703	7M	Ve	15	11	11	10	na	12
Woodston	19886	KS2016307	5	Sr	1	2	na	8	2	3
Yates Center	19999	KS2020702	7M	Ve	9	12	10	7	13	10

**Table 4:** Unaccounted for water by public water supplier – continued

Public Water Supplier <sup>1</sup>	DWR ID	EPA Water System Number	GPCD Region <sup>1</sup>	Source water RPA	Percent Unaccounted					Average (2013 – 17)
					2013	2014	2015	2016	2017	
Zenda	20148	KS2009506	6S	Rh	na	0	0	na	na	0

<sup>1</sup>Large suppliers (L) serve 10,000 persons or more. Medium (M) suppliers serve 500 to 9,999 persons. Small (S) suppliers serve fewer than 500 persons; medium and large are combined in Region 6 because of the limited number of systems.

## Regions Used for Gallons per Capita per Day (GPCD) Analysis





Figure 1: Regions used for gallons per capita per day (GPCD) analysis



**Figure 2:** Kansas Regional Planning Areas

**Appendix A**  
**Example Municipal Water Use Report**