

Kansas Department of Agriculture

Food Safety and Lodging Program

Phone (785) 564-6767

Fax (785) 564-6779

Manhattan, Kansas 66502

agriculture.ks.gov

KANSAS FOOD CODE
2021

**(Based on the 2017 Model Food Code and
Supplement by the US PHS and FDA)**

Food Establishments

July 1, 2021

Contents

Contents

Preface.....	i
Chapter 1 – Purpose and Definitions	1
Chapter 2 – Management and Personal.....	18
Chapter 3 – Food.....	37
Chapter 4 - Equipment, Utensils, and Linens	76
Chapter 5 - Water, Plumbing, and Waste	106
Chapter 6 - Physical Facilities	120
Chapter 8 - Compliance and Enforcement.....	137
INDEX	Index 1

Preface

The Kansas Department of Agriculture (KDA) announces the publication of the 2021 Kansas Food Code. The Kansas Food Code is based largely upon the United States Public Health Service and United States Food and Drug Administration's (PHS) 2017 Model Food Code as modified by the 2017 Supplement, which was released in 2019.

These food safety regulations govern licensed food establishments. The provisions of the Kansas Food Code provide a system of pro-active, preventive safeguards designed to minimize the hazards that lead to foodborne illness, thus ensuring safe food and acceptable levels of sanitation in food establishments.

The Food Code presents requirements by principle rather than by subject. For example, equipment requirements are presented under headings such as Materials, Design and Construction, Numbers and Capacities, Location and Installation, and Maintenance and Operation rather than by refrigerators, sinks, and thermometers. Where there are special requirements for certain equipment, the requirement is delineated under the appropriate principle (e.g., Design and Construction) and listed separately in the index.

Requirements contained in the Food Code are presented as being in one of three categories of importance:

- ***Priority item*** (i.e., a provision in this Code whose application contributes directly to the elimination, prevention or reduction to an acceptable level, hazards associated with foodborne illness or injury and there is no other provision that more directly controls the hazard);
- ***Priority foundation item*** (i.e., a provision in this Code whose application supports, facilitates or enables one or more *priority items*); and,
- ***Core item*** (i.e., a provision in this Code that is not designated as a *Priority item* or a *Priority foundation item* and that usually relates to general sanitation, operational controls, sanitation standard operating procedures (SSOPs), facilities or structures, equipment design, or general maintenance.

A "P" or "Pf" designation after a paragraph or subparagraph indicates that the provision within that section is a *Priority item* or *Priority foundation item*, respectively. Any unmarked provisions within a section are *Core items*.

Portions of some sections are written in italics. These provisions are not requirements but are provided to convey relevant information about specific exceptions and alternative means for compliance. Italics are pursuant to a preceding provision that states a requirement, to which the italics offer an exception or another possibility. Italicized sections usually involve the words "except for," "may," "need not" or "does not apply."

Defined words and terms are in "small caps" in the text of the Food Code chapters to alert the reader to the fact that there is a specific meaning assigned to those words and terms and that the meaning of a provision is to be interpreted in the defined context. A concerted effort was also made to place in "small caps" all forms and combinations of those defined words and terms that were intended to carry the weight of the definition.

Food Code provisions address essentially four areas: personnel (Chapter 2), food (Chapter 3), equipment/facilities/supplies (Chapters 4, 5, 6, 7), and compliance and enforcement (Chapter 8). The structural nomenclature of the document is as follows:

Chapter	9
Part	9-1
Subpart	9-101
Section (§)	9-101.11
Paragraph (¶)	9-101.11(A)
Subparagraph	9-101.11(A)(1)

Code provisions are either appropriate for citing on an inspection report or they are not. Those not intended for citing are identified by the digits following the decimal point in the numbering system. These "non-citable" provisions fall into two categories, those that end with two digits after the decimal point and the last digit is a zero, e.g., § 1-201.10; and those that end with three digits after the decimal point and the last 2 digits are zeros, e.g., § 8-805.100.

Two types of internal cross referencing are widely used throughout the Code to eliminate the need for restating provisions.

- A. The first type of cross reference uses phrases that contain the word "under", e.g., "as specified **under**..." (followed by the relevant portion of the Code)."

The purpose of this type of cross reference is to:

- 1) Alert the reader to relevant information, and
- 2) Provide a system by which each violation is recorded under the one most appropriate provision. This type of cross reference signals to the reader the provision of the Code under which a certain violation is properly cited.

- B. The second type of cross reference uses phrases that contain the word "in," e.g., "as specified **in**..." (followed by the relevant portion of the Code)."

The purpose of this type of cross reference is to:

- 1) Indicate the specific provisions of a separate document such as a federal regulation that are being incorporated by reference in the requirement of the Code, e.g., ¶ 3-201.11(C); or
- 2) Refer the reader to a non-citable provision of the Code which provides further information for consideration, such as a provision for an exception or for an allowance to comply via an alternative method.

For example, ¶ 3-201.16 (A) begins with "Except as specified in ¶ (B)..." and ¶ (B) states the relevant exceptions to ¶ (A). Paragraph 3-201.11(E) states in part, "... as specified *in* ¶ 3-401.11(C)" and ¶ 3-401.11(C) provides for an allowance to serve or sell raw or undercooked, whole-meat, intact beef steaks in a ready-to-eat form.

If you review the exception in ¶ 3-201.16(B) and the allowance in ¶ 3-401.11(C), you will see that exceptions and allowances often contain conditions of compliance, i.e., conditions that must be met in order for the exception or allowance to convey.

Based on the violation being cited, the substance of the text being referred to, and the context in which the reference is made, users of the Code must infer the intent of the cross reference. That is, the user must determine if the cross reference simply alerts the user to additional information about the requirement or if the cross reference:

- refers the user (via the word "under") to another Code provision; or
- incorporates (via the word "in") the referenced requirements into the Code provision.

Many individuals devoted considerable time and effort in addressing concerns and developing recommendations that are now reflected in this newly adopted food code. It is only through the dedicated efforts and contributions of these experienced professionals that a scientifically sound, well-focused, and up to date code is possible. The results of their combined efforts are food safety regulations that are based upon the most current science and the best strategies to ensure a continued safe food supply for Kansas citizens.

Chapter 1 – Purpose and Definitions

Parts

- 1-1 TITLE, INTENT, SCOPE
- 1-2 DEFINITIONS

1-1 Title, Intent, Scope

Subparts

- 1-101 Title
- 1-102 Intent
- 1-103 Scope

Title

1-101.10 Food Code.

These provisions shall be known as the Food Code, hereinafter referred to as "this Code."

Intent

1-102.10 Food Safety, Illness Prevention, and Honest Presentation.

The purpose of this Code is to safeguard public health and provide to CONSUMERS FOOD that is safe, UNADULTERATED, and honestly presented.

Scope

1-103.10 Statement.

This Code establishes definitions; sets standards for management and personnel, FOOD operations, and EQUIPMENT and facilities; and provides for FOOD ESTABLISHMENT plan review, LICENSE issuance, inspection, EMPLOYEE RESTRICTION, and LICENSE suspension.

1-1 Definitions

Subparts

- 1-201 Applicability and Terms Defined

Applicability and Terms Defined

1-201.10 Statement of Application and Listing of Terms.

The following definitions shall apply in the interpretation and application of this Code.

-A-

Accredited program.

- (1) **"Accredited program"** means a food protection manager certification program that has been evaluated and listed by an accrediting agency as conforming to national standards for organizations that certify individuals.
- (2) **"Accredited program"** refers to the certification process and is a designation based upon an independent evaluation of factors such as the sponsor's mission; organizational structure; staff resources; revenue sources; policies; public information regarding program scope, eligibility requirements, re-certification, discipline and grievance procedures; and test development and administration.
- (3) **"Accredited program"** does not refer to training functions or educational programs.

Additive.

- (1) **"Food additive"** has the meaning stated in K.S.A. 65-656, and amendments thereto.
- (2) **"Color additive"** has the meaning stated in K.S.A. 65-656, and amendments thereto.

"Adulterated" has the meaning stated in K.S.A. 65-664, and amendments thereto under the term "food deemed adulterated".

"Approved" means acceptable to the REGULATORY AUTHORITY based on a determination of conformity with principles, practices, and generally recognized standards that protect public health.

Asymptomatic.

- (1) **"Asymptomatic"** means without obvious symptoms; not showing or producing indications of a disease or other medical condition, such as an individual infected with a pathogen but not exhibiting or producing any signs or symptoms of vomiting, diarrhea, or jaundice.
- (2) **"Asymptomatic"** includes not showing symptoms because symptoms have resolved or subsided, or because symptoms never manifested.

" a_w " means water activity which is a measure of the free moisture in a FOOD, is the quotient of the water vapor pressure of the substance divided by the vapor pressure of pure water at the same temperature, and is indicated by the symbol a_w .

-B-

"Balut" has the meaning stated in K.S.A. 2-2501(b)(8).

"Beverage" means a liquid for drinking, including water.

"Bottled drinking water" means water that is SEALED in bottles, packages, or other containers and offered for sale for human consumption, including bottled mineral water.

"Business entity" means business operations controlled by one PERSON.

-C-

"Casing" means a tubular container for sausage products made of either natural or artificial (synthetic) material.

"Certification number" means a unique combination of letters and numbers assigned by a SHELLFISH CONTROL AUTHORITY to a MOLLUSCAN SHELLFISH DEALER according to the provisions of the National Shellfish Sanitation Program.

"CFR" means CODE OF FEDERAL REGULATIONS. Citations in this Code that refer to the CFR refer sequentially to the Title, Part, and Section numbers, such as 40 CFR 180.194 refers to Title 40, Part 180, Section 194. CFR references are to those provisions as adopted in K.A.R. 4-28-1 *et seq.*

CIP.

(1) **"CIP"** means cleaned in place by the circulation or flowing by mechanical means through a piping system of a detergent solution, water rinse, and SANITIZING solution onto or over EQUIPMENT surfaces that require cleaning, such as the method used, in part, to clean and SANITIZE a frozen dessert machine.

(2) **"CIP"** does not include the cleaning of EQUIPMENT such as band saws, slicers, or mixers that are subjected to in-place manual cleaning without the use of a CIP system.

"Commingle" means:

(1) To combine SHELLSTOCK harvested on different days or from different growing areas as identified on the tag or label, or

(2) To combine SHUCKED SHELLFISH from containers with different container codes or different shucking dates.

Comminuted.

(1) **"Comminuted"** means reduced in size by methods including chopping, flaking, grinding, or mincing.

(2) **"Comminuted"** includes FISH or MEAT products that are reduced in size and restructured or reformulated such as gefilte FISH, gyros, ground beef, and sausage; and a mixture of 2 or more types of MEAT that have been reduced in size and combined, such as sausages made from 2 or more MEATS.

"Conditional employee" means a potential FOOD EMPLOYEE to whom a job offer is made, conditional on responses to subsequent medical questions or examinations designed to identify potential FOOD EMPLOYEES who may be suffering from a disease that can be transmitted through FOOD and done in compliance with Title 1 of the Americans with Disabilities Act of 1990.

"Confirmed disease outbreak" means a FOODBORNE DISEASE OUTBREAK in which laboratory analysis of appropriate specimens identifies a causative agent and epidemiological analysis implicates the FOOD as the source of the illness.

"Consumer" means a PERSON who is a member of the public, takes possession of FOOD, is not functioning in the capacity of an operator of a FOOD ESTABLISHMENT or FOOD PROCESSING PLANT, and does not offer the FOOD for resale.

Core Item.

(1) **"Core item"** means a provision in this Code that is not designated as a PRIORITY ITEM OR A PRIORITY FOUNDATION ITEM.

(2) **"Core item"** includes an item that usually relates to general sanitation, operational controls, sanitation standard operating procedures (SSOPs), facilities or structures, equipment design, or general maintenance.

"Corrosion-resistant material" means a material that maintains acceptable surface cleanability characteristics under prolonged influence of the FOOD to be contacted, the normal use of cleaning compounds and SANITIZING solutions, and other conditions of the use environment.

"Counter-mounted equipment" means EQUIPMENT that is not portable and is designed to be mounted off the floor on a table, counter, or shelf.

"Critical control point" means a point or procedure in a specific FOOD system where loss of control may result in an unacceptable health RISK.

"Critical limit" means the maximum or minimum value to which a physical, biological, or chemical parameter must be controlled at a CRITICAL CONTROL POINT to minimize the RISK that the identified FOOD safety HAZARD may occur.

"Cut leafy greens" means fresh leafy greens whose leaves have been cut, shredded, sliced, chopped, or torn. The term "leafy greens" includes iceberg lettuce, romaine lettuce, leaf lettuce, butter lettuce, baby leaf lettuce (i.e., immature lettuce or leafy greens), escarole, endive, spring mix, spinach, cabbage, kale, arugula and chard. The term "leafy greens" does not include herbs such as cilantro or parsley.

-D-

"Dealer" means a PERSON who is authorized by a SHELLFISH CONTROL AUTHORITY for the activities of SHELLSTOCK shipper, shucker-packer, repacker, reshipper, or depuration processor of MOLLUSCAN SHELLFISH according to the provisions of the National Shellfish Sanitation Program.

"Disclosure" means a written statement that clearly identifies the animal-derived FOODS which are, or can be ordered, raw, undercooked, or without otherwise being processed to eliminate pathogens, or items that contain an ingredient that is raw, undercooked, or without otherwise being processed to eliminate pathogens.

Drinking water.

- (1) **"Drinking water"** is traditionally known as "potable water."
- (2) **"Drinking water"** includes the term "water" *except where the term used connotes that the water is not potable, such as "boiler water," "mop water," "rainwater," "wastewater," and "nondrinking" water.*

"Dry storage area" means a room or area designated for the storage of PACKAGED or containerized bulk FOOD that is not TIME/TEMPERATURE CONTROL FOR SAFETY FOOD and dry goods such as SINGLE-SERVICE items.

-E-

Easily cleanable.

- (1) **"Easily cleanable"** means a characteristic of a surface that:
 - (a) Allows effective removal of soil by normal cleaning methods;
 - (b) Is dependent on the material, design, construction, and installation of the surface; and
 - (c) Varies with the likelihood of the surface's role in introducing pathogenic or toxigenic agents or other contaminants into FOOD based on the surface's APPROVED placement, purpose, and use.
- (2) **"Easily cleanable"** includes a tiered application of the criteria that qualify the surface as EASILY CLEANABLE as specified in Subparagraph (1) of this definition to different situations in which varying degrees of cleanability are required such as:

- (a) The appropriateness of stainless steel for a FOOD preparation surface as opposed to the lack of need for stainless steel to be used for floors or for tables used for CONSUMER dining; or
- (b) The need for a different degree of cleanability for a utilitarian attachment or accessory in the kitchen as opposed to a decorative attachment or accessory in the CONSUMER dining area.

"Easily movable" means:

- (1) Portable; mounted on casters, gliders, or rollers; or provided with a mechanical means to safely tilt a unit of EQUIPMENT for cleaning; and
- (2) Having no utility connection, a utility connection that disconnects quickly, or a flexible utility connection line of sufficient length to allow the EQUIPMENT to be moved for cleaning of the EQUIPMENT and adjacent area.

"Egg" or "Eggs" has the meaning stated in K.S.A. 2-2501(b)(1), namely, eggs in the shell that are the product of the domesticated chicken, turkey, goose, guinea, and any other eggs offered for sale for human consumption. Eggs shall not include balut.

Egg Product.

- (1) **"Egg Product"** means all, or a portion of, the contents found inside EGGS separated from the shell and pasteurized in a FOOD PROCESSING PLANT, with or without added ingredients, intended for human consumption, such as dried, frozen or liquid EGGS.
- (2) **"Egg Product"** does not include FOOD which contains EGGS only in a relatively small proportion such as cake mixes.

"Employee" means the LICENSEE, PERSON IN CHARGE, FOOD EMPLOYEE, PERSON having supervisory or management duties, PERSON on the payroll, family member, volunteer, PERSON performing work under contractual agreement, or other PERSON working in a FOOD ESTABLISHMENT.

"EPA" means the U.S. Environmental Protection Agency.

Equipment.

- (1) **"Equipment"** means an article that is used in the operation of a FOOD ESTABLISHMENT such as a freezer, grinder, hood, ice maker, MEAT block, mixer, oven, reach-in refrigerator, scale, sink, slicer, stove, table, TEMPERATURE MEASURING DEVICE for ambient air, VENDING MACHINE, or WAREWASHING machine.
- (2) **"Equipment"** does not include apparatuses used for handling or storing large quantities of PACKAGED FOODS that are received from a supplier in a cased or overwrapped lot, such as hand trucks, forklifts, dollies, pallets, racks, and skids.

"Exclude" means to prevent a PERSON from working as an EMPLOYEE in a FOOD ESTABLISHMENT or entering a FOOD ESTABLISHMENT as an EMPLOYEE.

-F-

"FDA" means the U.S. Food and Drug Administration.

Fish.

- (1) **"Fish"** means fresh or saltwater finfish, crustaceans and other forms of aquatic life (including alligator, frog, aquatic turtle, jellyfish, sea cucumber, and sea urchin and the roe of such animals) other than birds or mammals, and all mollusks, if such animal life is intended for human consumption.

(2) **"Fish"** includes an edible human FOOD product derived in whole or in part from FISH, including FISH that have been processed in any manner

"Food" has the meaning stated in K.S.A. 65-656 (c), namely:

- (1) Articles used for food or drink for humans or other animals;
- (2) Chewing gum; and
- (3) Articles used for components of any such article.

"Foodborne disease outbreak" means:

- (1) Two or more individuals from different households who experience a similar illness after eating a common FOOD or FOOD from a common place; or
- (2) An unexplained, unexpected increase of a similar illness, and food is a likely source.

"Food-contact surface" means:

- (1) A surface of EQUIPMENT or a UTENSIL with which FOOD normally comes into contact; or
- (2) A surface of EQUIPMENT or a UTENSIL from which FOOD may drain, drip, or splash:
 - (a) Into a FOOD, or
 - (b) Onto a surface normally in contact with FOOD.

"Food employee" means an individual working with UNPACKAGED FOOD, FOOD EQUIPMENT or UTENSILS, or FOOD-CONTACT SURFACES.

"Food establishment" has the meaning stated in K.S.A. 65-656(v), namely:

- (1) **"Food establishment"** means any place in which food is prepared, served or offered for sale or service on the premises or elsewhere.
- (2) **"Food establishment"** includes, but is not limited to:
 - (a) Eating or drinking establishments, fixed or mobile restaurants, coffee shops, cafeterias, short-order cafes, luncheonettes, tea rooms, grills, sandwich shops, soda fountains, taverns, private clubs, roadside stands, industrial-feeding establishments, catering kitchens, commissaries and any other private, public or nonprofit organizations routinely serving food; and
 - (b) grocery stores, convenience stores, bakeries and locations where food is provided for the public with or without charge.
- (3) *"Food establishment" does not include roadside markets that offer only whole fresh fruits, nuts and vegetables for sale.*

"Food processing plant" has the meaning stated in K.S.A. 65-656(w), namely:

- (1) **"Food processing plant"** means a commercial operation that processes or stores food for human consumption and provides food for distribution to other business entities at other locations, including other food processing plants and food establishments.
- (2) *"Food processing plant" does not include any operation or individual beekeeper that produces and distributes honey to other business entities if the producer does not process the honey beyond extraction from the comb.*

"Food vending machine" has the meaning stated in K.S.A. 65-656(x), namely:

- (1) **"Food vending machine"** means any self-service device, which, upon payment, dispenses unit servings of food, either in bulk or in packages. Such device shall not necessitate replenishing between each vending operation.
- (2) **"Food vending machine"** does not include any vending machine dispensing only canned or bottled soft drinks or prepackaged food that does not require temperature control for safety.

"Food vending machine location" means the room, enclosure, space, or area where one or more FOOD VENDING MACHINES are installed and operated and includes the storage areas and areas on the PREMISES that are used to service and maintain the FOOD VENDING MACHINES.

-G-

Game animal.

- (1) **"Game animal"** means an animal, the products of which are FOOD, that is not classified as livestock, sheep, swine, goat, horse, mule, or other equine in 9 CFR 301.2 Definitions, or as POULTRY, or FISH.
- (2) **"Game animal"** includes mammals such as reindeer, elk, deer, antelope, water buffalo, bison, rabbit, squirrel, opossum, raccoon, nutria, or muskrat, and nonaquatic reptiles such as land snakes.
- (2) **"Game animal"** does not include RATITES.

"Grade A standards" means the requirements of K.A.R. 4-7-116 with which certain fluid and dry milk and milk products comply.

-H-

"HACCP plan" means a written document that delineates the formal procedures for following the HAZARD Analysis and CRITICAL CONTROL POINT principles developed by The National Advisory Committee on Microbiological Criteria for Foods.

"Handwashing sink" means a lavatory, a basin or vessel for washing, a wash basin, or a PLUMBING FIXTURE especially placed for use in personal hygiene and designed for the washing of the hands.

"Hazard" means a biological, chemical, or physical property that may cause an unacceptable CONSUMER health RISK.

"Health practitioner" means a physician licensed to practice medicine, or if allowed by LAW, a nurse practitioner, physician assistant, or similar medical professional.

"Hermetically sealed container" means a container that is designed and intended to be secure against the entry of microorganisms and, in the case of low acid canned FOODS, to maintain the commercial sterility of its contents after processing.

"Highly susceptible population" ("HSP") means PERSONS who are more likely than other people in the general population to experience foodborne disease because they are:

- (1) Immunocompromised; preschool age children, or older adults; and
- (2) Obtaining FOOD at a facility that provides services such as custodial care, health care, or assisted living, such as a child or adult day care center, kidney dialysis center, hospital or nursing home, or nutritional or socialization services such as a senior center.

-I-

“Imminent health hazard” means a significant threat or danger to health that is considered to exist when there is evidence sufficient to show that a product, practice, circumstance, or event creates a situation that requires immediate correction or cessation of operation to prevent injury based on:

- (1) The number of potential injuries; or
- (2) The nature, severity, and duration of the anticipated injury.

“Injected” means manipulating MEAT to which a solution has been introduced into its interior by processes that are referred to as “injecting,” “pump marinating,” or “stitch pumping”.

“Intact meat” means a cut of whole muscle(s) MEAT that has not undergone COMMINATION, INJECTION, MECHANICAL TENDERIZATION, vacuum tumbling with solutions, or reconstruction.

-J-

Juice.

- (1) **“Juice”** means the aqueous liquid expressed or extracted from one or more fruits or vegetables, purées of the edible portions of one or more fruits or vegetables, or any concentrates of such liquid or purée.
- (2) **“Juice”** does not include, for purposes of HACCP, liquids, purées, or concentrates that are not used as BEVERAGES or ingredients of BEVERAGES.

-K-

“Kitchenware” means FOOD preparation and storage UTENSILS.

-L-

"Law" means applicable local, state, and federal statutes, regulations, and ordinances.

"License" means the document issued by the REGULATORY AUTHORITY that authorizes a PERSON to operate a FOOD ESTABLISHMENT.

"Licensee" means the entity that:

- (1) Is legally responsible for the operation of the FOOD ESTABLISHMENT such as the owner, the owner's agent, or other PERSON; and
- (2) Possesses or is required to possess a valid LICENSE to operate a FOOD ESTABLISHMENT.

"Linens" means fabric items such as cloth hampers, cloth napkins, table cloths, wiping cloths, and work garments including cloth gloves.

-M-

Major food allergen.

- (1) "Major food allergen" means:
 - (a) Milk, EGG, FISH (such as bass, flounder, cod, and including crustacean shellfish such as crab, lobster, or shrimp), tree nuts (such as almonds, pecans, or walnuts), wheat, peanuts, and soybeans; or
 - (b) A FOOD ingredient that contains protein derived from a FOOD, as specified in Subparagraph (1)(a) of this definition.
- (2) "Major food allergen" does not include:

- (a) Any highly refined oil derived from a FOOD specified in Subparagraph (1)(a) of this definition and any ingredient derived from such highly refined oil; or
- (b) Any ingredient that is exempt under the petition or notification process specified in the Food Allergen Labeling and Consumer Protection Act of 2004 (Public Law 108-282).

"Meat" means the flesh of animals used as FOOD including the dressed flesh of cattle, swine, sheep, or goats and other edible animals, *except FISH, POULTRY, and wild GAME ANIMALS as specified under Subparagraphs 3-201.17(A)(3) and (4).*

"Mechanically tenderized" means manipulating meat with deep penetration by processes which may be referred to as "blade tenderizing," "jaccarding," "pinning," "needling," or using blades, pins, needles or any mechanical device.

"mg/L" means milligrams per liter, which is the metric equivalent of parts per million (ppm).

"Molluscan shellfish" means any edible species of fresh or frozen oysters, clams, mussels, and scallops or edible portions thereof, *except when the scallop product consists only of the shucked adductor muscle.*

-N-

Non-continuous cooking.

- (1) **"Non-continuous cooking"** means the cooking of FOOD in a FOOD ESTABLISHMENT using a process in which the initial heating of the FOOD is intentionally halted so that it may be cooled and held for complete cooking at a later time prior to sale or service.
- (2) **"Non-continuous cooking"** does not include cooking procedures that only involve temporarily interrupting or slowing an otherwise continuous cooking process.

-P-

Packaged.

- (1) **"Packaged"** means bottled, canned, cartoned, bagged, or wrapped, whether PACKAGED in a FOOD ESTABLISHMENT or a FOOD PROCESSING PLANT.
- (2) **"Packaged"** includes any PACKAGED food displayed for CONSUMER self service.
- (3) **"Packaged"** does not include a wrapper, carry-out box, or other container used to containerize FOOD with the purpose of facilitating FOOD protection during service and receipt of the FOOD by the CONSUMER.

"Person" has the meaning stated in K.S.A. 65-656(b), namely, an individual, partnership, governmental entity, corporation or other association of persons.

"Person in charge" means any individual or employee present in a FOOD ESTABLISHMENT at the time of inspection who is responsible for the operation of the establishment. If no designated individual or employee is the person in charge, then any employee present is the person in charge.

Personal care items.

- (1) **"Personal care items"** means items or substances that may be poisonous, toxic, or a source of contamination and are used to maintain or enhance a PERSON'S health, hygiene, or appearance.
- (2) **"Personal care items"** include items such as medicines; first aid supplies; and other items such as cosmetics, and toiletries such as toothpaste and mouthwash.

"pH" means the symbol for the negative logarithm of the hydrogen ion concentration, which is a measure of the degree of acidity or alkalinity of a solution.

- (1) Values between 0 and 7 indicate acidity and values between 7 and 14 indicate alkalinity. The value for pure distilled water is 7, which is considered neutral.

"Physical facilities" means the structure and interior surfaces of a FOOD ESTABLISHMENT including fixtures such as soap and towel dispensers and attachments such as light fixtures and heating or air conditioning system vents.

"Plumbing fixture" means a receptacle or device that:

- (1) Is permanently or temporarily connected to the water distribution system of the PREMISES
- (2) and demands a supply of water from the system; or
- (3) Discharges used water, waste materials, or SEWAGE directly or indirectly to the drainage system of the PREMISES.

"Plumbing system" means the water supply and distribution pipes; PLUMBING FIXTURES and traps; soil, waste, and vent pipes; sanitary and storm sewers and building drains, including their respective connections, devices, and appurtenances within the PREMISES; and water-treating EQUIPMENT.

"Poisonous or toxic materials" means substances that are not intended for ingestion and are included in 4 categories:

- (1) Cleaners and SANITIZERS, which include cleaning and SANITIZING agents and agents such as caustics, acids, drying agents, polishes, and other chemicals;
- (2) Pesticides, *except* SANITIZERS, which include substances such as insecticides and rodenticides;
- (3) Substances necessary for the operation and maintenance of the establishment such as nonfood grade lubricants and PERSONAL CARE ITEMS that may be deleterious to health; and
- (4) Substances that are not necessary for the operation and maintenance of the establishment and are on the PREMISES for retail sale, such as petroleum products and paints.

"Poultry" means:

- (1) Any domesticated bird (chickens, turkeys, ducks, geese, guineas, RATITES, or squabs), whether live or dead, as defined in 9 CFR 381.1; and
- (2) Any migratory waterfowl or game bird, pheasant, partridge, quail, grouse, or pigeon, whether live or dead, as defined in 9 CFR 362.1.

"Premises" means:

- (1) The PHYSICAL FACILITY, its contents, and the contiguous land or property under the control of the LICENSEE; or
- (2) The PHYSICAL FACILITY, its contents, and the land or property not described in Subparagraph (1) of this definition if its facilities and contents are under the control of the LICENSEE AND may impact FOOD ESTABLISHMENT personnel, facilities, or operations, and a FOOD ESTABLISHMENT is only one component of a larger operation such as a health care facility, hotel, motel, school, recreational camp, or prison.

"Primal cut" means a basic major cut into which carcasses and sides of MEAT are separated, such as a beef round, pork loin, lamb flank, or veal breast.

Priority item.

- (1) **"Priority item"** means a provision in this Code whose application contributes directly to the elimination, prevention or reduction to an acceptable level, hazards associated with foodborne illness or injury and there is no other provision that more directly controls the hazard.
- (2) **"Priority item"** includes items with a quantifiable measure to show control of hazards such as cooking, reheating, cooling, handwashing; and
 - (a) **"Priority item"** is an item that is denoted in this Code with a superscript P – P.

Priority foundation item.

- (1) **"Priority foundation item"** means a provision in this Code whose application supports, facilitates or enables one or more PRIORITY ITEMS.
- (2) **"Priority foundation item"** includes an item that requires the purposeful incorporation of specific actions, equipment or procedures by industry management to attain control of risk factors that contribute to foodborne illness or injury such as personnel training, infrastructure or necessary equipment, HACCP PLANS, documentation or record keeping, and labeling; and
- (3) **"Priority foundation item"** is an item that is denoted in this Code with a superscript Pf – Pf.

"Product assessment" means the evaluation of a food product by a qualified food safety expert to determine if a specific food can be considered a non-TIME/TEMPERATURE CONTROL FOR SAFETY FOOD despite having pH and water activity levels that would otherwise require it to be considered a TIME/TEMPERATURE CONTROL FOR SAFETY FOOD. Product assessment may include challenge studies, such as a pathogen growth inhibition study that evaluates the ability of a particular FOOD product formulation with a specific type of processing and packaging to inhibit the growth of certain bacterial pathogens when held under specific storage conditions, or other similar scientific evaluations.

"Public water supply system" has the meaning stated in K.S.A. PWS, namely, a system for the provision to the public of piped water for human consumption if such system has at least ten (10) service connections or regularly serves an average of at least twenty-five (25) individuals daily at least sixty (60) days out of the year. Such term includes any source, treatment, storage or distribution facilities under control of the operator of the system and used primarily in connection with the system, and any source, treatment, storage or distribution facilities not under such control but which are used in connection with such system.

-R-

"Ratite" means a flightless bird such as an emu, ostrich, or rhea.

Ready-to-Eat Food.

- (1) **"Ready-to-eat food"** means FOOD that:
 - (a) Is in a form that is edible without additional preparation to achieve FOOD safety, as specified under one of the following: ¶ 3-401.11(A) or (B), § 3-401.12, or § 3-402.11, or as specified in ¶ 3-401.11(C); or

- (b) Is a raw or partially cooked animal FOOD and the consumer is advised as specified in Subparagraphs 3-401.11(D)(1) and (3); or
 - (c) Is prepared in accordance with a variance that is granted as specified in Subparagraph 3-401.11(D) (4); and
 - (d) May receive additional preparation for palatability or aesthetic, epicurean, gastronomic, or culinary purposes.
- (2) "Ready-to-eat food" includes:
- (a) Raw animal FOOD that is cooked as specified under § 3-401.11 or 3-401.12, or frozen as specified under § 3-402.11;
 - (b) Raw fruits and vegetables that are washed as specified under §3-302.15;
 - (c) Fruits and vegetables that are cooked for hot holding, as specified under § 3-401.13;
 - (d) All TIME/TEMPERATURE CONTROL FOR SAFETY FOOD that is cooked to the temperature and time required for the specific FOOD under Subpart 3-401 and cooled as specified under § 3-501.14;
 - (e) Plant FOOD for which further washing, cooking, or other processing is not required for FOOD safety, and from which rinds, peels, husks, or shells, if naturally present are removed;
 - (f) Substances derived from plants such as spices, seasonings, and sugar;
 - (g) A bakery item such as bread, cakes, pies, fillings, or icing for which further cooking is not required for FOOD safety;
 - (h) The following products that are produced in accordance with USDA guidelines and that have received a lethality treatment for pathogens: dry, fermented sausages, such as dry salami or pepperoni; salt-cured MEAT and POULTRY products, such as prosciutto ham, country cured ham, and Parma ham; and dried MEAT and POULTRY products, such as jerky or beef sticks; and
 - (i) FOODS manufactured as specified in 21 CFR Part 113, Thermally Processed Low- Acid Foods Packaged in Hermetically Sealed Containers.

Reduced Oxygen Packaging.

- (1) **"Reduced oxygen packaging"** means:
- (a) The reduction of the amount of oxygen in a PACKAGE by removing oxygen; displacing oxygen and replacing it with another gas or combination of gases; or otherwise controlling the oxygen content to a level below that normally found in the atmosphere (approximately 21% at sea level); and
 - (b) A process as specified in Subparagraph (1)(a) of this definition that involves a FOOD for which the HAZARDS *Clostridium botulinum* or *Listeria monocytogenes* require control in the final PACKAGED form.
- (2) **"Reduced oxygen packaging"** includes:
- (1) Vacuum PACKAGING, in which air is removed from a PACKAGE of FOOD and the PACKAGE is HERMETICALLY SEALED so that a vacuum remains inside the PACKAGE;
 - (2) Modified atmosphere PACKAGING, in which the atmosphere of a PACKAGE of FOOD is modified so that its composition is different from air but the

atmosphere may change over time due to the permeability of the PACKAGING material or the respiration of the FOOD. Modified atmosphere PACKAGING includes reduction in the proportion of oxygen, total replacement of oxygen, or an increase in the proportion of other gases such as carbon dioxide or nitrogen;

(3) Controlled atmosphere PACKAGING, in which the atmosphere of a PACKAGE of FOOD is modified so that until the PACKAGE is opened, its composition is different from air, and continuous control of that atmosphere is maintained, such as by using oxygen scavengers or a combination of total replacement of oxygen, nonrespiring FOOD, and impermeable PACKAGING material;

(4) Cook chill PACKAGING, in which cooked FOOD is hot filled into impermeable bags which have the air expelled and are then sealed or crimped closed. The bagged FOOD is rapidly chilled and refrigerated at temperatures that inhibit the growth of psychrotrophic pathogens; or

(5) Sous vide PACKAGING, in which raw or partially cooked FOOD is placed in a hermetically sealed, impermeable bag, cooked in the bag, rapidly chilled, and refrigerated at temperatures that inhibit the growth of psychrotrophic pathogens.

"Refuse" means garbage, refuse, waste tires as defined by K.S.A. 65-3424, and amendments thereto, and other discarded materials, including, but not limited to, solid, semisolid, sludges, liquid and contained gaseous waste materials resulting from industrial, commercial, agricultural and domestic activities. Solid waste does not include hazardous wastes, recyclables or the waste of domestic animals.

"Regulatory authority" means the Secretary of the Kansas department of agriculture.

"Reminder" means a written statement concerning the health RISK of consuming animal FOODS raw, undercooked, or without otherwise being processed to eliminate pathogens.

"Re-service" means the transfer of FOOD that is unused and returned by a CONSUMER after being served or sold and in the possession of the CONSUMER, to another PERSON.

"Restrict" means to limit the activities of a FOOD EMPLOYEE so that there is no RISK of transmitting a disease that is transmissible through FOOD and the FOOD EMPLOYEE does not work with exposed FOOD, clean EQUIPMENT, UTENSILS, LINENS, or unwrapped SINGLE-SERVICE or SINGLE-USE ARTICLES.

"Restricted egg" means any check, dirty EGG, incubator reject, inedible, leaker, or loss as defined in 9 CFR 590.

"Restricted use pesticide" means a pesticide product that contains the active ingredients specified in 40 CFR 152.175 Pesticides classified for restricted use, and that is limited to use by or under the direct supervision of a certified applicator.

"Risk" means the likelihood that an adverse health effect will occur within a population as a result of a HAZARD in a FOOD.

-S-

"Safe material" means:

(1) An article manufactured from or composed of materials that may not reasonably be expected to result, directly or indirectly, in their becoming a component or otherwise affecting the characteristics of any FOOD;

(2) An additive that is used as specified in § 409 of the Federal Food, Drug, and Cosmetic Act; or

- (3) Other materials that are not ADDITIVES and that are used in conformity with applicable regulations of the Food and Drug Administration.

"Sanitization" means the application of cumulative heat or chemicals on cleaned FOOD-CONTACT SURFACES that, when evaluated for efficacy, is sufficient to yield a reduction of 5 logs, which is equal to a 99.999% reduction, of representative disease microorganisms of public health importance.

"Sealed" means free of cracks or other openings that allow the entry or passage of moisture.

"Service animal" means any dog that is individually trained to do work or perform tasks for the benefit of an individual with a disability, including a physical, sensory, psychiatric, intellectual, or other mental disability.

"Servicing area" means an operating base location to which a mobile FOOD ESTABLISHMENT or transportation vehicle returns regularly for such things as vehicle and equipment cleaning, discharging liquid or solid wastes, refilling water tanks and ice bins, and boarding FOOD.

"Sewage" means any substance that contains any of the waste products or excrementitious or other discharges from the bodies of human beings or animals, or chemical or other wastes from domestic, manufacturing or other forms of industry.

"Shellfish control authority" means a state, federal, foreign, tribal, or other government entity legally responsible for administering a program that includes certification of MOLLUSCAN SHELLFISH harvesters and DEALERS for interstate commerce.

"Shellstock" means raw, in-shell MOLLUSCAN SHELLFISH.

"Shiga toxin-producing *Escherichia coli*" (STEC) means any *E. coli* capable of producing Shiga toxins (also called verocytotoxins or "Shiga-like" toxins). STEC infections can be asymptomatic or may result in a spectrum of illness ranging from mild non-bloody diarrhea, to hemorrhagic colitis (i.e., bloody diarrhea), to hemolytic uremic syndrome (HUS -a type of kidney failure). Examples of serotypes of STEC include: *E. coli* O157:H7; *E. coli* O157:NM; *E. coli* O26:H11; *E. coli* O145:NM; *E. coli* O103:H2; and *E. coli* O111:NM. STEC are sometimes referred to as VTEC (verocytotoxigenic *E. coli*) or as EHEC (Enterohemorrhagic *E. coli*). EHEC are a subset of STEC which can cause hemorrhagic colitis or HUS.

"Shucked shellfish" means MOLLUSCAN SHELLFISH that have one or both shells removed.

"Single-service articles" means TABLEWARE, carry-out UTENSILS, and other items such as bags, containers, placemats, stirrers, straws, toothpicks, and wrappers that are designed and constructed for one time, one PERSON use after which they are intended for discard.

Single-Use Articles.

(1) **"Single-use articles"** means UTENSILS and bulk FOOD containers designed and constructed to be used once and discarded.

(2) **"Single-use articles"** includes items such as wax paper, butcher paper, plastic wrap, formed aluminum FOOD containers, jars, plastic tubs or buckets, bread wrappers, pickle barrels, ketchup bottles, and number 10 cans which do not meet the materials, durability, strength, and cleanability specifications under §§ 4-101.11, 4-201.11, and 4-202.11 for multiuse UTENSILS.

"Slacking" means the process of moderating the temperature of a FOOD such as allowing a FOOD to gradually increase from a temperature of -23°C (-10°F) to -4°C (25°F) in preparation for deep-fat frying or to facilitate even heat penetration during the cooking of previously block-frozen FOOD such as shrimp.

"Smooth" means:

- (1) A FOOD-CONTACT SURFACE having a surface free of pits and inclusions with a cleanability equal to or exceeding that of (100 grit) number 3 stainless steel;
- (2) A nonFOOD-CONTACT SURFACE of EQUIPMENT having a surface equal to that of commercial grade hot-rolled steel free of visible scale; and
- (3) A floor, wall, or ceiling having an even or level surface with no roughness or projections that render it difficult to clean.

-T-

"Tableware" means eating, drinking, and serving UTENSILS for table use such as flatware including forks, knives, and spoons; hollowware including bowls, cups, serving dishes, and tumblers; and plates.

"Temperature measuring device" means a thermometer, thermocouple, thermistor, or other device that indicates the temperature of FOOD, air, or water.

"Temporary food establishment" means a FOOD ESTABLISHMENT that operates in the same location less than seven days in a calendar year.

Time/Temperature Control for Safety Food.

- (1) **"Time/temperature control for safety food"** means a FOOD that requires time and temperature controls for safety (TCS) to limit pathogenic microorganism growth or toxin formation.
- (2) **"Time/temperature control for safety food"** includes:
 - (a) An animal FOOD that is raw or heat-treated; a plant FOOD that is heat-treated or consists of raw seed sprouts, cut melons, cut leafy greens, cut tomatoes or mixtures of cut tomatoes that are not modified in a way so that they are unable to support pathogenic microorganism growth or toxin formation, or garlic-in-oil mixtures that are not modified in a way so that they are unable to support pathogenic microorganism growth or toxin formation; and
 - (b) *Except as specified in Subparagraph (3)(d) of this definition*, a FOOD that because of the interaction of its a_w and pH values is designated as Product Assessment Required (PA) in Table A or B of this definition:

Table A. Interaction of pH and a_w for control of spores in FOOD heat-treated to destroy vegetative cells and subsequently PACKAGED			
a_w values	pH values		
	4.6 or less	> 4.6 - 5.6	> 5.6
≤ 0.92	non-TCSFOOD*	non-TCSFOOD	non-TCS FOOD
>0.92 - .95	non-TCS FOOD	non-TCS FOOD	PA**
>0.95	non-TCS FOOD	PA	PA
<p style="text-align: center;">* TCS FOOD means TIME/TEMPERATURE CONTROL FOR SAFETY FOOD</p> <p style="text-align: center;">** PA means Product Assessment required</p>			

Table B. Interaction of pH and a_w for control of vegetative cells and spores in FOOD not heat-treated or heat-treated but not PACKAGED

a _w values	pH values			
	<4.2	4.2 - 4.6	>4.6 - 5.0	>5.0
<0.88	non- TCS food*	non- TCS food	non- TCS food	non- TCS food
0.88 -0.90	non- TCS food	non- TCS food	non- TCS food	PA**
>0.90 -0.92	non- TCS food	non- TCS food	PA	PA
>0.92	non- TCS food	PA	PA	PA

* TCS FOOD means TIME/TEMPERATURE CONTROL FOR SAFETY FOOD
 ** PA means Product Assessment required

(3) **"Time/temperature control for safety food"** does not include:

- (a) An air-cooled hard-boiled EGG with shell intact, or an EGG with shell intact that is not hard-boiled, but has been pasteurized to destroy all viable salmonellae;
- (b) A FOOD in an unopened HERMETICALLY SEALED CONTAINER that is commercially processed to achieve and maintain commercial sterility under conditions of non-refrigerated storage and distribution;
- (c) A FOOD that because of its pH or a_w value, or interaction of a_w and pH values, is designated as a non-PHF/non-TCS FOOD in Table A or B of this definition;
- (c) A FOOD that is designated as Product Assessment Required (PA) in Table A or B of this definition and has undergone a Product Assessment showing that the growth or toxin formation of pathogenic microorganisms that are reasonably likely to occur in that FOOD is precluded due to:
 - (i) *Intrinsic factors including added or natural characteristics of the FOOD*
 - (ii) *such as preservatives, antimicrobials, humectants, acidulants, or nutrients,*
 - (iii) *Extrinsic factors including environmental or operational factors that affect the FOOD such as packaging, modified atmosphere such as REDUCED OXYGEN PACKAGING, shelf life and use, or temperature range of storage and use, or*
 - (iv) *A combination of intrinsic and extrinsic factors; or*
- (d) *A FOOD that does not support the growth or toxin formation of pathogenic microorganisms in accordance with one of the Subparagraphs (3)(a) - (3)(d) of this definition even though the FOOD may contain a pathogenic microorganism or chemical or physical contaminant at a level sufficient to cause illness or injury.*

-U-

"USDA" means the U.S. Department of Agriculture.

"Utensil" means a FOOD-CONTACT implement or container used in the storage, preparation, transportation, dispensing, sale, or service of FOOD, such as KITCHENWARE or TABLEWARE that is

multiuse, SINGLE-SERVICE, or SINGLE-USE; gloves used in contact with FOOD; temperature sensing probes of FOOD TEMPERATURE MEASURING DEVICES; and probe-type price or identification tags used in contact with FOOD.

-V-

“Variance” means a written document issued by the REGULATORY AUTHORITY that authorizes a modification or waiver of one or more requirements of this Code if, in the opinion of the REGULATORY AUTHORITY, a health HAZARD or nuisance will not result from the modification or waiver.

-W-

"Warewashing" means the cleaning and SANITIZING of UTENSILS and FOOD-CONTACT SURFACES of EQUIPMENT.

"Whole-muscle, intact beef" means whole muscle beef that is not injected, mechanically tenderized, reconstructed, or scored and marinated, from which beef steaks may be cut.

Chapter 2 – Management and Personal

Parts

- 2-1 SUPERVISION
- 2-2 EMPLOYEE HEALTH
- 2-3 PERSONAL CLEANLINESS
- 2-4 HYGIENIC PRACTICES

2-1 Supervision

Subparts

- 2-101 Responsibility
- 2-102 Knowledge
- 2-103 Duties

Responsibility

2-101.11 Assignment.

(A) *Except as specified in ¶¶ (B) and (C) of this section, the LICENSEE shall be the PERSON IN CHARGE or shall designate another PERSON IN CHARGE. The LICENSEE shall ensure that a PERSON IN CHARGE is present at the FOOD ESTABLISHMENT during all hours of operation.*^{Pf}

(B) *In a FOOD ESTABLISHMENT with two or more separately LICENSED departments located on the same premises that are the legal responsibility of the same LICENSEE and that are located on the same PREMISES, the LICENSEE may, during specific time periods when food is not being prepared, packaged, or served, designate a single PERSON IN CHARGE who is present on the PREMISES during all hours of operation, and who is responsible for each separately LICENSED FOOD ESTABLISHMENT on the PREMISES.*^{Pf}

(C) *This section does not apply to certain types of FOOD ESTABLISHMENTS deemed by the REGULATORY AUTHORITY to pose minimal risk of causing, or contributing to, foodborne illness based on the nature of the operation and extent of the FOOD preparation.*^{Pf}

Knowledge

2-102.11 Demonstration.

Based on the RISKS inherent to the FOOD operation, during inspections and upon request the PERSON IN CHARGE shall demonstrate to the REGULATORY AUTHORITY knowledge of foodborne disease prevention, application of the HAZARD Analysis and CRITICAL CONTROL POINT principles, and the requirements of this Code. The PERSON IN CHARGE shall demonstrate this knowledge by:

- (A) Complying with this Code by having no violations of PRIORITY ITEMS during the current inspection; ^{Pf}
- (B) Being a certified FOOD protection manager who has shown proficiency of required information through passing a test that is part of an ACCREDITED PROGRAM; ^{Pf}
or
- (C) Responding correctly to the inspector's questions as they relate to the specific FOOD operation. The areas of knowledge include:
- (1) Describing the relationship between the prevention of foodborne disease and the personal hygiene of a FOOD EMPLOYEE; ^{Pf}
 - (2) Explaining the responsibility of the PERSON IN CHARGE for preventing the transmission of foodborne disease by a FOOD EMPLOYEE who has a disease or medical condition that may cause foodborne disease; ^{Pf}
 - (3) Describing the symptoms associated with the diseases that are transmissible through FOOD; ^{Pf}
 - (4) Explaining the significance of the relationship between maintaining the time and temperature of TIME/TEMPERATURE CONTROL FOR SAFETY FOOD and the prevention of foodborne illness; ^{Pf}
 - (5) Explaining the HAZARDS involved in the consumption of raw or undercooked MEAT, POULTRY, EGGS, and FISH; ^{Pf}
 - (6) Stating the required FOOD temperatures and times for safe cooking of TIME/TEMPERATURE CONTROL FOR SAFETY FOOD including MEAT, POULTRY, EGGS, and FISH; ^{Pf}
 - (7) Stating the required temperatures and times for the safe refrigerated storage, hot holding, cooling, and reheating of TIME/TEMPERATURE CONTROL FOR SAFETY FOOD; ^{Pf}
 - (8) Describing the relationship between the prevention of foodborne illness and the management and control of the following:
 - (a) Cross contamination; ^{Pf}
 - (b) Hand contact with READY-TO-EAT FOODS; ^{Pf}
 - (c) Handwashing; ^{Pf} and
 - (d) Maintaining the FOOD ESTABLISHMENT in a clean condition and in good repair; ^{Pf}
 - (9) Describing FOODS identified as MAJOR FOOD ALLERGENS and the symptoms that a MAJOR FOOD ALLERGEN could cause in a sensitive individual who has an allergic reaction. ^{Pf}
 - (10) Explaining the relationship between FOOD safety and providing EQUIPMENT that is:
 - (a) Sufficient in number and capacity; ^{Pf} and
 - (b) Properly designed, constructed, located, installed, operated, maintained, and cleaned; ^{Pf}

- (11) Explaining correct procedures for cleaning and SANITIZING UTENSILS and FOOD-CONTACT SURFACES of EQUIPMENT; ^{Pf}
- (12) Identifying the source of water used and measures taken to ensure that it remains protected from contamination such as providing protection from backflow and precluding the creation of cross connections; ^{Pf}
- (13) Identifying POISONOUS OR TOXIC MATERIALS in the FOOD ESTABLISHMENT and the procedures necessary to ensure that they are safely stored, dispensed, used, and disposed of according to LAW; ^{Pf}
- (14) Identifying CRITICAL CONTROL POINTS in the operation from purchasing through sale or service that when not controlled may contribute to the transmission of foodborne illness and explaining steps taken to ensure that the points are controlled in accordance with the requirements of this Code; ^{Pf}
- (15) Explaining the details of how the PERSON IN CHARGE and FOOD EMPLOYEES comply with the HACCP PLAN if a plan is required by the LAW, this Code, or an agreement between the REGULATORY AUTHORITY and the FOOD ESTABLISHMENT; ^{Pf}
- (16) Explaining the responsibilities, rights, and authorities assigned by this Code to the:
- (a) Food employee, ^{Pf}
 - (b) Conditional employee, ^{Pf}
 - (c) Person in charge, ^{Pf}
 - (d) Regulatory authority; ^{Pf} and
- (17) Explaining how the PERSON IN CHARGE, FOOD EMPLOYEES, and CONDITIONAL EMPLOYEES comply with reporting responsibilities and EXCLUSION or RESTRICTION of FOOD EMPLOYEES. ^{Pf}

2-102.12 Certified Food Protection Manager

- (A) The PERSON IN CHARGE may be a certified FOOD protection manager who has shown proficiency in their knowledge of required information through passing a test that is part of an ACCREDITED PROGRAM.
- (B) *This section does not apply to certain types of FOOD ESTABLISHMENTS deemed by the REGULATORY AUTHORITY to pose minimal risk of causing, or contributing to, foodborne illness based on the nature of the operation and extend of FOOD preparation.*

2-102.20 Food Protection Manager Certification.

- (A) A PERSON IN CHARGE who demonstrates knowledge by being a FOOD protection manager that is certified by a FOOD protection manager certification program that is evaluated and listed by a Conference for Food Protection-recognized accrediting agency as conforming to the Conference for Food Protection Standards for Accreditation of Food Protection Manager Certification Programs is deemed to comply with ¶ 2-102.11(B).

(B) A FOOD ESTABLISHMENT that has a PERSON IN CHARGE that is certified by a FOOD protection manager certification program that is evaluated and listed by a Conference for Food Protection-recognized accrediting agency as conforming to the Conference for Food Protection Standards for Accreditation of Food Protection Manager Certification Programs is deemed to comply with ¶ 2-102.12.

Duties

2-103.11 Person in Charge.

The PERSON IN CHARGE shall ensure that:

(A) FOOD ESTABLISHMENT operations are not conducted in a private home or in a room used as living or sleeping quarters as specified under § 6-202.111; ^{Pf}

(B) PERSONS unnecessary to the FOOD ESTABLISHMENT operation are not allowed in the FOOD preparation, FOOD storage, or WAREWASHING areas, *except that brief visits and tours may be authorized by the PERSON IN CHARGE if steps are taken to ensure that exposed FOOD; clean EQUIPMENT, UTENSILS, and LINENS; and unwrapped SINGLE-SERVICE and SINGLE-USE ARTICLES are protected from contamination;* ^{Pf}

(C) EMPLOYEES and other PERSONS such as delivery and maintenance PERSONS and pesticide applicators entering the FOOD preparation, FOOD storage, and WAREWASHING areas comply with this Code; ^{Pf}

(D) EMPLOYEES are effectively cleaning their hands, by routinely monitoring the EMPLOYEES' handwashing; ^{Pf}

(E) EMPLOYEES are visibly observing FOODS as they are received to determine that they are from APPROVED sources, delivered at the required temperatures, protected from contamination, UNADULTERED, and accurately presented, by routinely monitoring the EMPLOYEES' observations and periodically evaluating FOODS upon their receipt; ^{Pf}

(F) EMPLOYEES are verifying that FOODS delivered to the FOOD ESTABLISHMENT during non-operating hours are from APPROVED sources and are placed into appropriate storage locations such that they are maintained at the required temperatures, protected from contamination, UNADULTERATED, and accurately presented. ^{Pf}

(G) EMPLOYEES are properly cooking TIME/TEMPERATURE CONTROL FOR SAFETY FOOD, being particularly careful in cooking those FOODS known to cause severe foodborne illness and death, such as EGGS and COMMINUTED MEATS, through daily oversight of the EMPLOYEES' routine monitoring of the cooking temperatures using appropriate temperature measuring devices properly scaled and calibrated as specified under § 4-203.11 and ¶ 4-502.11(B); ^{Pf}

(H) EMPLOYEES are using proper methods to rapidly cool TIME/TEMPERATURE CONTROL FOR SAFETY FOODS that are not held hot or are not for consumption within 4 hours, through daily oversight of the EMPLOYEES' routine monitoring of FOOD temperatures during cooling; ^{Pf}

(I) EMPLOYEES are properly maintaining the temperatures of TIME/TEMPERATURE CONTROL FOR SAFETY FOODS during hot and cold holding through daily oversight of the EMPLOYEES' routine monitoring of FOOD temperatures; ^{Pf}

(J) CONSUMERS who order raw; or partially cooked READY-TO-EAT FOODS of animal origin are informed as specified under § 3-603.11 that the FOOD is not cooked sufficiently to ensure its safety; ^{Pf}

(K) EMPLOYEES are properly SANITIZING cleaned multiuse EQUIPMENT and UTENSILS before they are reused, through routine monitoring of solution temperature and exposure time for hot water SANITIZING, and chemical concentration, pH, temperature, and exposure time for chemical SANITIZING; ^{Pf}

(L) CONSUMERS are notified that clean TABLEWARE is to be used when they return to self-service areas such as salad bars and buffets as specified under § 3-304.16; ^{Pf}

(M) *Except when prior written APPROVAL is obtained from the REGULATORY AUTHORITY as specified in ¶ 3-301.11(E)*, EMPLOYEES are preventing cross-contamination of READY-TO-EAT FOOD with bare hands by properly using suitable UTENSILS such as deli tissue, spatulas, tongs, single-use gloves, or dispensing EQUIPMENT; ^{Pf}

(N) EMPLOYEES are properly trained in FOOD safety, including food allergy awareness, as it relates to their assigned duties; ^{Pf} and

(O) FOOD EMPLOYEES and CONDITIONAL EMPLOYEES are informed in a verifiable manner of their responsibility to report in accordance with LAW, to the PERSON IN CHARGE, information about their health and activities as they relate to diseases that are transmissible through FOOD, as specified under ¶ 2-201.11(A); ^{Pf} and

(P) Written procedures and plans, where specified by this Code and as developed by the FOOD ESTABLISHMENT, are maintained and implemented as required. ^{Pf}

2-1 Employee Health

Subpart

2-201 Responsibilities of Licensee, Person in Charge, Food Employees, and Conditional Employees

Responsibilities and Reporting Symptoms and Diagnosis

2-201.11 Responsibility of Licensee, Person in Charge, and Conditional Employees.

(A) The LICENSEE shall require FOOD EMPLOYEES and CONDITIONAL EMPLOYEES to report to the PERSON IN CHARGE information about their health and activities as they relate to diseases that are transmissible through FOOD. A FOOD EMPLOYEE or CONDITIONAL EMPLOYEE shall report the information in a manner that allows the PERSON IN CHARGE to reduce the RISK of foodborne disease transmission, including providing necessary additional information, such as the date of onset of symptoms and an illness, or of a diagnosis without symptoms, if the FOOD EMPLOYEE or CONDITIONAL EMPLOYEE:

reportable symptoms

- (1) Has any of the following symptoms:
 - (a) Vomiting, ^P
 - (b) Diarrhea, ^P
 - (c) Jaundice, ^P
 - (d) Sore throat with fever, ^P or
 - (e) A lesion containing pus such as a boil or infected wound that is open or draining and is:

- (i) On the hands or wrists, unless an impermeable cover such as a finger cot or stall protects the lesion and a SINGLE-USE glove is worn over the impermeable cover, ^P
- (ii) On exposed portions of the arms, unless the lesion is protected by an impermeable cover, ^P or
- (iii) On other parts of the body, unless the lesion is covered by a dry, durable, tight-fitting bandage; ^P

reportable diagnosis

- (2) Has an illness diagnosed by a HEALTH PRACTITIONER due to:
 - (a) Norovirus, ^P
 - (b) Hepatitis A virus, ^P
 - (c) *Shigella* spp., ^P
 - (d) SHIGA TOXIN-PRODUCING *ESCHERICHIA COLI*, ^P
 - (e) Typhoid fever (caused by *Salmonella* Typhi), ^P or
 - (f) *Salmonella* (nontyphoidal). ^P

reportable past illness

- (3) Had Typhoid fever, diagnosed by a HEALTH PRACTITIONER, within the past 3 months, without having received antibiotic therapy, as determined by a HEALTH PRACTITIONER; ^P

reportable history of exposure

- (4) Has been exposed to, or is the suspected source of, a CONFIRMED DISEASE OUTBREAK, because the FOOD EMPLOYEE or CONDITIONAL EMPLOYEE consumed or prepared FOOD implicated in the outbreak, or consumed FOOD at an event prepared by a PERSON who is infected or ill with:
 - (a) Norovirus within the past 48 hours of the last exposure, ^P
 - (b) SHIGA TOXIN-PRODUCING *ESCHERICHIA COLI*, or *Shigella* spp. within the past 3 days of the last exposure, ^P
 - (c) Typhoid fever within the past 14 days of the last exposure, ^P or
 - (d) Hepatitis A virus within the past 28 days of the last exposure; ^P or
- (5) Has been exposed by attending or working in a setting where there is a CONFIRMED DISEASE OUTBREAK, or living in the same household as, and has knowledge about, an individual who works or attends a setting where there is a CONFIRMED DISEASE OUTBREAK, or living in the same household as, and has knowledge about, an individual diagnosed with an illness caused by:
 - (a) Norovirus within the past 48 hours of the last exposure, ^P
 - (b) ENTEROHEMORRHAGIC or SHIGA TOXIN-PRODUCING *ESCHERICHIA COLI*, or *Shigella* spp. within the past 3 days of the last exposure, ^P
 - (c) Typhoid fever within the past 14 days of the last exposure, ^P or
 - (d) Hepatitis A virus within the past 28 days of the last exposure. ^P

responsibility of person in charge to notify the regulatory authority

(B) The PERSON IN CHARGE shall notify the REGULATORY AUTHORITY when a FOOD EMPLOYEE is:

- (1) Jaundiced, ^{Pf} or
- (2) Diagnosed with an illness due to a pathogen as specified under Subparagraphs (A)(2)(a) - (f) of this section. ^{Pf}

responsibility of the person in charge to prohibit a conditional employee from becoming a food employee

(C) The PERSON IN CHARGE shall ensure that a CONDITIONAL EMPLOYEE:

- (1) Who exhibits or reports a symptom, or who reports a diagnosed illness as specified under Subparagraphs (A)(1) - (3) of this section, is prohibited from becoming a FOOD EMPLOYEE until the CONDITIONAL EMPLOYEE meets the criteria for the specific symptoms or diagnosed illness as specified under § 2-201.13; ^P and
- (2) Who will work as a FOOD EMPLOYEE in a FOOD ESTABLISHMENT that serves a HIGHLY SUSCEPTIBLE POPULATION and reports a history of exposure as specified under Subparagraphs (A)(4) – (5), is prohibited from becoming a FOOD EMPLOYEE until the CONDITIONAL EMPLOYEE meets the criteria as specified under ¶ 2-201.13(J). ^P

responsibility of the person in charge to exclude or restrict

(D) The PERSON IN CHARGE shall ensure that a FOOD EMPLOYEE who exhibits or reports a symptom, or who reports a diagnosed illness or a history of exposure as specified under Subparagraphs (A)(1) - (5) of this section is:

- (1) EXCLUDED as specified under ¶¶ 2-201.12 (A) - (C), and (G) and Subparagraphs 2-201.12 (D)(1), (E)(1), (F)(1), or (H)(1) and in compliance with the provisions specified under ¶¶ 2-201.13(A) - (H); ^P or
- (2) RESTRICTED as specified under Subparagraphs 2-201.12 (D)(2), (E)(2), (F)(2), (H)(2), or ¶¶ 2-201.12 (I) or (J) and in compliance with the provisions specified under ¶¶ 2-201.13(D) - (J). ^P

responsibility of food employees and conditional employees to report

(E) A FOOD EMPLOYEE or CONDITIONAL EMPLOYEE shall report to the PERSON IN CHARGE the information as specified under ¶ (A) of this section. ^{Pf}

responsibility of food employees to comply

(F) A FOOD EMPLOYEE shall:

- (1) Comply with an EXCLUSION as specified under ¶¶ 2-201.12(A) - (C) and (G) and Subparagraphs 2-201.12(D)(1), (E)(1), (F)(1), (H)(2) or (H)(1) and with the provisions specified under ¶¶ 2-201.13(A) - (H); ^P or
- (2) Comply with a RESTRICTION as specified under Subparagraphs 2-201.12(D)(2), (E)(2), or (F)(2), or ¶¶ 2-201.12 (G), (H), or (I) and comply with the provisions specified under ¶¶ 2-201.13(D) - (H). ^P

Conditions of Exclusion and Restriction

2-201.12 Exclusions and Restrictions.

The PERSON IN CHARGE shall EXCLUDE or RESTRICT a FOOD EMPLOYEE from a FOOD ESTABLISHMENT in accordance with the following:

symptomatic with vomiting or diarrhea

(A) Except when the symptom is from a noninfectious condition, EXCLUDE a FOOD EMPLOYEE if the FOOD EMPLOYEE is:

- (1) Symptomatic with vomiting or diarrhea; ^P or
- (2) Symptomatic with vomiting or diarrhea and diagnosed with an infection from Norovirus, *Shigella* spp., Salmonella (nontyphoidal) or SHIGA TOXIN-PRODUCING *E. COLI*. ^P

jaundiced or diagnosed with hepatitis A infection

(B) EXCLUDE a FOOD EMPLOYEE who is:

- (1) Jaundiced and the onset of jaundice occurred within the last 7 calendar-days, *unless the FOOD EMPLOYEE provides to the PERSON IN CHARGE written medical documentation from a HEALTH PRACTITIONER specifying that the jaundice is not caused by hepatitis A virus or other fecal-orally transmitted infection;* ^P
- (2) Diagnosed with an infection from hepatitis A virus within 14 calendar days from the onset of any illness symptoms, or within 7 calendar days of the onset of jaundice; ^P or
- (3) Diagnosed with an infection from hepatitis A virus without developing symptoms. ^P

diagnosed or reported previous illness with Typhoid fever

(C) EXCLUDE a FOOD EMPLOYEE who is diagnosed with Typhoid fever, or reports having had Typhoid fever within the past 3 months as specified under Subparagraph 2-201.11(A)(3). ^P

diagnosed with an asymptomatic infection from Norovirus

(D) If a FOOD EMPLOYEE is diagnosed with an infection from Norovirus and is ASYMPTOMATIC:

- (1) EXCLUDE the FOOD EMPLOYEE who works in a FOOD ESTABLISHMENT serving a HIGHLY SUSCEPTIBLE POPULATION; ^P or
- (2) RESTRICT the FOOD EMPLOYEE who works in a FOOD ESTABLISHMENT not serving a HIGHLY SUSCEPTIBLE POPULATION. ^P

diagnosed with Shigella spp. infection and asymptomatic

(E) If a FOOD EMPLOYEE is diagnosed with an infection from *Shigella* spp. and is ASYMPTOMATIC:

- (1) EXCLUDE the FOOD EMPLOYEE who works in a FOOD ESTABLISHMENT serving a HIGHLY SUSCEPTIBLE POPULATION; ^P or
- (2) RESTRICT the FOOD EMPLOYEE who works in a FOOD ESTABLISHMENT not serving a HIGHLY SUSCEPTIBLE POPULATION. ^P

diagnosed with STEC and asymptomatic

(F) If a FOOD EMPLOYEE is diagnosed with an infection from SHIGA TOXIN-PRODUCING *E. COLI*, and is ASYMPTOMATIC:

(1) EXCLUDE the FOOD EMPLOYEE who works in a FOOD ESTABLISHMENT serving a HIGHLY SUSCEPTIBLE POPULATION; ^P or

(2) RESTRICT the FOOD EMPLOYEE who works in a FOOD ESTABLISHMENT not serving a HIGHLY SUSCEPTIBLE POPULATION. ^P

diagnosed with nontyphoidal Salmonella and asymptomatic

(G) If a FOOD EMPLOYEE is diagnosed with an infection from *Salmonella* (nontyphoidal) and is ASYMPTOMATIC, RESTRICT the FOOD EMPLOYEE. ^P

symptomatic with sore throat with fever

(H) If a FOOD EMPLOYEE is ill with symptoms of acute onset of sore throat with fever:

(1) EXCLUDE the FOOD EMPLOYEE who works in a FOOD ESTABLISHMENT serving a HIGHLY SUSCEPTIBLE POPULATION; ^P or

(2) RESTRICT the FOOD EMPLOYEE who works in a FOOD ESTABLISHMENT not serving a HIGHLY SUSCEPTIBLE POPULATION. ^P

symptomatic with uncovered infected wound or pustular boil

(I) If a FOOD EMPLOYEE is infected with a skin lesion containing pus such as a boil or infected wound that is open or draining and not properly covered as specified under Subparagraph 2-201.11(A)(1)(e), RESTRICT the FOOD EMPLOYEE. ^P

exposed to foodborne pathogen and works in food establishment serving HSP

(J) If a FOOD EMPLOYEE is exposed to a foodborne pathogen as specified under Subparagraphs 2-201.11(A)(4)(a-d) or 2-201.11(A)(5)(a-d), RESTRICT the FOOD EMPLOYEE who works in a FOOD ESTABLISHMENT serving a HIGHLY SUSCEPTIBLE POPULATION. ^P

Managing Exclusions and Restrictions

2-201.13 Removal, Adjustment, or Retention of Exclusions and Restrictions.

The PERSON IN CHARGE shall adhere to the following conditions when removing, adjusting, or retaining the EXCLUSION or RESTRICTION of a FOOD EMPLOYEE:

(A) Except when a FOOD EMPLOYEE is diagnosed with Typhoid fever or an infection from hepatitis A virus:

removing exclusion for food employee who was symptomatic and not diagnosed

(1) Reinstatement of a FOOD EMPLOYEE who was EXCLUDED as specified under Subparagraph 2-201.12(A)(1) if the FOOD EMPLOYEE:

(a) Is ASYMPTOMATIC for at least 24 hours; ^P or

(b) Provides to the PERSON IN CHARGE written medical documentation from a HEALTH PRACTITIONER that states the symptom is from a noninfectious condition. ^P

Norovirus Diagnosis

- (2) If a FOOD EMPLOYEE was diagnosed with an infection from Norovirus and EXCLUDED as specified under Subparagraph 2-201.12(A)(2):

adjusting exclusion for food employee who was symptomatic and is now asymptomatic

- (a) RESTRICT the FOOD EMPLOYEE, who is ASYMPTOMATIC for at least 24 hours and works in a FOOD ESTABLISHMENT not serving a HIGHLY SUSCEPTIBLE POPULATION, until the conditions for reinstatement as specified under Subparagraphs (D)(1) or (2) of this section are met; ^P or

retaining exclusion for food employee who was asymptomatic and is now asymptomatic and works in food establishment serving HSP

- (b) Retain the EXCLUSION for the FOOD EMPLOYEE, who is ASYMPTOMATIC for at least 24 hours and works in a FOOD ESTABLISHMENT that serves a HIGHLY SUSCEPTIBLE POPULATION, until the conditions for reinstatement as specified under Subparagraphs (D)(1) or (2) of this section are met. ^P

Shigella spp. Diagnosis

- (3) If a FOOD EMPLOYEE was diagnosed with an infection from *Shigella* spp. and EXCLUDED as specified under Subparagraph 2-201.12(A)(2):

adjusting exclusion for food employee who was symptomatic and is now asymptomatic

- (a) RESTRICT the FOOD EMPLOYEE, who is ASYMPTOMATIC for at least 24 hours and works in a FOOD ESTABLISHMENT not serving a HIGHLY SUSCEPTIBLE POPULATION, until the conditions for reinstatement as specified under Subparagraphs (E)(1) or (2) of this section are met; ^P or

retaining exclusion for food employee who was asymptomatic and is now asymptomatic

- (b) Retain the EXCLUSION for the FOOD EMPLOYEE, who is ASYMPTOMATIC for at least 24 hours and works in a FOOD ESTABLISHMENT that serves a HIGHLY SUSCEPTIBLE POPULATION, until the conditions for reinstatement as specified under Subparagraphs (E)(1) or (2), or (E)(1) and (3)(a) of this section are met. ^P

STEC Diagnosis

- (4) If a FOOD EMPLOYEE was diagnosed with an infection from SHIGA TOXIN-PRODUCING *ESCHERICHIA COLI* and EXCLUDED as specified under Subparagraph 2-201.12(A)(2):

adjusting exclusion for food employee who was symptomatic and is now asymptomatic

- (a) RESTRICT the FOOD EMPLOYEE, who is ASYMPTOMATIC for at least 24 hours and works in a FOOD ESTABLISHMENT not serving a HIGHLY SUSCEPTIBLE POPULATION, until the conditions for reinstatement as specified under Subparagraphs (F)(1) or (2) of this section are met; ^P or

retaining exclusion for food employee who was asymptomatic and is now asymptomatic and works in food establishment serving HSP

- (b) Retain the EXCLUSION for the FOOD EMPLOYEE, who is ASYMPTOMATIC for at least 24 hours and works in a FOOD ESTABLISHMENT that serves a HIGHLY SUSCEPTIBLE POPULATION, until the conditions for reinstatement as specified under Subparagraphs (F)(1) or (2) of this section are met. ^P

Nontyphoidal Salmonella Diagnosis

- (5) If a FOOD EMPLOYEE was diagnosed with an infection from *Salmonella* (nontyphoidal) and EXCLUDED as specified under Subparagraph 2-201.12(A)(2):

adjusting exclusion for food employee who was symptomatic and is now asymptomatic

- (a) RESTRICT the FOOD EMPLOYEE, who is ASYMPTOMATIC for at least 28 days until the conditions for reinstatement as specified under Subparagraphs (G)(1) or (2) of this section are met; ^P or

retaining exclusion for food employee that remains symptomatic

- (b) Retain the EXCLUSION for the FOOD EMPLOYEE, who is SYMPTOMATIC until the conditions for reinstatement as specified under Subparagraphs (G)(1) or (2) of this section are met. ^P

Hepatitis A Virus or Jaundice Diagnosis – removing exclusions

(B) Reinstatement a FOOD EMPLOYEE who was EXCLUDED as specified under ¶ 2-201.12(B) if the PERSON IN CHARGE obtains prior written APPROVAL from the REGULATORY AUTHORITY and one of the following conditions is met:

- (1) The FOOD EMPLOYEE has been jaundiced for more than 7 calendar days; ^P
- (2) The anicteric FOOD EMPLOYEE has been symptomatic with symptoms other than jaundice for more than 14 calendar days; ^P or
- (3) The FOOD EMPLOYEE provides to the PERSON IN CHARGE written medical documentation from a HEALTH PRACTITIONER stating that the FOOD EMPLOYEE is free of a hepatitis A virus infection. ^P

Typhoid fever Diagnosis – removing exclusions

(C) Reinstatement a FOOD EMPLOYEE who was EXCLUDED as specified under ¶ 2-201.12(C) if:

- (1) The PERSON IN CHARGE obtains prior written APPROVAL from the REGULATORY AUTHORITY; ^P and
- (2) The FOOD EMPLOYEE provides to the PERSON IN CHARGE written medical documentation from a HEALTH PRACTITIONER that states the FOOD EMPLOYEE is free from Typhoid fever. ^P

Norovirus Diagnosis – removing exclusion or restriction

(D) Reinstatement a FOOD EMPLOYEE who was EXCLUDED as specified under Subparagraphs 2-201.12(A)(2) or (D)(1) or who was RESTRICTED under Subparagraph 2-201.12(D)(2) if the PERSON IN CHARGE obtains prior written APPROVAL from the REGULATORY AUTHORITY and one of the following conditions is met:

- (1) The EXCLUDED or RESTRICTED FOOD EMPLOYEE provides to the PERSON IN

CHARGE written medical documentation from a HEALTH PRACTITIONER stating that the FOOD EMPLOYEE is free of a Norovirus infection; ^P

(2) The FOOD EMPLOYEE was EXCLUDED or RESTRICTED after symptoms of vomiting or diarrhea resolved, and more than 48 hours have passed since the FOOD EMPLOYEE became ASYMPTOMATIC; ^P or

(3) The FOOD EMPLOYEE was EXCLUDED or RESTRICTED and did not develop symptoms and more than 48 hours have passed since the FOOD EMPLOYEE was diagnosed. ^P

Shigella spp. Diagnosis – removing exclusion or restriction

(E) Reinstatement of a FOOD EMPLOYEE who was EXCLUDED as specified under Subparagraphs 2-201.12(A)(2) or (E)(1) or who was RESTRICTED under Subparagraph 2-201.12(E)(2) if the PERSON IN CHARGE obtains prior written APPROVAL from the REGULATORY AUTHORITY and one of the following conditions is met:

(1) The EXCLUDED or RESTRICTED FOOD EMPLOYEE provides to the PERSON IN CHARGE written medical documentation from a HEALTH PRACTITIONER stating that the FOOD EMPLOYEE is free of a *Shigella* spp. infection based on test results showing 2 consecutive negative stool specimen cultures that are taken:

(a) Not earlier than 48 hours after discontinuance of antibiotics; ^P and

(b) At least 24 hours apart; ^P

(2) The FOOD EMPLOYEE was EXCLUDED or RESTRICTED after symptoms of vomiting or diarrhea resolved, and more than 7 calendar days have passed since the FOOD EMPLOYEE became ASYMPTOMATIC; ^P or

(3) The FOOD EMPLOYEE was EXCLUDED or RESTRICTED and did not develop symptoms and more than 7 calendar days have passed since the FOOD EMPLOYEE was diagnosed. ^P

STEC Diagnosis – removing exclusion or restriction

(F) Reinstatement of a FOOD EMPLOYEE who was EXCLUDED or RESTRICTED as specified under Subparagraphs 2-201.12(A)(2) or (F)(1) or who was RESTRICTED under Subparagraph 2-201.12(F)(2) if the PERSON IN CHARGE obtains prior written APPROVAL from the REGULATORY AUTHORITY and one of the following conditions is met:

(1) The EXCLUDED or RESTRICTED FOOD EMPLOYEE provides to the PERSON IN CHARGE written medical documentation from a HEALTH PRACTITIONER stating that the FOOD EMPLOYEE is free of an infection from SHIGA TOXIN-PRODUCING *ESCHERICHIA COLI* based on test results that show 2 consecutive negative stool specimen cultures that are taken:

(a) Not earlier than 48 hours after discontinuance of antibiotics; ^P and

(b) At least 24 hours apart; ^P

(2) The FOOD EMPLOYEE was EXCLUDED or RESTRICTED after symptoms of vomiting or diarrhea resolved and more than 7 calendar days have passed since the FOOD EMPLOYEE became ASYMPTOMATIC; ^P or

(3) The FOOD EMPLOYEE was EXCLUDED or RESTRICTED and did not develop symptoms and more than 7 days have passed since the FOOD EMPLOYEE was diagnosed. ^P

Nontyphoidal Salmonella – removing exclusion or restriction

(G) Reinstatement of a FOOD EMPLOYEE who was EXCLUDED as specified under Subparagraph 2-201.12(A)(2) or who was RESTRICTED under ¶ 2-201.12(G) if the PERSON IN CHARGE obtains prior written APPROVAL from the REGULATORY AUTHORITY and one of the following conditions is met:

- (1) The EXCLUDED or RESTRICTED FOOD EMPLOYEE provides to the PERSON IN CHARGE written medical documentation from a HEALTH PRACTITIONER stating that the FOOD EMPLOYEE is free of *Salmonella* (nontyphoidal) infection based on test results that show 2 consecutive negative stool specimen cultures that are taken:
 - (a) Not earlier than 48 hours after discontinuance of antibiotics; ^P and
 - (b) At least 24 hours apart; ^P
- (2) The FOOD EMPLOYEE was RESTRICTED after symptoms of vomiting or diarrhea resolved and more than 30 calendar days have passed since the FOOD EMPLOYEE became ASYMPTOMATIC; ^P or
- (3) The FOOD EMPLOYEE was EXCLUDED or RESTRICTED and did not develop symptoms and more than 28 days have passed since the FOOD EMPLOYEE was diagnosed. ^P

Sore Throat with Fever – removing exclusion or restriction

(H) Reinstatement of a FOOD EMPLOYEE who was EXCLUDED or RESTRICTED as specified under Subparagraphs 2-201.12(H)(1) or (2) if the FOOD EMPLOYEE provides to the PERSON IN CHARGE written medical documentation from a HEALTH PRACTITIONER stating that the FOOD EMPLOYEE meets one of the following conditions:

- (1) Has received antibiotic therapy for *Streptococcus pyogenes* infection for more than 24 hours; ^P
- (2) Has at least one negative throat specimen culture for *Streptococcus pyogenes* infection; ^P or
- (3) Is otherwise determined by a HEALTH PRACTITIONER to be free of a *Streptococcus pyogenes* infection. ^P

Uncovered Infected Wound or Pustular Boil – removing restriction

(I) Reinstatement of a FOOD EMPLOYEE who was RESTRICTED as specified under ¶ 2-201.12(H) if the skin, infected wound, cut, or pustular boil is properly covered with one of the following:

- (1) An impermeable cover such as a finger cot or stall and a single-use glove over the impermeable cover if the infected wound or pustular boil is on the hand, finger, or wrist; ^P
- (2) An impermeable cover on the arm if the infected wound or pustular boil is on the arm; ^P or
- (3) A dry, durable, tight-fitting bandage if the infected wound or pustular boil is on another part of the body. ^P

exposure to foodborne pathogen and works in food establishment serving HSP – removing restriction

(J) Reinstatement of a FOOD EMPLOYEE who was RESTRICTED as specified under ¶ 2-201.12(J) and was exposed to one of the following pathogens as specified under

Subparagraphs 2-201.11(A)(4)(a-d) or (5)(a-d):

Norovirus

- (1) Norovirus and one of the following conditions is met:
 - (a) More than 48 hours have passed since the last day the FOOD EMPLOYEE was potentially exposed; ^P or
 - (b) More than 48 hours have passed since the FOOD EMPLOYEE'S household contact became ASYMPTOMATIC. ^P

Shigella spp. or STEC

- (2) *Shigella* spp. or SHIGA TOXIN-PRODUCING *ESCHERICHIA COLI* and one of the following conditions is met:
 - (a) More than 3 calendar days have passed since the last day the FOOD EMPLOYEE was potentially exposed; ^P or
 - (b) More than 3 calendar days have passed since the FOOD EMPLOYEE'S household contact became ASYMPTOMATIC. ^P

Typhoid Fever (S. Typhi)

- (3) Typhoid fever (caused by *Salmonella Typhi*) and one of the following conditions is met:
 - (a) More than 14 calendar days have passed since the last day the FOOD EMPLOYEE was potentially exposed; ^P or
 - (b) More than 14 calendar days have passed since the FOOD EMPLOYEE'S household contact became ASYMPTOMATIC. ^P

Hepatitis A

- (4) Hepatitis A virus and one of the following conditions is met:
 - (a) The FOOD EMPLOYEE is immune to hepatitis A virus infection because of a prior illness from hepatitis A; ^P
 - (b) The FOOD EMPLOYEE is immune to hepatitis A virus infection because of vaccination against hepatitis A; ^P
 - (c) The FOOD EMPLOYEE is protected against hepatitis A virus infection because of IgG administration; ^P
 - (d) More than 30 calendar days have passed since the last day the FOOD EMPLOYEE was potentially exposed; ^P
 - (e) More than 30 calendar days have passed since the FOOD EMPLOYEE'S household contact became jaundiced; ^P or
 - (f) The FOOD EMPLOYEE does not use an alternative procedure that allows bare hand contact with READY-TO-EAT FOOD until at least 28 days after the potential exposure, as specified in Subparagraphs (J)(4)(d) and (e) of this section, and the FOOD EMPLOYEE receives additional training about:
 - (i) Hepatitis A symptoms and preventing the transmission of infection, ^P
 - (ii) Proper handwashing procedures, ^P and

- (iii) Protecting READY-TO-EAT FOOD from contamination introduced by bare hand contact. ^P

2-1 Personal Cleanliness

Subparts

- 2-301 Hands and Arms**
- 2-302 Fingernails**
- 2-303 Jewelry**
- 2-304 Outer Clothing**

Hands and Arms

2-301.11 Clean Condition.

FOOD EMPLOYEES shall keep their hands and exposed portions of their arms clean. ^P

2-301.12 Cleaning Procedure.

(A) *Except as specified in ¶ (D) of this section,* FOOD EMPLOYEES shall clean their hands and exposed portions of their arms, including surrogate prosthetic devices for hands or arms for at least 20 seconds, using a cleaning compound in a HANDWASHING SINK that is equipped as specified under § 5-202.12 and Subpart 6-301. ^P

(B) FOOD EMPLOYEES shall use the following cleaning procedure in the order stated to clean their hands and exposed portions of their arms, including surrogate prosthetic devices for hands and arms:

- (1) Rinse under clean, running warm, water; ^P
- (2) Apply an amount of cleaning compound recommended by the cleaning compound manufacturer; ^P
- (3) Rub together vigorously for at least 10 to 15 seconds while:
 - (a) Paying particular attention to removing soil from underneath the fingernails during the cleaning procedure, ^P and
 - (b) Creating friction on the surfaces of the hands and arms or surrogate prosthetic devices for hands and arms, finger tips, and areas between the fingers; ^P
- (4) Thoroughly rinse under clean, running, warm water; ^P and
- (5) Immediately follow the cleaning procedure with thorough drying using a method as specified under § 6-301.12. ^P

(C) *To avoid recontaminating their hands or surrogate prosthetic devices, FOOD EMPLOYEES may use paper towels or similar clean barriers when touching surfaces such*

as manually operated faucet handles on a HANDWASHING SINK or the handle of a restroom door.

(D) *If APPROVED and capable of removing the types of soils encountered in the FOOD operations involved, an automatic handwashing facility may be used by FOOD EMPLOYEES to clean their hands or surrogate prosthetic devices.*

2-301.13 Special Handwash Procedures.

Reserved.

2-301.14 When to Wash.

FOOD EMPLOYEES shall clean their hands and exposed portions of their arms as specified under § 2-301.12 immediately before engaging in FOOD preparation including working with exposed FOOD, clean EQUIPMENT and UTENSILS, and unwrapped SINGLE-SERVICE and SINGLE-USE ARTICLES^P and:

- (A) After touching bare human body parts other than clean hands and clean, exposed portions of arms;^P
- (B) After using the toilet room;^P
- (C) After caring for or handling SERVICE ANIMALS or aquatic animals as specified in ¶ 2-403.11(B);^P
- (D) *Except as specified in ¶ 2-401.11(B),* after coughing, sneezing, using a handkerchief or disposable tissue, using tobacco, eating, or drinking;^P
- (E) After handling soiled EQUIPMENT or UTENSILS;^P
- (F) During FOOD preparation, as often as necessary to remove soil and contamination and to prevent cross contamination when changing tasks;^P
- (G) When switching between working with raw FOOD and working with READY-TO-EAT FOOD;^P
- (H) Before donning gloves to initiate a task that involves working with FOOD;^P and
- (I) After engaging in other activities that may contaminate the hands.^P

2-301.15 Where to Wash.

FOOD EMPLOYEES shall clean their hands only in a HANDWASHING SINK or APPROVED automatic handwashing facility and may not clean their hands in a sink used for FOOD preparation or WAREWASHING, or in a service sink or a curbed cleaning facility used for the disposal of mop water or similar liquid waste.^{Pf}

2-301.16 Hand Antiseptics.

(A) A hand antiseptic used as a topical application, a hand antiseptic solution used as a hand dip, or a hand antiseptic soap shall:

- (1) Comply with one of the following:
 - (a) Be an APPROVED drug that is listed in the FDA publication **Approved Drug Products with Therapeutic Equivalence Evaluations**

as an APPROVED drug based on safety and effectiveness; ^{Pf} or

(b) Have active antimicrobial ingredients that are listed in the FDA monograph for OTC Health-Care Antiseptic Drug Products as an antiseptic handwash, ^{Pf} and

(2) Consist only of components which the intended use of each complies with one of the following:

(a) A threshold of regulation exemption under 21 CFR 170.39 - Threshold of regulation for substances used in food-contact articles; ^{Pf} or

(b) Comply with and be listed in:

(i) 21 CFR 178 - Indirect Food Additives: Adjuvants, Production Aids, and Sanitizers as regulated for use as a FOOD ADDITIVE with conditions of safe use, ^{Pf} or

(ii) 21 CFR 182 - Substances Generally Recognized as Safe, 21 CFR 184 - Direct Food Substances Affirmed as Generally Recognized as Safe, or 21 CFR 186 - Indirect Food Substances Affirmed as Generally Recognized as Safe for use in contact with food, ^{Pf} and

(3) Be applied only to hands that are cleaned as specified under § 2-301.12. ^{Pf}

(B) If a hand antiseptic or a hand antiseptic solution used as a hand dip does not meet the criteria specified under Subparagraph (A)(2) of this section, use shall be:

(1) Followed by thorough hand rinsing in clean water before hand contact with FOOD or by the use of gloves; ^{Pf} or

(2) Limited to situations that involve no direct contact with FOOD by the bare hands. ^{Pf}

(C) A hand antiseptic solution used as a hand dip shall be maintained clean and at a strength equivalent to at least 100 MG/L chlorine. ^{Pf}

Fingernails

2-302.11 Maintenance.

(A) FOOD EMPLOYEES shall keep their fingernails trimmed, filed, and maintained so the edges and surfaces are cleanable and not rough. ^{Pf}

(B) *Unless wearing intact gloves in good repair*, a FOOD EMPLOYEE may not wear fingernail polish or artificial fingernails when working with exposed FOOD. ^{Pf}

Jewelry

2-303.11 Prohibition.

Except for a ring with a level surface, such as a wedding band, while preparing FOOD, FOOD EMPLOYEES may not wear jewelry including medical information jewelry on their arms and hands.

Outer Clothing

2-304.11 Clean Condition.

FOOD EMPLOYEES shall wear clean outer clothing to prevent contamination of FOOD, EQUIPMENT, UTENSILS, LINENS, and SINGLE-SERVICE and SINGLE-USE ARTICLES.

2-2 Hygienic Practices

Subparts

2-401 Food Contamination Prevention 2-402 Hair Restraints

2-403 Animals

Food Contamination Prevention

2-401.11 Eating, Drinking, or Using Tobacco.

(A) *Except as specified in ¶ (B) of this section, an EMPLOYEE shall eat, drink, or use any form of tobacco only in designated areas where the contamination of exposed FOOD; clean EQUIPMENT, UTENSILS, and LINENS; unwrapped SINGLE-SERVICE and SINGLE-USE ARTICLES; or other items needing protection cannot result.*

(B) *A FOOD EMPLOYEE may drink from a spill-resistant BEVERAGE container if the container is handled to prevent contamination of:*

- (1) *The EMPLOYEE'S hands;*
- (2) *The container; and*
- (3) *Exposed FOOD; clean EQUIPMENT, UTENSILS, and LINENS; and unwrapped SINGLE-SERVICE and SINGLE-USE ARTICLES.*

2-401.12 Discharges from the Eyes, Nose, and Mouth.

FOOD EMPLOYEES experiencing persistent sneezing, coughing, or a runny nose that causes discharges from the eyes, nose, or mouth may not work with exposed FOOD; clean EQUIPMENT, UTENSILS, and LINENS; or unwrapped SINGLE-SERVICE or SINGLE-USE ARTICLES.

2-401.13 Use of Bandages, Finger Cots, or Finger Stalls

If used, an impermeable cover such as a bandage, finger cot, or finger stall located on the wrist, hand, or finger of a FOOD EMPLOYEE working with exposed FOOD shall be covered with a single-use glove.

Hair Restraints

2-402.11 Effectiveness.

(A) *Except as provided in ¶ (B) of this section, FOOD EMPLOYEES shall wear hair restraints such as hats, hair coverings or nets, beard restraints, and clothing that covers body hair, that are designed and worn to effectively keep their hair from contacting exposed FOOD; clean EQUIPMENT, UTENSILS, and LINENS; and unwrapped SINGLE-SERVICE and SINGLE-USE ARTICLES.*

(B) *This section does not apply to FOOD EMPLOYEES such as counter staff who only serve BEVERAGES and wrapped or PACKAGED FOODS, hostesses, and wait staff if they present a minimal RISK of contaminating exposed FOOD; clean EQUIPMENT, UTENSILS, and LINENS; and unwrapped SINGLE-SERVICE and SINGLE-USE ARTICLES.*

Animals

2-403.11 Handling Prohibition.

(A) *Except as specified in ¶ (B) of this section, FOOD EMPLOYEES may not care for or handle animals that may be present such as patrol dogs, SERVICE ANIMALS, or pets that are allowed as specified in Subparagraphs 6-501.115(B)(2)-(5).^{Pf}*

(B) *FOOD EMPLOYEES with SERVICE ANIMALS may handle or care for their SERVICE ANIMALS and FOOD EMPLOYEES may handle or care for FISH in aquariums or MOLLUSCAN SHELLFISH or crustacea in display tanks if they wash their hands as specified under § 2-301.12 and ¶ 2-301.14(C).*

2-5 Responding to Contamination Events

Subpart

2-501 Procedures for Responding

2-501.11 Clean-up of Vomiting and Diarrheal Events

A FOOD ESTABLISHMENT shall have written procedures for EMPLOYEES to follow when responding to vomiting or diarrheal events that involve the discharge of vomitus or fecal matter onto surfaces in the FOOD ESTABLISHMENT. The procedures shall address the specific actions EMPLOYEES must take to minimize the spread of contamination and the exposure of EMPLOYEES, consumers, FOOD, and surfaces to vomitus or fecal matter.^{Pf}

Chapter 3 – Food

Parts

- 3-1 CHARACTERISTICS
- 3-2 SOURCES, SPECIFICATIONS, AND ORIGINAL CONTAINERS AND RECORDS
- 3-3 PROTECTION FROM CONTAMINATION AFTER RECEIVING
- 3-4 DESTRUCTION OF ORGANISMS OF PUBLIC HEALTH CONCERN
- 3-5 LIMITATION OF GROWTH OF ORGANISMS OF PUBLIC HEALTH CONCERN
- 3-6 FOOD IDENTITY, PRESENTATION, AND ON-PREMISES LABELING
- 3-7 CONTAMINATED FOOD
- 3-8 SPECIAL REQUIREMENTS FOR HIGHLY SUSCEPTIBLE POPULATIONS

3-1 Characteristics

Subparts

- 3-101 Condition

Condition

- 3-101.11 Safe, Unadulterated, and Honestly Presented.

FOOD shall be safe, UNADULTERATED, and, as specified under § 3-601.12, honestly presented.^P

3-2 Sources, Specifications, and Original Containers and Records

Subparts

- 3-201 Sources
- 3-202 Specifications for Receiving
- 3-203 Original Containers and Records

Sources

3-201.11 Compliance with Food Law.

- (A) FOOD shall be obtained from sources that comply with LAW.^P
- (B) FOOD prepared in a private home may not be used or offered for human consumption in a FOOD ESTABLISHMENT.^P
- (C) PACKAGED FOOD shall be labeled as specified in LAW, including 21 CFR 101 FOOD Labeling, 9 CFR 317 Labeling, Marking Devices, and Containers, and 9 CFR 381 Subpart N Labeling and Containers, and as specified under §§ 3-202.17 and 3-202.18.^{Pf}
- (D) *FISH, other than those specified in paragraph 3-402.11(B), that are intended for consumption in raw or undercooked form and allowed as specified in Subparagraph 3-401.11(D), may be offered for sale or service if they are obtained from a supplier that freezes the FISH as specified under § 3-402.11; or if they are frozen on the PREMISES as specified under § 3-402.11 and records are retained as specified under § 3-402.12.*
- (E) WHOLE-MUSCLE, INTACT BEEF steaks that are intended for consumption in an undercooked form without a CONSUMER advisory as specified in ¶ 3-401.11(C) shall be:
 - (1) Obtained from a FOOD PROCESSING PLANT that, upon request by the purchaser, packages the steaks and labels them, to indicate that the steaks meet the definition of WHOLE-MUSCLE, INTACT BEEF,^{Pf} or
 - (2) Deemed acceptable by the REGULATORY AUTHORITY based on other evidence, such as written buyer specifications or invoices, that indicates that the steaks meet the definition of WHOLE-MUSCLE, INTACT BEEF,^{Pf} and
 - (3) If individually cut in a FOOD ESTABLISHMENT:
 - (a) Cut from WHOLE-MUSCLE INTACT BEEF that is labeled by a FOOD PROCESSING PLANT as specified in Subparagraph (E)(1) of this section or identified as specified in Subparagraph (E)(2) of this section,^{Pf}
 - (b) Prepared so they remain intact,^{Pf} and
 - (c) If PACKAGED for undercooking in a FOOD ESTABLISHMENT, labeled as specified in Subparagraph (E)(1) of this section or identified as specified in (E)(2) of this section.^{Pf}
- (F) MEAT and POULTRY that is not a READY-TO-EAT FOOD and is in a PACKAGED form when it is offered for sale or otherwise offered for consumption, shall be labeled to include safe handling instructions as specified in LAW, including 9 CFR 317.2(l) and 9 CFR 381.125(b).

(G) EGGS that have not been specifically treated to destroy all viable *Salmonellae* shall be labeled to include safe handling instructions as specified in LAW, including 21 CFR 101.17(h).

3-201.12 Food in a Hermetically Sealed Container.

FOOD in a HERMETICALLY SEALED CONTAINER shall be obtained from a FOOD PROCESSING PLANT that is regulated by the FOOD regulatory agency that has jurisdiction over the plant.^P

3-201.13 Fluid Milk and Milk Products.

Fluid milk and milk products shall be obtained from sources that comply with GRADE A STANDARDS as specified in LAW.^P

3-201.14 Fish.

(A) FISH that are received for sale or service shall be:

- (1) Commercially and legally caught or harvested;^P or
- (2) APPROVED for sale or service.^P

(B) MOLLUSCAN SHELLFISH that are recreationally caught may not be received for sale or service.^P

3-201.15 Molluscan Shellfish.

(A) MOLLUSCAN SHELLFISH shall be obtained from sources according to LAW and the requirements specified in the U.S. Department of Health and Human Services, Public Health Service, Food and Drug Administration, National Shellfish Sanitation Program Guide for the Control of Molluscan Shellfish.^P

(B) MOLLUSCAN SHELLFISH received in interstate commerce shall be from sources that are listed in the Interstate Certified Shellfish Shippers List.^P

3-201.16 Wild Mushrooms.

(A) *Except as specified in ¶ (B) of this section*, a FOOD ESTABLISHMENT shall not offer mushroom species picked in the wild for sale or service unless the FOOD ESTABLISHMENT has been APPROVED to do so.^P

(B) *This section does not apply to:*

- (1) *Cultivated wild mushroom species that are grown, harvested, and processed in an operation that is regulated by the FOOD regulatory agency that has jurisdiction over the operation; or*
- (2) *Wild mushroom species if they are in packaged form and are the product of a FOOD PROCESSING PLANT that is regulated by the FOOD regulatory agency that has jurisdiction over the plant.*

3-201.17 Game Animals.

- (A) If GAME ANIMALS are received for sale or service they shall be:
- (1) Commercially raised for FOOD ^P and:
 - (a) Raised, slaughtered, and processed under a voluntary inspection program that is conducted by the agency that has animal health jurisdiction, ^P or
 - (b) Under a routine inspection program conducted by a regulatory agency other than the agency that has animal health jurisdiction, ^P and
 - (c) Raised, slaughtered, and processed according to:
 - (i) LAWS governing MEAT and POULTRY as determined by the agency that has animal health jurisdiction and the agency that conducts the inspection program, ^P and
 - (ii) Requirements which are developed by the agency that has animal health jurisdiction and the agency that conducts the inspection program with consideration of factors such as the need for antemortem and postmortem examination by an APPROVED veterinarian or veterinarian's designee; ^P
 - (2) Under a voluntary inspection program administered by the USDA for game animals such as exotic animals (reindeer, elk, deer, antelope, water buffalo, or bison) that are "inspected and APPROVED" in accordance with 9 CFR 352 Exotic animals; voluntary inspection or rabbits that are "inspected and certified" in accordance with 9 CFR 354 voluntary inspection of rabbits and edible products thereof; ^P
 - (3) As allowed by LAW, for wild GAME ANIMALS that are live-caught:
 - (a) Under a routine inspection program conducted by a regulatory agency such as the agency that has animal health jurisdiction, ^P and
 - (b) Slaughtered and processed according to:
 - (i) LAWS governing MEAT and POULTRY as determined by the agency that has animal health jurisdiction and the agency that conducts the inspection program, ^P and
 - (ii) Requirements which are developed by the agency that has animal health jurisdiction and the agency that conducts the inspection program with consideration of factors such as the need for antemortem and postmortem examination by an APPROVED veterinarian or veterinarian's designee; ^P or
 - (4) As allowed by LAW, for field-dressed wild GAME ANIMALS under a routine inspection program that ensures the animals:
 - (a) Receive a postmortem examination by an APPROVED veterinarian or veterinarian's designee, ^P or
 - (b) Are field-dressed and transported according to requirements specified by the agency that has animal health jurisdiction and the agency that conducts the inspection program, ^P and

(c) Are processed according to LAWS governing MEAT and POULTRY as determined by the agency that has animal health jurisdiction and the agency that conducts the inspection program. ^P

(B) A GAME ANIMAL may not be received for sale or service if it is a species of wildlife that is listed in 50 CFR 17 Endangered and threatened wildlife and plants.

Specifications for receiving

3-202.11 Temperature.

(A) *Except as specified in ¶ (B) of this section*, refrigerated, TIME/TEMPERATURE CONTROL FOR SAFETY FOOD shall be at a temperature of 5°C (41°F) or below when received. ^P

(B) *If a temperature other than 5°C (41°F) for a TIME/TEMPERATURE CONTROL FOR SAFETY FOOD is specified in LAW governing its distribution, such as LAWS governing milk and MOLLUSCAN SHELLFISH, the FOOD may be received at the specified temperature.*

(C) Raw EGGS shall be received in refrigerated equipment that maintains an ambient air temperature of 7°C (45°F) or less. ^P

(D) TIME/TEMPERATURE CONTROL FOR SAFETY FOOD that is cooked to a temperature and for a time specified under §§ 3-401.11 - 3-401.13 and received hot shall be at a temperature of 57°C (135°F) or above. ^P

(E) A FOOD that is labeled frozen and shipped frozen by a FOOD PROCESSING PLANT shall be received frozen. ^{Pf}

(F) Upon receipt, TIME/TEMPERATURE CONTROL FOR SAFETY FOOD) shall be free of evidence of previous temperature abuse. ^{Pf}

3-202.12 Additives.

FOOD may not contain UNAPPROVED FOOD ADDITIVES or ADDITIVES that exceed amounts specified in 21 CFR 170-180 relating to FOOD ADDITIVES, generally recognized as safe or prior sanctioned substances that exceed amounts specified in 21 CFR 181-186, substances that exceed amounts specified in 9 CFR Subpart C Section 424.21(b) Food ingredients and sources of radiation, or pesticide residues that exceed provisions specified in 40 CFR 180 Tolerances for pesticides chemicals in food, and exceptions. ^P

3-202.13 Eggs.

EGGS shall be received clean and sound and may not exceed the RESTRICTED EGG tolerances for U.S. Consumer Grade B as specified in United States Standards, Grades, and Weight Classes for Shell Eggs, AMS 56.200 *et seq.*, administered by the Agricultural Marketing Service of USDA. ^P

3-202.14 Eggs and Milk Products, Pasteurized.

(A) EGG PRODUCTS shall be obtained pasteurized. ^P

(B) Fluid and dry milk and milk products shall:

(1) Be obtained pasteurized; ^P and

(2) Comply with GRADE A STANDARDS as specified in LAW. ^P

(C) Frozen milk products, such as ice cream, shall be obtained pasteurized as specified in 21 CFR 135 - Frozen desserts. ^P

(D) Cheese shall be obtained pasteurized *unless alternative procedures to pasteurization are specified in the CFR, such as 21 CFR 133 - Cheeses and related cheese products, for curing certain cheese varieties.* ^P

3-202.15 Package Integrity.

FOOD packages shall be in good condition and protect the integrity of the contents so that the FOOD is not exposed to ADULTERATION or potential contaminants. ^{Pf}

3-202.16 Ice.

Ice for use as a FOOD or a cooling medium shall be made from DRINKING WATER. ^P

3-202.17 Shucked Shellfish, Packaging and Identification.

(A) Raw SHUCKED SHELLFISH shall be obtained in nonreturnable packages which bear a legible label that identifies the: ^{Pf}

(1) Name, address, and CERTIFICATION NUMBER of the shucker, packer or repacker of the MOLLUSCAN SHELLFISH; ^{Pf} and

(2) The "sell by" or "best if used by" date for packages with a capacity of less than 1.89 L (one-half gallon) or the date shucked for packages with a capacity of 1.89 L (one-half gallon) or more. ^{Pf}

(B) A package of raw SHUCKED SHELLFISH that does not bear a label or which bears a label which does not contain all the information as specified under ¶ (A) of this section shall be subject to a hold order, as allowed by LAW, or seizure and destruction in accordance with 21 CFR Subpart D - Specific Administrative Decisions Regarding Interstate Shipments, Section 1240.60(d) Molluscan shellfish.

3-202.18 Shellstock Identification.

(A) SHELLSTOCK shall be obtained in containers bearing legible source identification tags or labels that are affixed by the harvester or DEALER that depurates, ships, or reships the SHELLSTOCK, as specified in the National Shellfish Sanitation Program Guide for the Control of Molluscan Shellfish, and that list: ^{Pf}

(1) *Except as specified under ¶ (C) of this section,* on the harvester's tag or label, the following information in the following order: ^{Pf}

(a) The harvester's identification number that is assigned by the SHELLFISH CONTROL AUTHORITY, ^{Pf}

(b) The date of harvesting, ^{Pf}

(c) The most precise identification of the harvest location or aquaculture site that is practicable based on the system of harvest area designations that is in use by the SHELLFISH CONTROL AUTHORITY and including the abbreviation of the name of the state or country in which the shellfish are harvested, ^{Pf}

(d) The type and quantity of shellfish, ^{Pf} and

(e) The following statement in bold, capitalized type: "This tag is required to be attached until container is empty or retagged and thereafter kept on file for 90 days"; ^{Pf} and

(2) *Except as specified in ¶ (D) of this section, on each DEALER'S tag or label, the following information in the following order: ^{Pf}*

(a) The DEALER'S name and address, and the CERTIFICATION NUMBER assigned by the SHELLFISH CONTROL AUTHORITY, ^{Pf}

(b) The original shipper's CERTIFICATION NUMBER including the abbreviation of the name of the state or country in which the shellfish are harvested, ^{Pf}

(c) The same information as specified for a harvester's tag under Subparagraphs (A)(1)(b)-(d) of this section, ^{Pf} and

(d) The following statement in bold, capitalized type: "This tag is required to be attached until container is empty and thereafter kept on file for 90 days." ^{Pf}

(B) A container of SHELLSTOCK that does not bear a tag or label or that bears a tag or label that does not contain all the information as specified under ¶ (A) of this section shall be subject to a hold order, as allowed by LAW, or seizure and destruction in accordance with 21 CFR Subpart D - Specific Administrative Decisions Regarding Interstate Shipments, Section 1240.60(d).

(C) If a place is provided on the harvester's tag or label for a DEALER'S name, address, and CERTIFICATION NUMBER, the DEALER'S information shall be listed first.

(D) *If the harvester's tag or label is designed to accommodate each DEALER'S identification as specified under Subparagraphs (A)(2)(a) and (b) of this section, individual DEALER tags or labels need not be provided.*

3-202.19 Shellstock, Condition.

When received by a FOOD ESTABLISHMENT, SHELLSTOCK shall be reasonably free of mud, dead shellfish, and shellfish with broken shells. Dead shellfish or SHELLSTOCK with badly broken shells shall be discarded.

Commercially Processed

3-202.110 Juice Treated.

Pre-PACKAGED JUICE shall:

(A) Be obtained from a processor with a HACCP system as specified in 21 CFR Part 120 Hazard Analysis and Critical Control (HACCP) Systems; ^{Pf} and

(B) Be obtained pasteurized or otherwise treated to attain a 5-log reduction of the most resistant microorganism of public health significance as specified in 21 CFR Part 120.24 Process Controls.^P

Original Containers and Records

3-203.11 Molluscan Shellfish, Original Container.

(A) *Except as specified in ¶¶ (B) - (D) of this section, MOLLUSCAN SHELLFISH may not be removed from the container in which they are received other than immediately before sale or preparation for service.*

(B) *For display purposes, SHELLSTOCK may be removed from the container in which they are received, displayed on drained ice, or held in a display container, and a quantity specified by a CONSUMER may be removed from the display or display container and provided to the CONSUMER if:*

(1) *The source of the SHELLSTOCK on display is identified as specified under § 3-202.18 and recorded as specified under § 3-203.12; and*

(2) *The SHELLSTOCK are protected from contamination.*

(C) *SHUCKED SHELLFISH may be removed from the container in which they were received and held in a display container from which individual servings are dispensed upon a CONSUMER'S request if:*

(1) *The labeling information for the shellfish on display as specified under § 3-202.17 is retained and correlated to the date when, or dates during which, the shellfish are sold or served; and*

(2) *The shellfish are protected from contamination.*

(D) *SHUCKED SHELLFISH may be removed from the container in which they were received and repacked in CONSUMER self service containers where allowed by LAW if:*

(1) *The labeling information for the shellfish is on each CONSUMER self service container as specified under § 3-202.17 and ¶¶ 3-602.11(A) and (B)(1) - (5);*

(2) *The labeling information as specified under § 3-202.17 is retained and correlated with the date when, or dates during which, the shellfish are sold or served;*

(3) *The labeling information and dates specified under Subparagraph (D)(2) of this section are maintained for 90 days; and*

(4) *The shellfish are protected from contamination.*

3-203.12 Shellstock, Maintaining Identification.

(A) *Except as specified under Subparagraph (C)(2) of this section, SHELLSTOCK tags or labels shall remain attached to the container in which the SHELLSTOCK are received until the container is empty.^{Pf}*

(B) *The date when the last SHELLSTOCK from the container is sold or served shall be recorded on the tag or label.^{Pf}*

(C) The identity of the source of SHELLSTOCK that are sold or served shall be maintained by retaining SHELLSTOCK tags or labels for 90 calendar days from the date that is recorded on the tag or label, as specified under ¶ B of this section, by: ^{Pf}

(1) Using an APPROVED record keeping system that keeps the tags or labels in chronological order correlated to the date that is recorded on the tag or label, as specified under ¶ B of this section; ^{Pf} and

(2) If SHELLSTOCK are removed from its tagged or labeled container:

(a) Preserving source identification by using a record keeping system as specified under Subparagraph (C)(1) of this section, ^{Pf} and

(b) Ensuring that SHELLSTOCK from one tagged or labeled container are not COMMINGLED with SHELLSTOCK from another container with different CERTIFICATION NUMBERS; different harvest dates; or different growing areas as identified on the tag or label before being ordered by the CONSUMER. ^{Pf}

3-3 Protection From Contamination After Receiving

Subparts

3-301 Preventing Contamination by Employees

3-302 Preventing Food and Ingredient Contamination

3-303 Preventing Contamination from Ice Used as a Coolant

3-304 Preventing Contamination from Equipment, Utensils, and Linens

3-305 Preventing Contamination from the Premises

3-306 Preventing Contamination by Consumers

3-307 Preventing Contamination from Other Sources

Preventing Contamination by Employees

3-301.11 Preventing Contamination from Hands.

(A) FOOD EMPLOYEES shall wash their hands as specified under § 2-301.12.

(B) *Except when washing fruits and vegetables as specified under § 3-302.15 or as specified in ¶ (D) and (E) of this section, FOOD EMPLOYEES may not contact exposed, READY-TO-EAT FOOD with their bare hands and shall use suitable UTENSILS such as deli tissue, spatulas, tongs, single-use gloves, or dispensing EQUIPMENT. ^P*

(C) FOOD EMPLOYEES shall minimize bare hand and arm contact with exposed FOOD that is not in a READY-TO-EAT form. ^{Pf}

(D) *Paragraph (B) of this section does not apply to a FOOD EMPLOYEE who contacts exposed, READY-TO-EAT FOOD with bare hands at the time the READY-TO-EAT FOOD is being added as an ingredient to a FOOD that:*

(1) *Contains a raw animal FOOD and is to be cooked in the FOOD ESTABLISHMENT to heat all parts of the FOOD to the minimum temperatures specified in ¶¶ 3-401.11(A)-(B) or §3-401.12; or*

- (2) *Does not contain a raw animal FOOD but is to be cooked in the FOOD ESTABLISHMENT to heat all parts of the FOOD to a temperature of at least 63°C (145°F).*
- (E) *FOOD EMPLOYEES not serving a HIGHLY SUSCEPTIBLE POPULATION may contact exposed, READY-TO-EAT FOOD with their bare hands if:*
- (1) *The LICENSEE obtains prior written APPROVAL from the REGULATORY AUTHORITY;*
 - (2) *Written procedures are maintained in the FOOD ESTABLISHMENT and made available to the REGULATORY AUTHORITY upon request that include:*
 - (a) *For each bare hand contact procedure, a listing of the specific READY- TO-EAT FOODS that are touched by bare hands,*
 - (b) *Diagrams and other information showing that handwashing facilities, installed, located, equipped, and maintained as specified under §§ 5- 203.11, 5-204.11, 5-205.11, 6-301.11, 6-301.12, and 6-301.14, are in an easily accessible location and in close proximity to the work station where the bare hand contact procedure is conducted;*
 - (3) *A written EMPLOYEE health policy that details how the FOOD ESTABLISHMENT complies with §§ 2-201.11, 2-201.12, and 2-201.13 including:*
 - (a) *Documentation that FOOD EMPLOYEES and CONDITIONAL EMPLOYEES acknowledge that they are informed to report information about their health and activities as they relate to gastrointestinal symptoms and diseases that are transmittable through FOOD as specified under ¶ 2- 201.11(A),*
 - (b) *Documentation that FOOD EMPLOYEES and CONDITIONAL EMPLOYEES acknowledge their responsibilities as specified under ¶ 2- 201.11(E) and (F), and*
 - (c) *Documentation that the PERSON IN CHARGE acknowledges the responsibilities as specified under ¶¶ 2-201.11(B), (C) and (D), and §§ 2- 201.12 and 2-201.13;*
 - (4) *Documentation that FOOD EMPLOYEES acknowledge that they have received training in:*
 - (a) *The RISKS of contacting the specific READY-TO-EAT FOODS with bare hands,*
 - (b) *Proper handwashing as specified under § 2-301.12,*
 - (c) *When to wash their hands as specified under § 2-301.14,*
 - (d) *Where to wash their hands as specified under § 2-301.15,*
 - (e) *Proper fingernail maintenance as specified under § 2-302.11,*
 - (f) *Prohibition of jewelry as specified under § 2-303.11, and*
 - (g) *Good hygienic practices as specified under §§2-401.11 and 2- 401.12;*

(5) *Documentation that hands are washed before FOOD preparation and as necessary to prevent cross contamination by FOOD EMPLOYEES as specified under §§ 2-301.11, 2-301.12, 2-301.14, and 2-301.15 during all hours of operation when the specific READY-TO-EAT FOODS are prepared;*

(6) *Documentation that FOOD EMPLOYEES contacting READY-TO-EAT FOOD with bare hands use two or more of the following control measures to provide additional safeguards to HAZARDS associated with bare hand contact:*

(a) *Double handwashing,*

(b) *Nail brushes,*

(c) *A hand antiseptic after handwashing as specified under § 2-301.16,*

(d) *Incentive programs such as paid sick leave that assist or encourage FOOD EMPLOYEES not to work when they are ill, or*

(e) *Other control measures APPROVED by the REGULATORY AUTHORITY; and*

(7) *Documentation that corrective action is taken when Subparagraphs (E)(1)-(6) of this section are not followed.*

3-301.12 Preventing Contamination When Tasting.

A FOOD EMPLOYEE may not use a UTENSIL more than once to taste FOOD that is to be sold or served unless such utensil is properly cleaned and sanitized between tastings. ^P

Preventing Food and Ingredient Contamination

3-302.11 Packaged and Unpackaged Food - Separation, Packaging, and Segregation.

(A) FOOD shall be protected from cross contamination by:

(1) *Except as specified in (1)(d) below, separating raw animal FOODS during storage, preparation, holding, and display from:*

(a) *Raw READY-TO-EAT FOOD including other raw animal FOOD such as FISH for sushi or MOLLUSCAN SHELLFISH, or other raw READY-TO-EAT FOOD such as fruits and vegetables, ^P*

(b) *Cooked READY-TO-EAT FOOD; ^P and*

(c) *Fruits and vegetables before or after they are washed ^P;*

(d) *Frozen, commercially processed and packaged raw animal FOOD may be stored or displayed with or above frozen, commercially processed and packaged, ready-to-eat food.*

(2) *Except when combined as ingredients or when the different types of raw animal FOODS have the same cooking temperature and are not one of the MAJOR FOOD ALLERGENS, separating types of raw animal FOODS from each other such as beef, FISH, lamb, pork, and POULTRY during storage, preparation, holding, and display by:*

- (a) Using separate EQUIPMENT for each type, ^P or
 - (b) Arranging each type of FOOD in EQUIPMENT so that cross contamination of one type with another is prevented, ^P and
 - (c) Preparing each type of FOOD at different times or in separate areas;^P
- (3) Cleaning EQUIPMENT and UTENSILS as specified under ¶ 4-602.11(A) and SANITIZING as specified under § 4-703.11;
 - (4) *Except as specified under Subparagraph 3-501.15(B)(2) and in ¶ (B) of this section*, storing the FOOD in packages, covered containers, or wrappings;
 - (5) Cleaning HERMETICALLY SEALED CONTAINERS of FOOD of visible soil before opening;
 - (6) Protecting FOOD containers that are received packaged together in a case or overwrap from cuts when the case or overwrap is opened;
 - (7) Storing damaged, spoiled, or recalled FOOD being held in the FOOD ESTABLISHMENT as specified under § 6-404.11; and
 - (8) Separating fruits and vegetables, before they are washed as specified under § 3-302.15 from READY-TO-EAT FOOD.
- (B) *Subparagraph (A)(4) of this section does not apply to:*
- (1) *Whole, uncut, raw fruits and vegetables and nuts in the shell, that require peeling or hulling before consumption;*
 - (2) *PRIMAL CUTS, quarters, or sides of raw MEAT or slab bacon that are hung on clean, SANITIZED hooks or placed on clean, SANITIZED racks;*
 - (3) *Whole, uncut, processed MEATS such as country hams, and smoked or cured sausages that are placed on clean, SANITIZED racks;*
 - (4) *FOOD being cooled as specified under Subparagraph 3-501.15(B)(2); or*
 - (5) *SHELLSTOCK.*

3-302.12 Food Storage Containers, Identified with Common Name of Food.

Except for containers holding FOOD that can be readily and unmistakably recognized such as dry pasta, working containers holding FOOD or FOOD ingredients that are removed from their original packages for use in the FOOD ESTABLISHMENT, such as cooking oils, flour, herbs, potato flakes, salt, spices, and sugar shall be identified with the common name of the FOOD.

3-302.13 Pasteurized Eggs, Substitute for Raw Eggs for Certain Recipes.

Pasteurized EGGS or EGG PRODUCTS shall be substituted for raw EGGS in the preparation of FOODS such as Caesar salad, hollandaise or Béarnaise sauce, mayonnaise, meringue, eggnog, ice cream, and EGG-fortified BEVERAGES that are not: ^P

- (A) Cooked as specified under Subparagraphs 3-401.11(A)(1) or (2); ^P or
- (B) Included in ¶ 3-401.11(D). ^P

3-302.14 Protection from Unapproved Additives.

- (A) FOOD shall be protected from contamination that may result from the addition of, as specified in § 3-202.12:
- (1) Unsafe or unAPPROVED FOOD or COLOR ADDITIVES; ^P and
 - (2) Unsafe or unAPPROVED levels of APPROVED FOOD and COLOR ADDITIVES. ^P
- (B) A FOOD EMPLOYEE may not:
- (1) Apply sulfiting agents to fresh fruits and vegetables intended for raw consumption or to a FOOD considered to be a good source of vitamin B1; ^P or
 - (2) *Except for grapes*, serve or sell FOOD specified under Subparagraph (B)(1) of this section that is treated with sulfiting agents before receipt by the FOOD ESTABLISHMENT. ^P

3-302.15 Washing Fruits and Vegetables.

- (A) *Except as specified in ¶ (B) of this section and except for whole, raw fruits and vegetables that are intended for washing by the CONSUMER before consumption*, raw fruits and vegetables shall be thoroughly washed in water to remove soil and other contaminants before being cut, combined with other ingredients, cooked, served, or offered for human consumption in READY-TO-EAT form.
- (B) *Fruits and vegetables may be washed by using chemicals as specified under § 7-204.12.*
- (C) Devices used for on-site generation of chemicals meeting the requirements specified in 21 CFR 173.315, Chemicals used in the washing or to assist in the peeling of fruits and vegetables, for the washing of raw, whole fruits and vegetables shall be used in accordance with the manufacturer's instructions.

Preventing Contamination from Ice Used as a Coolant

3-303.11 Ice Used as Exterior Coolant, Prohibited as Ingredient.

After use as a medium for cooling the exterior surfaces of FOOD such as melons or FISH, PACKAGED FOODS such as canned BEVERAGES, or cooling coils and tubes of EQUIPMENT, ice may not be used as FOOD. ^P

3-303.12 Storage or Display of Food in Contact with Water or Ice.

- (A) PACKAGED FOOD may not be stored in direct contact with ice or water if the FOOD is subject to the entry of water because of the nature of its packaging, wrapping, or container or its positioning in the ice or water.
- (B) *Except as specified in ¶¶ (C) and (D) of this section*, unPACKAGED FOOD may not be stored in direct contact with undrained ice.
- (C) *Whole, raw fruits or vegetables; cut, raw vegetables such as celery or carrot sticks or cut potatoes; and tofu may be immersed in ice or water.*

(D) *Raw poultry and raw FISH that are received immersed in ice in shipping containers may remain in that condition while in storage awaiting preparation, display, service, or sale.*

Preventing Contamination from Equipment, Utensils, and Linens

3-304.11 Food Contact with Equipment and Utensils.

FOOD shall only contact surfaces of:

- (A) EQUIPMENT and UTENSILS that are cleaned as specified under Part 4-6 of this Code and SANITIZED as specified under Part 4-7 of this Code; P
- (B) Clean SINGLE-SERVICE and SINGLE-USE ARTICLES that have been handled as specified in Part 4-9. ^P or
- (C) LINENS, such as cloth napkins, as specified under § 3-304.13 that are laundered as specified under Part 4-8 of this Code.

3-304.12 In-Use Utensils, Between-Use Storage.

During pauses in FOOD preparation or dispensing, FOOD preparation and dispensing UTENSILS shall be stored:

- (A) *Except as specified under ¶ (B) of this section*, in the FOOD with their handles above the top of the FOOD and the container;
- (B) In FOOD that is not TIME/TEMPERATURE CONTROL FOR SAFETY FOOD with their handles above the top of the FOOD within containers or EQUIPMENT that can be closed, such as bins of sugar, flour, or cinnamon;
- (C) On a clean portion of the FOOD preparation table or cooking EQUIPMENT only if the in-use UTENSIL and the FOOD-CONTACT surface of the FOOD preparation table or cooking EQUIPMENT are cleaned and SANITIZED at a frequency specified under §§ 4-602.11 and 4-702.11;
- (D) In running water of sufficient velocity to flush particulates to the drain, if used with moist FOOD such as ice cream or mashed potatoes;
- (E) In a clean, protected location if the UTENSILS, such as ice scoops, are used only with a FOOD that is not TIME/TEMPERATURE CONTROL FOR SAFETY FOOD; or
- (F) In a container of water if the water is maintained at a temperature of at least 57°C (135°F) and the container is cleaned at a frequency specified under Subparagraph 4-602.11(D)(7).

3-304.13 Linens and Napkins, Use Limitation.

LINENS and napkins may not be used in contact with FOOD *unless they are used to line a container for the service of FOODS and the LINENS and napkins are replaced each time the container is refilled for a new CONSUMER.*

3-304.14 Wiping Cloths, Use Limitation.

- (A) Cloths in-use for wiping FOOD spills from TABLEWARE and carry-out containers that occur as FOOD is being served shall be:
 - (1) Maintained dry; and
 - (2) Used for no other purpose.
- (B) Cloths in-use for wiping counters and other EQUIPMENT surfaces shall be:
 - (1) Held between uses in a chemical sanitizer solution at a concentration specified under § 4-501.114; and
 - (2) Laundered daily as specified under ¶ 4-802.11(D).
- (C) Cloths in-use for wiping surfaces in contact with raw animal FOODS shall be kept separate from cloths used for other purposes.
- (D) Dry wiping cloths and the chemical sanitizing solutions specified in Subparagraph (B)(1) of this section in which wet wiping cloths are held between uses shall be free of FOOD debris and visible soil.
- (E) Containers of chemical sanitizing solutions specified in Subparagraph (B)(1) of this section in which wet wiping cloths are held between uses shall be stored off the floor and used in a manner that prevents contamination of FOOD, EQUIPMENT, UTENSILS, LINENS, SINGLE-SERVICE, or SINGLE-USE ARTICLES.
- (F) SINGLE-USE disposable sanitizer wipes shall be used in accordance with EPA-approved manufacturer's label use instructions.

3-304.15 Gloves, Use Limitation.

- (A) If used, SINGLE-USE gloves shall be used for only one task such as working with READY-TO-EAT FOOD or with raw animal FOOD, used for no other purpose, and discarded when damaged or soiled, or when interruptions occur in the operation.^P
- (B) *Except as specified in ¶ (C) of this section, slash-resistant gloves that are used to protect the hands during operations requiring cutting shall be used in direct contact only with FOOD that is subsequently cooked as specified under Part 3-4 such as frozen FOOD or a PRIMAL CUT of MEAT.*
- (C) *Slash-resistant gloves may be used with READY-TO-EAT FOOD that will not be subsequently cooked if the slash-resistant gloves have a SMOOTH, durable, and nonabsorbent outer surface; or if the slash-resistant gloves are covered with a SMOOTH, durable, nonabsorbent glove, or a SINGLE-USE glove.*
- (D) Cloth gloves may not be used in direct contact with FOOD *unless the FOOD is subsequently cooked as required under Part 3-4 such as frozen FOOD or a PRIMAL CUT of MEAT.*

3-304.16 Using Clean Tableware for Second Portions and Refills.

- (A) *Except for refilling a CONSUMER'S drinking cup or container without contact between the pouring UTENSIL and the lip-contact area of the drinking cup or container, FOOD EMPLOYEES may not use TABLEWARE, including SINGLE-SERVICE ARTICLES, soiled by the CONSUMER, to provide second portions or refills.*^{Pf}

(B) *Except as specified in ¶ (C) of this section, self-service CONSUMERS may not be allowed to use soiled TABLEWARE, including SINGLE-SERVICE ARTICLES, to obtain additional FOOD from the display and serving EQUIPMENT.*^{Pf}

(C) *Drinking cups and containers may be reused by self-service CONSUMERS if refilling is a contamination-free process as specified under ¶¶ 4-204.13(A), (B), and (D).*

3-304.17 Refilling Returnables.

(A) *Except as specified in ¶¶ (B) – (E) of this section, empty containers returned to a FOOD ESTABLISHMENT for cleaning and refilling with FOOD shall be cleaned and refilled in a regulated FOOD PROCESSING PLANT.*

(B) *A take-home FOOD container returned to a FOOD ESTABLISHMENT may be refilled with FOOD at a FOOD ESTABLISHMENT if the FOOD container is:*

(1) *Designed and constructed for reuse and in accordance with the requirements specified under Parts 4-1 and 4-2;*^P

(2) *One that was initially provided by the FOOD ESTABLISHMENT to the CONSUMER, either empty or filled with FOOD by the FOOD ESTABLISHMENT, for the purpose of being returned for reuse;*

(3) *Returned to the FOOD ESTABLISHMENT by the CONSUMER after use;*

(4) *Subject to the following steps before being refilled with FOOD:*

(a) *Cleaned as specified under Part 4-6 of this Code,*

(b) *Sanitized as specified under Part 4-7 of this Code,*^P *and*

(c) *Visually inspected by a FOOD EMPLOYEE to verify that the container, as returned, meets the requirements specified under Parts 4-1 and 4-2 of this Code.*^P

(C) *A take-home FOOD container returned to a FOOD ESTABLISHMENT may be refilled with BEVERAGE at a FOOD ESTABLISHMENT if:*

(1) *The BEVERAGE is not a TIME/TEMPERATURE CONTROL FOR SAFETY FOOD;*

(2) *The design of the container and of the rinsing EQUIPMENT and the nature of the BEVERAGE, when considered together, allow effective cleaning at home or in the FOOD ESTABLISHMENT;*

(3) *Facilities for rinsing before refilling returned containers with fresh, hot water that is under pressure and not recirculated are provided as part of the dispensing system;*

(4) *The CONSUMER-owned container returned to the FOOD ESTABLISHMENT for refilling is refilled for sale or service only to the same CONSUMER; and*

(5) *The container is refilled by:*

(a) *An EMPLOYEE of the FOOD ESTABLISHMENT; or*

(b) *The owner of the container if the BEVERAGE system includes a contamination-free transfer process as specified under ¶¶ 4-204-13 (A), (B), and (D) that cannot be bypassed by the container owner.*

(D) *CONSUMER-owned, personal take-out BEVERAGE containers, such as thermally insulated bottles, nonspill coffee cups, and promotional BEVERAGE glasses, may be*

refilled by EMPLOYEES or the CONSUMER if refilling is a contamination-free process as specified in ¶¶4-204.13(A), (B), and (D).

(E) CONSUMER-owned containers that are not FOOD-specific may be filled at a water VENDING MACHINE or system.

Preventing Contamination from the Premises

3-305.11 Food Storage.

(A) Except as specified in ¶¶ (B) and (C) of this section, FOOD shall be protected from contamination by storing the FOOD:

- (1) In a clean, dry location;
- (2) Where it is not exposed to splash, dust, or other contamination; and
- (3) At least 15 cm (6 inches) above the floor.

(B) FOOD in packages and working containers may be stored less than 15 cm (6 inches) above the floor on case lot handling EQUIPMENT as specified under § 4-204.122.

(C) Pressurized BEVERAGE containers, cased FOOD in waterproof containers such as bottles or cans, and milk containers in plastic crates may be stored on a floor that is clean and not exposed to floor moisture.

3-305.12 Food Storage, Prohibited Areas.

FOOD may not be stored:

- (A) In locker rooms;
- (B) In toilet rooms;
- (C) In dressing rooms;
- (D) In garbage rooms;
- (E) In mechanical rooms;
- (F) Under sewer lines that are not shielded to intercept potential drips;
- (G) Under leaking water lines, including leaking automatic fire sprinkler heads, or under lines on which water has condensed;
- (H) Under open stairwells; or
- (I) Under other sources of contamination.

3-305.13 Vended Time/Temperature Control for Safety Food, Original Container.

TIME/TEMPERATURE CONTROL FOR SAFETY FOOD dispensed through a FOOD VENDING MACHINE shall be in the PACKAGE in which it was placed at the FOOD ESTABLISHMENT or FOOD PROCESSING PLANT at which it was prepared.

3-305.14 Food Preparation.

During preparation, unPACKAGED FOOD shall be protected from environmental sources of contamination.

Preventing Contamination by Consumers

3-306.11 Food Display.

Except for nuts in the shell and whole, raw fruits and vegetables that are intended for hulling, peeling, or washing by the CONSUMER before consumption, FOOD on display shall be protected from contamination by the use of PACKAGING; counter, service line, or salad bar FOOD guards; display cases; or other effective means.^P

3-306.12 Condiments, Protection.

(A) Condiments shall be protected from contamination by being kept in dispensers that are designed to provide protection, protected FOOD displays provided with the proper UTENSILS, original containers designed for dispensing, or individual PACKAGES or portions.

(B) Condiments at a FOOD VENDING MACHINE LOCATION shall be in individual PACKAGES or provided in dispensers that are filled at an APPROVED location, such as the FOOD ESTABLISHMENT that provides FOOD to the FOOD VENDING MACHINE LOCATION, a FOOD PROCESSING PLANT that is regulated by the agency that has jurisdiction over the operation, or a properly equipped facility that is located on the site of the FOOD VENDING MACHINE LOCATION.

3-306.13 Consumer Self-Service Operations.

(A) Raw, unPACKAGED animal FOOD, such as beef, lamb, pork, POULTRY, and FISH may not be offered for CONSUMER self-service.^P *This paragraph does not apply to:*

(1) CONSUMER *self-service of READY-TO-EAT FOODS at buffets or salad bars that serve FOODS such as sushi or raw shellfish;*

(2) *Ready-to-cook individual portions for immediate cooking and consumption on the PREMISES such as CONSUMER-cooked MEATS or CONSUMER-selected ingredients for Mongolian barbecue; or*

(3) *Raw, frozen, shell-on shrimp, or lobster.*

(B) CONSUMER self-service operations for READY-TO-EAT FOODS shall be provided with suitable UTENSILS or effective dispensing methods that protect the FOOD from contamination.^{Pf}

(C) CONSUMER self-service operations such as buffets and salad bars shall be monitored by FOOD EMPLOYEES trained in safe operating procedures.^{Pf}

3-306.14 Returned Food and Re-Service of Food.

(A) *Except as specified in ¶ (B) of this section, after being served or sold and in the possession of a CONSUMER, FOOD that is unused or returned by the CONSUMER may not be offered as FOOD for human consumption.*^P

(B) *Except as specified under ¶ 3-801.11(G), a container of FOOD that is not TIME/TEMPERATURE CONTROL FOR SAFETY FOOD may be RE-SERVED from one CONSUMER to another if:*

- (1) *The FOOD is dispensed so that it is protected from contamination and the container is closed between uses, such as a narrow-neck bottle containing catsup, steak sauce, or wine; or*
- (2) *The FOOD, such as crackers, salt, or pepper, is in an unopened original PACKAGE and is maintained in sound condition.*

Preventing Contamination from Other Sources

3-307.11 Miscellaneous Sources of Contamination.

FOOD shall be protected from contamination that may result from a factor or source not specified under Subparts 3-301 - 3-306.

3-4 Destruction of Organisms of Public Health Concern

Subparts

- 3-401 Cooking**
- 3-402 Freezing**
- 3-403 Reheating**
- 3-404 Other Methods**

Cooking

3-401.11 Raw Animal Foods.

(A) *Except as specified under ¶ (B) and in ¶¶ (C) and (D) of this section, raw animal FOODS such as EGGS, FISH, MEAT, POULTRY, and FOODS containing these raw animal FOODS, shall be cooked to heat all parts of the FOOD to a temperature and for a time that complies with one of the following methods based on the FOOD that is being cooked:*

- (1) 63°C (145°F) or above for 15 seconds for: ^P
 - (a) Raw EGGS that are broken and prepared in response to a CONSUMER'S order and for immediate service, ^P and
 - (b) *Except as specified under Subparagraphs (A)(2) and (A)(3) and ¶ (B), and in ¶ (C) of this section, FISH and INTACT MEAT including GAME ANIMALS commercially raised for FOOD as specified under Subparagraph 3-201.17(A)(1) and GAME ANIMALS under a voluntary inspection program as specified under Subparagraph 3-201.17(A)(2); ^P*
- (2) 68°C (155°F) for 17 seconds or the temperature specified in the following chart that corresponds to the holding time for RATITES, MECHANICALLY TENDERIZED MEATS, and INJECTED MEATS; the following if they are COMMINUTED: FISH, MEAT, GAME ANIMALS commercially raised for FOOD as specified under Subparagraph 3-201.17(A)(1), and GAME ANIMALS under a voluntary inspection program as specified under Subparagraph 3-201.17(A)(2); and raw EGGS that are not prepared as specified under Subparagraph (A)(1)(a) of this section: ^P

Minimum Temperature °C (°F)	Minimum Time
63 (145)	3 minutes
66 (150)	1 minute
70 (158)	< 1 second instantaneous)

; or

(3) 74°C (165°F) or above for < 1 second (instantaneous) for POULTRY, BALUTS, wild GAME ANIMALS as specified under Subparagraphs 3-201.17(A)(3) and (4), stuffed FISH, stuffed MEAT, stuffed pasta, stuffed POULTRY, stuffed RATITES, or stuffing containing FISH, MEAT, POULTRY, or RATITES. ^P

(B) Whole MEAT roasts including beef, corned beef, lamb, pork, and cured pork roasts such as ham shall be cooked:

(1) To heat all parts of the FOOD to the temperature specified in the following chart for the holding time that corresponds to that temperature: ^P

Temperature °C (°F)	Time ¹ in Minutes
54.4 (130)	112
55.0 (131)	89
56.1 (133)	56
57.2 (135)	36
57.8 (136)	28
58.9 (138)	18
60.0 (140)	12
61.1 (142)	8
62.2 (144)	5
62.8 (145)	4
<i>¹Holding time may include postoven heat rise.</i>	

Temperature °C (°F)	Time ¹ in Seconds
63.9 (147)	134
65.0 (149)	85
66.1 (151)	54

67.2 (153)	34
68.3 (155)	22
69.4 (157)	14
70.0 (158)	0
¹ Holding time may include postoven heat rise.	

; and

(2) If cooked in an oven, use an oven that is preheated to the temperature specified for the roast's weight in the following chart and that is held at that temperature: ^{Pf}

Oven Type	Oven Temperature Based on Roast Weight	
	Less than 4.5 kg (10 lbs)	4.5 kg (10 lbs) or More
Still Dry	177°C (350°F) or more	121°C (250°F) or more
Convection	163°C (325°F) or more	121°C (250°F) or more
High Humidity¹	121°C (250°F) or less	121°C (250°F) or less

¹ Relative humidity greater than 90% for at least 1 hour as measured in the cooking chamber or exit of the oven; or in a moisture-impermeable bag that provides 100% humidity.

(C) *A raw or undercooked WHOLE-MUSCLE, INTACT BEEF steak may be served or offered for sale in a READY-TO-EAT form if:*

- (1) *The FOOD ESTABLISHMENT serves a population that is not a HIGHLY SUSCEPTIBLE POPULATION,*
- (2) *The steak is labeled to indicate that it meets the definition of "WHOLE-MUSCLE, INTACT BEEF" as specified under ¶ 3-201.11(E), and*
- (3) *The steak is cooked on both the top and bottom to a surface temperature of 63°C (145°F) or above and a cooked color change is achieved on all external surfaces.*

(D) *A raw animal FOOD such as raw EGG, raw FISH, raw-marinated FISH, raw MOLLUSCAN SHELLFISH, or steak tartare; or a partially cooked FOOD such as lightly cooked FISH, soft cooked EGGS, or rare MEAT other than WHOLE-MUSCLE, INTACT BEEF steaks as specified in ¶ (C) of this section, may be served or offered for sale upon CONSUMER request or selection in a READY-TO-EAT form if:*

- (1) *As specified under ¶¶ 3-801.11(C)(1) and (2), the FOOD ESTABLISHMENT serves a population that is not a HIGHLY SUSCEPTIBLE POPULATION;*
- (2) *The FOOD, if served or offered for service by CONSUMER selection from a children's menu, does not contain COMMINUTED MEAT; ^{Pf} and*
- (3) *The CONSUMER is informed as specified under § 3-603.11 that to ensure its safety, the FOOD should be cooked as specified under ¶ (A) or (B) of this section; or*
- (4) *The REGULATORY AUTHORITY grants a VARIANCE from ¶ (A) or (B) of this section as specified in § 8-103.10 based on a HACCP PLAN that:*

- (a) *Is submitted by the LICENSEE and APPROVED as specified under § 8-103.11,*
- (b) *Documents scientific data or other information showing that a lesser time and temperature regimen results in a safe FOOD, and*
- (c) *Verifies that EQUIPMENT and procedures for FOOD preparation and training of FOOD EMPLOYEES at the FOOD ESTABLISHMENT meet the conditions of the VARIANCE.*

3-401.12 Microwave Cooking.

Raw animal FOODS cooked in a microwave oven shall be:

- (A) Rotated or stirred throughout or midway during cooking to compensate for uneven distribution of heat;
- (B) Covered to retain surface moisture;
- (C) Heated to a temperature of at least 74°C (165°F) in all parts of the FOOD; ^P and
- (D) Allowed to stand covered for 2 minutes after cooking to obtain temperature equilibrium.

3-401.13 Plant Food Cooking for Hot Holding.

Plant FOODS that are cooked for hot holding shall be cooked to a temperature of 57°C (135°F). ^{Pf}

3-401.14 Non-Continuous Cooking of Raw Animal Foods.

Raw animal FOODS that are cooked using a NON-CONTINUOUS COOKING process shall be:

- (A) Subject to an initial heating process that is no longer than sixty minutes in duration; ^P
- (B) Immediately after initial heating, cooled according to the time and temperature parameters specified for cooked TIME /TEMPERATURE CONTROL FOR SAFETY FOOD under ¶ 3-501.14(A); ^P
- (C) After cooling, held frozen or cold, as specified for TIME/TEMPERATURE CONTROL FOR SAFETY FOOD under ¶ 3-501.16(A)(2); ^P
- (D) Prior to sale or service, cooked using a process that heats all parts of the FOOD to a temperature and for a time as specified under ¶¶3-401.11 (A)-(C); ^P
- (E) Cooled according to the time and temperature parameters specified for cooked TIME /TEMPERATURE CONTROL FOR SAFETY FOOD under ¶ 3-501.14(A) if not either hot held as specified under ¶3-501.16(A), served immediately, or held using time as a public health control as specified under §3-501.19 after complete cooking; ^P and
- (F) Prepared and stored according to written procedures that:
 - (1) Have obtained prior written APPROVAL from the REGULATORY AUTHORITY; ^{Pf}
 - (2) Are maintained in the FOOD ESTABLISHMENT and are available to the REGULATORY AUTHORITY upon request; ^{Pf}

- (3) Describe how the requirements specified under ¶ (A)-(E) of this Section are to be monitored and documented by the LICENSEE and the corrective actions to be taken if the requirements are not met; ^{Pf}
- (4) Describe how the FOODS, after initial heating, but prior to complete cooking, are to be marked or otherwise identified as FOODS that must be cooked as specified under ¶ (D) of this section prior to being offered for sale or service; ^{Pf} and
- (5) Describe how the FOODS, after initial heating but prior to cooking as specified under ¶(D) of this section, are to be separated from READY-TO- EAT FOODS as specified under ¶ 3-302.11 (A). ^{Pf}

Freezing

3-402.11 Parasite Destruction.

(A) *Except as specified in ¶ (B) of this section, before service or sale in READY-TO-EAT form, raw, raw-marinated, partially cooked, or marinated-partially cooked FISH shall be:*

- (1) Frozen and stored at a temperature of -20°C (-4°F) or below for a minimum of 168 hours (7 days) in a freezer; ^P
- (2) Frozen at -35°C (-31°F) or below until solid and stored at -35°C (-31°F) or below for a minimum of 15 hours; ^P or
- (3) Frozen at -35°C (-31°F) or below until solid and stored at -20°C (-4°F) or below for a minimum of 24 hours. ^P

(B) *Paragraph (A) of this section does not apply to:*

- (1) *MOLLUSCAN SHELLFISH;*
- (2) *A scallop product consisting only of the shucked adductor muscle;*
- (3) *Tuna of the species Thunnus alalunga, Thunnus albacares (Yellowfin tuna), Thunnus atlanticus, Thunnus maccoyii (Bluefin tuna, Southern), Thunnus obesus (Bigeye tuna), or Thunnus thynnus (Bluefin tuna, Northern); or*
- (4) *Aquacultured FISH, such as salmon, that:*
 - (a) *If raised in open water, are raised in net-pens, or*
 - (b) *Are raised in land-based operations such as ponds or tanks, and*
 - (c) *Are fed formulated feed, such as pellets, that contains no live parasites infective to the aquacultured FISH.*
- (5) *FISH eggs that have been removed from the skein and rinsed.*

3-402.12 Records, Creation and Retention.

(A) *Except as specified in ¶ 3-402.11(B) and ¶ (B) of this section, if raw, raw-marinated, partially cooked, or marinated-partially cooked FISH are served or sold in READY-TO-EAT form, the PERSON IN CHARGE shall record the freezing temperature and time to which the FISH are subjected and shall retain the records of the FOOD ESTABLISHMENT for 90 calendar days beyond the time of service or sale of the FISH. ^{Pf}*

(B) *If the FISH are frozen by a supplier, a written agreement or statement from the supplier stipulating that the FISH supplied are frozen to a temperature and for a time specified under § 3-402.11 may substitute for the records specified under ¶ (A) of this section.*

(C) If raw, raw-marinated, partially cooked, or marinated-partially cooked FISH are served or sold in READY-TO-EAT form, and the FISH are raised and fed as specified in Subparagraph 3-402.11(B)(4), a written agreement or statement from the supplier or aquaculturist stipulating that the FISH were raised and fed as specified in Subparagraph 3-402.11(B)(4) shall be obtained by the PERSON IN CHARGE and retained in the records of the FOOD ESTABLISHMENT for 90 calendar days beyond the time of service or sale of the FISH. ^{Pf}

3-403.10 Preparation for Immediate Service.

Cooked and refrigerated FOOD that is prepared for immediate service in response to an individual CONSUMER order, such as a roast beef sandwich au jus, may be served at any temperature.

Reheating

3-403.11 Reheating for Hot Holding.

(A) *Except as specified under ¶¶ (B) and (C) and in ¶ (E) of this section, TIME/TEMPERATURE CONTROL FOR SAFETY FOOD that is cooked, cooled, and reheated for hot holding shall be reheated so that all parts of the FOOD reach a temperature of at least 74°C (165°F) for 15 seconds.* ^P

(B) *Except as specified under ¶ (C) of this section, TIME/TEMPERATURE CONTROL FOR SAFETY FOOD reheated in a microwave oven for hot holding shall be reheated so that all parts of the FOOD reach a temperature of at least 74°C (165°F) and the FOOD is rotated or stirred, covered, and allowed to stand covered for 2 minutes after reheating.* ^P

(C) READY-TO-EAT FOOD taken from a commercially processed, HERMETICALLY SEALED CONTAINER, or from an intact PACKAGE from a FOOD PROCESSING PLANT that is inspected by the FOOD regulatory agency that has jurisdiction over the plant, shall be heated to a temperature of at least 57°C (135°F) for hot holding. ^P

(D) Reheating for hot holding as specified under ¶¶ (A) - (C) of this section shall be done rapidly and the time the FOOD is between 5°C (41°F) and the temperatures specified under ¶¶ (A) - (C) of this section may not exceed 2 hours. ^P

(E) *Remaining unsliced portions of MEAT roasts that are cooked as specified under ¶ 3-401.11(B) may be reheated for hot holding using the oven parameters and minimum time and temperature conditions specified under ¶ 3-401.11(B).*

Other Methods

3-404.11 Treating Juice.

JUICE PACKAGED in a FOOD ESTABLISHMENT shall be:

- (A) Treated under a HACCP PLAN as specified in §8-201.14 to attain a 5-log reduction, which is equal to a 99.999% reduction, of the most resistant microorganism of public health significance; ^P or
- (B) Labeled, if not treated to yield a 5-log reduction of the most resistant microorganism of public health significance: ^{Pf}
 - (1) As specified under § 3-602.11, ^{Pf} and
 - (2) As specified in 21 CFR 101.17(g) Food labeling, warning, notice, and safe handling statements, JUICES that have not been specifically processed to prevent, reduce, or eliminate the presence of pathogens with the following, "WARNING: This product has not been pasteurized and, therefore, may contain harmful bacteria that can cause serious illness in children, the elderly, and persons with weakened immune systems." ^P

3-5 Limitation of Growth of Organisms of Public Health Concern

Subparts

- 3-501 Temperature and Time Control**
- 3-502 Specialized Processing Methods**

Temperature and Time Control

3-501.11 Frozen Food.

Stored frozen FOODS shall be maintained frozen.

3-501.12 Time/Temperature Control for Safety Food, Slacking.

Frozen TIME/TEMPERATURE CONTROL FOR SAFETY FOOD that is slacked to moderate the temperature shall be held:

- (A) Under refrigeration that maintains the FOOD temperature at 5°C (41°F) or less; or
- (B) At any temperature if the FOOD remains frozen.

3-501.13 Thawing.

Except as specified in ¶ (D) of this section, TIME/TEMPERATURE CONTROL FOR SAFETY FOOD shall be thawed:

- (A) Under refrigeration that maintains the FOOD temperature at 5°C (41°F) or less;
- (B) Completely submerged under running water:

- (1) At a water temperature of 21°C (70°F) or below,
- (2) With sufficient water velocity to agitate and float off loose particles in an overflow, and
- (3) For a period of time that does not allow thawed portions of READY-TO-EAT FOOD to rise above 5°C (41°F), or
- (4) For a period of time that does not allow thawed portions of a raw animal FOOD requiring cooking as specified under ¶ 3-401.11(A) or (B) to be above 5°C (41°F), for more than 4 hours including:
 - (a) The time the FOOD is exposed to the running water and the time needed for preparation for cooking, or
 - (b) The time it takes under refrigeration to lower the FOOD temperature to 5°C (41°F);
- (C) As part of a cooking process if the FOOD that is frozen is:
 - (1) Cooked as specified under ¶¶ 3-401.11(A) or (B) or § 3-401.12, or
 - (2) Thawed in a microwave oven and immediately transferred to conventional cooking EQUIPMENT, with no interruption in the process; or
- (D) *Using any procedure if a portion of frozen READY-TO-EAT FOOD is thawed and prepared for immediate service in response to an individual CONSUMER'S order.*
- (E) REDUCED OXYGEN PACKAGED FISH that bears a label indicating that it is to be kept frozen until time of use shall be removed from the reduced oxygen environment:
 - (1) Prior to its thawing under refrigeration as specified in ¶(A) of this section; or
 - (2) Prior to, or immediately upon completion of, its thawing using procedures specified in ¶(B) of this section.

3-501.14 Cooling.

- (A) Cooked TIME/TEMPERATURE CONTROL FOR SAFETY FOOD shall be cooled:
 - (1) Within 2 hours from 57°C (135°F) to 21°C (70°F);^P and
 - (2) Within a total of 6 hours from 57°C (135°F) to 5°C (41°F) or less.^P
- (B) TIME/TEMPERATURE CONTROL FOR SAFETY FOOD shall be cooled within 4 hours to 5°C (41°F) or less if prepared from ingredients at ambient temperature, such as reconstituted FOODS and canned tuna.^P
- (C) *Except as specified under ¶ (D) of this section,* a TIME/TEMPERATURE CONTROL FOR SAFETY FOOD received in compliance with LAWS allowing a temperature above 5°C (41°F) during shipment from the supplier as specified in ¶ 3-202.11(B), shall be cooled within 4 hours to 5°C (41°F) or less.^P
- (D) Raw EGGS shall be received as specified under ¶ 3-202.11(C) and immediately placed in refrigerated EQUIPMENT that maintains an ambient air temperature of 7°C (45°F) or less.^P

3-501.15 Cooling Methods.

(A) Cooling shall be accomplished in accordance with the time and temperature criteria specified under § 3-501.14 by using one or more of the following methods based on the type of FOOD being cooled:

- (1) Placing the FOOD in shallow pans; ^{Pf}
- (2) Separating the FOOD into smaller or thinner portions; ^{Pf}
- (3) Using rapid cooling EQUIPMENT; ^{Pf}
- (4) Stirring the FOOD in a container placed in an ice water bath; ^{Pf}
- (5) Using containers that facilitate heat transfer; ^{Pf}
- (6) Adding ice as an ingredient; ^{Pf} or
- (7) Other effective methods. ^{Pf}

(B) When placed in cooling or cold holding EQUIPMENT, FOOD containers in which FOOD is being cooled shall be:

- (1) Arranged in the EQUIPMENT to provide maximum heat transfer through the container walls; and
- (2) Loosely covered, or uncovered if protected from overhead contamination as specified under Subparagraph 3-305.11(A)(2), during the cooling period to facilitate heat transfer from the surface of the FOOD.

3-501.16 Time/Temperature Control for Safety Food, Hot and Cold Holding.

(A) *Except during preparation, cooking, or cooling, or when time is used as the public health control as specified under §3-501.19, and except as specified under ¶ (B) and in ¶ (C) of this section, TIME/TEMPERATURE CONTROL FOR SAFETY FOOD shall be maintained:*

- (1) *At 57°C (135°F) or above, except that roasts cooked to a temperature and for a time specified in ¶ 3-401.11(B) or reheated as specified in ¶ 3-403.11(E) may be held at a temperature of 54°C (130°F) or above; ^P or*
- (2) *At 5°C (41°F) or less. ^P*

(B) EGGS that have not been treated to destroy all viable *Salmonellae* shall be stored in refrigerated EQUIPMENT that maintains an ambient air temperature of 7°C (45°F) or less. ^P

(C) *TIME/TEMPERATURE CONTROL FOR SAFETY FOOD in a homogenous liquid form may be maintained outside of the temperature control requirements, as specified under ¶ (A) of this section, while contained within specially designed EQUIPMENT that complies with the design and construction requirements as specified under ¶ 4-204.13(E).*

3-501.17 Ready-to-Eat, Time/Temperature Control for Safety Food, Date Marking.

on-premises preparation – *prepare and hold cold*

(A) *Except when PACKAGING FOOD using a REDUCED OXYGEN PACKAGING method as specified under § 3-502.12, and except as specified in ¶¶ (D) and (E) of this section, refrigerated, READY-TO-EAT, TIME/TEMPERATURE CONTROL FOR SAFETY FOOD prepared and held in a FOOD ESTABLISHMENT for more than 24 hours shall be clearly marked to indicate the date or day by which the FOOD shall be consumed on the PREMISES, sold, or discarded when held at a temperature of 5°C (41°F) or less for a maximum of 7 days. The day of preparation shall be counted as Day 1.* ^{Pf}

commercially processed food – *open and hold cold*

(B) *Except as specified in ¶¶ (E) - (G) of this section, refrigerated, READY-TO-EAT, TIME/TEMPERATURE CONTROL FOR SAFETY FOOD prepared and PACKAGED by a FOOD PROCESSING PLANT shall be clearly marked, at the time the original container is opened in a FOOD ESTABLISHMENT and if the FOOD is held for more than 24 hours, to indicate the date or day by which the FOOD shall be consumed on the PREMISES, sold, or discarded, when held at a temperature of 5°C (41°F) or less for a maximum of 7 days and:* ^{Pf}

(1) *The day the original container is opened in the FOOD ESTABLISHMENT shall be counted as Day 1;* ^{Pf} and

(2) *The day or date marked by the FOOD ESTABLISHMENT may not exceed a manufacturer's use-by date if the manufacturer determined the use-by date based on FOOD safety.* ^{Pf}

(C) *A refrigerated, READY-TO-EAT, TIME/TEMPERATURE CONTROL FOR SAFETY FOOD ingredient or a portion of a refrigerated, READY-TO-EAT, TIME/TEMPERATURE CONTROL FOR SAFETY FOOD that is subsequently combined with additional ingredients or portions of FOOD shall retain the date marking of the earliest-prepared or first-prepared ingredient.* ^{Pf}

(D) *A date marking system that meets the criteria stated in ¶¶ (A) and (B) of this section may include:*

(1) *Using a method APPROVED by the REGULATORY AUTHORITY for refrigerated, READY-TO-EAT, TIME/TEMPERATURE CONTROL FOR SAFETY FOOD that is frequently rewrapped, such as lunchmeat or a roast, or for which date marking is impractical, such as soft serve mix or milk in a dispensing machine;*

(2) *Marking the date or day of preparation, with a procedure to discard the FOOD on or before the last date or day by which the FOOD must be consumed on the premises, sold, or discarded as specified under ¶ (A) of this section;*

(3) *Marking the date or day the original container is opened in a FOOD ESTABLISHMENT, with a procedure to discard the FOOD on or before the last date or day by which the FOOD must be consumed on the premises, sold, or discarded as specified under ¶ (B) of this section; or*

(4) *Using calendar dates, days of the week, color-coded marks, or other effective marking methods, provided that the marking system is disclosed to the REGULATORY AUTHORITY upon request.*

(E) *Paragraphs (A) and (B) of this section do not apply to individual meal portions served or REPACKAGED for sale from a bulk container upon a consumer's request.*

(F) *Paragraphs (A) and (B) of this section do not apply to SHELLSTOCK.*

(G) *Paragraph (B) of this section does not apply to the following FOODS prepared and PACKAGED by a FOOD PROCESSING PLANT inspected by a regulatory agency:*

- (1) *Deli salads, such as ham salad, seafood salad, chicken salad, egg salad, pasta salad, potato salad, and macaroni salad, manufactured in accordance with 21 CFR 110 Current good manufacturing practice in manufacturing, packing, or holding human food;*
- (2) *Hard cheeses containing not more than 39% moisture as defined in 21 CFR 133 Cheeses and related cheese products, such as cheddar, gruyere, parmesan and reggiano, and romano;*
- (3) *Semi-soft cheeses containing more than 39% moisture, but not more than 50% moisture, as defined in 21 CFR 133 Cheeses and related cheese products, such as blue, edam, gorgonzola, gouda, and monterey jack;*
- (4) *Cultured dairy products as defined in 21 CFR 131 Milk and cream, such as yogurt, sour cream, and buttermilk;*
- (5) *Preserved FISH products, such as pickled herring and dried or salted cod, and other acidified FISH products defined in 21 CFR 114 Acidified foods;*
- (6) *Shelf stable, dry fermented sausages, such as pepperoni and Genoa salami; and*
- (7) *Shelf stable salt-cured products such as prosciutto and Parma (ham).*

3-501.18 Ready-to-Eat, Time/Temperature Control for Safety Food, Disposition.

- (A) A FOOD specified in ¶ 3-501.17(A) or (B) shall be discarded if it:
- (1) Exceeds the temperature and time combination specified in ¶ 3-501.17(A), *except time that the product is frozen;*^P
 - (2) Is in a container or PACKAGE that does not bear a date or day;^P or
 - (3) Is inappropriately marked with a date or day that exceeds a temperature and time combination as specified in ¶ 3-501.17(A).^P
- (B) Refrigerated, READY-TO-EAT, TIME/TEMPERATURE CONTROL FOR SAFETY FOOD prepared in a FOOD ESTABLISHMENT and dispensed through a FOOD VENDING MACHINE with an automatic shutoff control shall be discarded if it exceeds a temperature and time combination specified in ¶ 3-501.17(A).^P

3-501.19 Time as a Public Health Control.

- (A) *Except as specified under ¶ (D) of this section, if time without temperature control is used as the public health control for a working supply of TIME/TEMPERATURE CONTROL FOR SAFETY FOOD before cooking, or for READY-TO-EAT, TIME/TEMPERATURE CONTROL FOR SAFETY FOOD that is displayed or held for sale or service:*
- (1) Written procedures shall be prepared in advance, maintained in the FOOD ESTABLISHMENT and made available to the REGULATORY AUTHORITY upon request that specify:^{Pf}
 - (a) Methods of compliance with Subparagraphs (B)(1) - (4) or (C)(1)-(5) of this section;^{Pf} and

(b) Methods of compliance with § 3-501.14 for FOOD that is prepared, cooked, and refrigerated before time is used as a public health control. ^{Pf}

Time – maximum up to 4 hours

(B) If time without temperature control is used as the public health control up to a maximum of 4 hours:

- (1) The FOOD shall have an initial temperature of 5°C (41°F) or less when removed from cold holding temperature control, or 57°C (135°F) or greater when removed from hot holding temperature control; ^P
- (2) The FOOD shall be marked or otherwise identified to indicate the time that is 4 hours past the point in time when the FOOD is removed from temperature control; ^{Pf}
- (3) The FOOD shall be cooked and served, served at any temperature if READY-TO-EAT, or discarded, within 4 hours from the point in time when the FOOD is removed from temperature control; ^P and
- (4) The FOOD in unmarked containers or PACKAGES or marked to exceed a 4-hour limit shall be discarded. ^P

Time – maximum up to 6 hours

(C) If time without temperature control is used as the public health control up to a maximum of 6 hours:

- (1) The FOOD shall have an initial temperature of 5°C (41°F) or less when removed from temperature control and the FOOD temperature may not exceed 21°C (70°F) within a maximum time period of 6 hours; ^P
- (2) The FOOD shall be monitored to ensure the warmest portion of the FOOD does not exceed 21°C (70°F) during the 6-hour period, *unless an ambient air temperature is maintained that ensures the FOOD does not exceed 21°C (70°F) during the 6-hour holding period;* ^{Pf}
- (3) The FOOD shall be marked or otherwise identified to indicate: ^{Pf}
 - (a) The time when the FOOD is removed from 5°C (41°F) or less cold holding temperature control, ^{Pf} and
 - (b) The time that is 6 hours past the point in time when the FOOD is removed from cold holding temperature control; ^{Pf}
- (4) The FOOD shall be:
 - (a) Discarded if the temperature of the FOOD exceeds 21°C (70°F), ^P or
 - (b) Cooked and served, served at any temperature if READY-TO-EAT, or discarded within a maximum of 6 hours from the point in time when the FOOD is removed from 5°C (41°F) or less cold holding temperature control; ^P and
- (5) The FOOD in unmarked containers or PACKAGES, or marked with a time that exceeds the 6-hour limit shall be discarded. ^P

(D) A FOOD ESTABLISHMENT that serves a HIGHLY SUSCEPTIBLE POPULATION may not use time as specified under ¶¶ (A), (B) or (C) of this section as the public health control for raw EGGS.

Specialized Processing Methods

3-502.11 Variance Requirement.

A FOOD ESTABLISHMENT shall obtain a VARIANCE from the REGULATORY AUTHORITY as specified in § 8-103.10 and under § 8-103.11 before: ^{Pf}

- (A) Smoking FOOD as a method of FOOD preservation rather than as a method of flavor enhancement; ^{Pf}
- (B) Curing FOOD; ^{Pf}
- (C) Using FOOD ADDITIVES or adding components such as vinegar: ^{Pf}
 - (1) As a method of FOOD preservation rather than as a method of flavor enhancement, ^{Pf} or
 - (2) To render a FOOD so that it is not TIME/TEMPERATURE CONTROL FOR SAFETY FOOD; ^{Pf}
- (D) Packaging a TIME/TEMPERATURE CONTROL FOR SAFETY FOOD using a REDUCED OXYGEN PACKAGING method *except where the growth of and toxin formation by **Clostridium botulinum** and the growth of **Listeria monocytogenes** are controlled as specified under § 3-502.12;* ^{Pf}
- (E) Operating a MOLLUSCAN SHELLFISH life-support system display tank used to store or display shellfish that are offered for human consumption; ^{Pf}
- (F) Custom processing animals that are for personal use as FOOD and not for sale or service in a FOOD ESTABLISHMENT; ^{Pf}
- (G) Sprouting seeds or beans; ^{Pf}
- (H) *Except when fermenting beer or wine,* fermenting FOOD; ^{Pf} or
- (I) Preparing FOOD by another method that is determined by the REGULATORY AUTHORITY to require a VARIANCE. ^{Pf}

Clostridium botulinum and Listeria Monocytogenes Controls

3-502.12 Reduced Oxygen Packaging Without a Variance, Criteria.

- (A) *Except for a FOOD ESTABLISHMENT that obtains a VARIANCE as specified under § 3-502.11,* a FOOD ESTABLISHMENT that PACKAGES TIME/TEMPERATURE CONTROL FOR SAFETY FOOD using a REDUCED OXYGEN PACKAGING method shall control the growth and toxin formation of **Clostridium botulinum** and the growth of **Listeria monocytogenes**. ^P
- (B) *Except as specified under ¶(F) of this section,* a FOOD ESTABLISHMENT that PACKAGES TIME/TEMPERATURE CONTROL FOR SAFETY FOOD using a REDUCED OXYGEN PACKAGING method shall have a HACCP PLAN that contains the information specified under ¶¶ 8-201.14 (C) and (D) and that: ^{Pf}
 - (1) Identifies the FOOD to be PACKAGED; ^{Pf}
 - (2) *Except as specified under ¶¶ (C) - (E) of this section,* requires that the PACKAGED FOOD shall be maintained at 5°C (41°F) or less and meet at least one of the following criteria: ^{Pf}
 - (a) Has an aw of 0.91 or less, ^{Pf}

- (b) Has a pH of 4.6 or less, ^{Pf}
 - (c) Is a MEAT or POULTRY product cured at a FOOD PROCESSING PLANT regulated by the USDA using substances specified in 9 CFR 424.21, Use of food ingredients and sources of radiation, and is received in an intact PACKAGE, ^{Pf} or
 - (d) Is a FOOD with a high level of competing organisms such as raw MEAT, raw POULTRY, or raw vegetables; ^{Pf}
- (3) Describes how the PACKAGE shall be prominently and conspicuously labeled on the principal display panel in bold type on a contrasting background, with instructions to: ^{Pf}
- (a) Maintain the FOOD at 5°C (41°F) or below, ^{Pf} and
 - (b) Discard the FOOD if within 30 calendar days of its PACKAGING if is not served for on-PREMISES consumption, or consumed if served or sold for off-PREMISES consumption; ^{Pf}
- (4) Limits the refrigerated shelf life to no more than 30 calendar days from PACKAGING to consumption, except the time the product is maintained frozen, or the original manufacturer's "sell by" or "use by" date, whichever occurs first; ^P
- (5) Includes operational procedures that:
- (a) Prohibit contacting READY-TO-EAT FOOD with bare hands as specified under ¶ 3-301.11(B), ^{Pf}
 - (b) Identify a designated work area and the method by which: ^{Pf}
 - (i) Physical barriers or methods of separation of raw FOODS and READY-TO-EAT FOODS minimize cross contamination, ^{Pf} and
 - (ii) Access to the processing EQUIPMENT is limited to responsible trained personnel familiar with the potential HAZARDS of the operation, ^{Pf} and
 - (c) Delineate cleaning and SANITIZATION procedures for FOOD-CONTACT SURFACES; ^{Pf} and
- (6) Describes the training program that ensures that the individual responsible for the REDUCED OXYGEN PACKAGING operation understands the: ^{Pf}
- (a) Concepts required for a safe operation, ^{Pf}
 - (b) EQUIPMENT and facilities, ^{Pf} and
 - (c) Procedures specified under Subparagraph (B)(5) of this section and ¶¶ 8-201.14(C) and (D). ^{Pf}

Fish

(C) *Except for FISH that is frozen before, during, and after PACKAGING and bears a label indicating that it is to be kept frozen until time of use, a FOOD ESTABLISHMENT may not PACKAGE FISH using a REDUCED OXYGEN PACKAGING method.* ^P

Cook-Chill or Sous Vide

(D) *Except as specified under ¶(C) and (F) of this section, a FOOD ESTABLISHMENT that PACKAGES TIME/TEMPERATURE CONTROL FOR SAFETY FOOD using a cook-chill or sous vide process shall:*

- (1) Provide to the REGULATORY AUTHORITY documentation of the prior implementation of, a HACCP PLAN that contains the information as specified under ¶¶ 8-201.14(C) and (D);^{Pf}
- (2) Ensure the FOOD is:
 - (a) Prepared and consumed on the PREMISES, or prepared and consumed off the PREMISES but within the same BUSINESS ENTITY with no distribution or sale of the PACKAGED product to another BUSINESS ENTITY or the CONSUMER,^{Pf}
 - (b) Cooked to heat all parts of the FOOD to a temperature and for a time as specified under ¶¶ 3-401.11(A), (B), and (C),^P
 - (c) Protected from contamination before and after cooking as specified under Parts 3-3 and 3-4,^P
 - (d) Placed in a PACKAGE with an oxygen barrier and sealed before cooking, or placed in a PACKAGE and sealed immediately after cooking and before reaching a temperature below 57°C (135°F),^P
 - (e) Cooled to 5°C (41°F) in the sealed PACKAGE or bag as specified under § 3-501.14 and subsequently:^P
 - (i) Cooled to 1°C (34°F) within 48 hours of reaching 5°C (41°F) and held at that temperature until consumed or discarded within 30 days after the date of PACKAGING;^P
 - (ii) Held at 5°C (41°F) or less for no more than 7 days, at which time the FOOD must be consumed or discarded;^P or
 - (iii) Held frozen with no shelf life restriction while frozen until consumed or used.^P
 - (f) Held in a refrigeration unit that is equipped with an electronic system that continuously monitors time and temperature and is visually examined for proper operation twice daily,^{Pf}
 - (g) If transported off-site to a satellite location of the same BUSINESS ENTITY, equipped with verifiable electronic monitoring devices to ensure that times and temperatures are monitored during transportation,^{Pf} and
 - (h) Labeled with the product name and the date PACKAGED;^{Pf} and
- (3) Maintain the records required to confirm that cooling and cold holding refrigeration time/temperature parameters are required as part of the HACCP PLAN and:
 - (a) Make such records available to the REGULATORY AUTHORITY upon request,^{Pf} and
 - (b) Hold such records for at least 6 months;^{Pf} and

(4) Implement written operational procedures as specified under Subparagraph (B)(5) of this section and a training program as specified under Subparagraph (B)(6) of this section. ^{Pf}

Cheese

(E) *Except as specified under ¶(F) of this section, a FOOD ESTABLISHMENT that PACKAGES cheese using a REDUCED OXYGEN PACKAGING method shall:*

(1) Limit the cheeses PACKAGED to those that are commercially manufactured in a FOOD PROCESSING PLANT with no ingredients added in the FOOD ESTABLISHMENT and that meet the Standards of Identity as specified in 21 CFR 133.150 Hard cheeses, 21 CFR 133.169 Pasteurized process cheese or 21 CFR 133.187 Semisoft cheeses; ^P

(2) Have a HACCP PLAN that contains the information specified under ¶¶ 8-201.14(C) and (D) and as specified under Subparagraphs (B)(1), (B)(3)(a), (B)(5) and (B)(6) of this section; ^{Pf}

(3) Labels the PACKAGE on the principal display panel with a "use by" date that does not exceed 30 days from its packaging or the original manufacturer's "sell by" or "use by" date, whichever occurs first; ^{Pf} and

(4) Discards the REDUCED OXYGEN PACKAGED cheese if it is not sold for off- PREMISES consumption or consumed within 30 calendar days of its PACKAGING. ^{Pf}

(F) *A HACCP PLAN is not required when a FOOD ESTABLISHMENT uses a REDUCED OXYGEN PACKAGING method to PACKAGE TIME/TEMPERATURE CONTROL FOR SAFETY FOOD that is always:*

(1) *Labeled with the production time and date;*

(2) *Held at 5°C (41°F) or less during refrigerated storage; and*

(3) *Removed from its PACKAGE in the FOOD ESTABLISHMENT within 48 hours after PACKAGING.*

3-6 Food Identity, Presentation, and On-premises Labeling

Subparts

3-601 Accurate Representation

3-602 Labeling

3-603 Consumer Advisory

Accurate Representation

3-601.11 Standards of Identity.

PACKAGED FOOD shall comply with standard of identity requirements in 21 CFR 131-169 and 9 CFR 319 Definitions and standards of identity or composition, and the general requirements in 21 CFR 130 – Food Standards: General and 9 CFR 319 Subpart A – General.

3-601.12 Honestly Presented.

(A) FOOD shall be offered for human consumption in a way that does not mislead or misinform the CONSUMER.

(B) FOOD or COLOR ADDITIVES, colored overwraps, or lights may not be used to misrepresent the true appearance, color, or quality of a FOOD.

Labeling

3-602.11 Food Labels.

(A) FOOD PACKAGED in a FOOD ESTABLISHMENT, shall be labeled as specified in LAW, including 21 CFR 101 - Food labeling, and 9 CFR 317 Labeling, marking devices, and containers or the equivalent information shall be provided to the consumer in the form of pamphlet, booklet, or similar written form upon request of the CONSUMER.

(B) Label information shall include:

(1) The common name of the FOOD, or absent a common name, an adequately descriptive identity statement;

(2) If made from two or more ingredients, a list of ingredients in descending order of predominance by weight, including a declaration of artificial color or flavor and chemical preservatives, if contained in the FOOD;

(3) An accurate declaration of the quantity of contents;

(4) The name and place of business of the manufacturer, packer, or distributor; and

(5) The name of the FOOD source for each MAJOR FOOD ALLERGEN contained in the FOOD unless the FOOD source is already part of the common or usual name of the respective ingredient. ^{Pf}

(6) *Except as exempted in the Federal Food, Drug, and Cosmetic Act §403(q)(3) - (5), nutrition labeling as specified in 21 CFR 101 - Food Labeling and 9 CFR 317 Subpart B Nutrition Labeling.*

(7) For any salmonid FISH containing canthaxanthin or astaxanthin as a COLOR ADDITIVE, the labeling of the bulk FISH container, including a list of ingredients, displayed on the retail container or by other written means, such as a counter card, that discloses the use of canthaxanthin or astaxanthin.

(C) Bulk FOOD that is available for CONSUMER self-dispensing shall be prominently labeled with the following information in plain view of the CONSUMER:

(1) The manufacturer's or processor's label that was provided with the FOOD;
or

(2) A card, sign, or other method of notification that includes the information specified under Subparagraphs (B)(1), (2), (5), and (6) of this section.

(D) *Bulk, unPACKAGED FOODS, such as bakery products and unPACKAGED FOODS that are portioned to CONSUMER specification, need not be labeled if:*

(1) *A health, nutrient content, or other claim is not made;*

(2) *There are no state or local LAWS requiring labeling; and*

(3) *The FOOD is manufactured or prepared on the PREMISES of the FOOD ESTABLISHMENT or at another FOOD ESTABLISHMENT or a FOOD PROCESSING PLANT that is owned by the same PERSON and is regulated by the FOOD regulatory agency that has jurisdiction.*

3-602.12 Other Forms of Information.

(A) If required by LAW, CONSUMER warnings shall be provided.

(B) FOOD ESTABLISHMENT or manufacturers' dating information on FOODS may not be concealed or altered.

Consumer Advisory

3-603.11 Consumption of Animal Foods that are Raw, Undercooked, or Not Otherwise Processed to Eliminate Pathogens.

(A) *Except as specified in ¶ 3-401.11(C) and Subparagraph 3-401.11(D)(4) and under ¶ 3-801.11(C), if an animal FOOD such as beef, EGGS, FISH, lamb, milk, pork, POULTRY, or shellfish is served or sold raw, undercooked, or without otherwise being processed to eliminate pathogens, either in READY-TO-EAT form or as an ingredient in another READY-TO-EAT FOOD, the LICENSEE shall inform CONSUMERS of the significantly increased RISK of consuming such FOODS by way of a DISCLOSURE and REMINDER, as specified in ¶¶ (B) and (C) of this section using brochures, deli case or menu advisories, label statements, table tents, placards, or other effective written means. Pf*

(B) DISCLOSURE shall include:

(1) A description of the animal-derived FOODS, such as "oysters on the half shell (raw oysters)," "raw-EGG Caesar salad," and "hamburgers (can be cooked to order)";^{Pf} or

- (2) Identification of the animal-derived FOODS by asterisking them to a footnote that states that the items are served raw or undercooked, or contain (or may contain) raw or undercooked ingredients. ^{Pf}
- (C) REMINDER shall include asterisking the animal-derived FOODS requiring DISCLOSURE to a footnote that states:
 - (1) Regarding the safety of these items, written information is available upon request; ^{Pf}
 - (2) Consuming raw or undercooked MEATS, POULTRY, seafood, shellfish, or EGGS may increase your RISK of foodborne illness; ^{Pf} or
 - (3) Consuming raw or undercooked MEATS, POULTRY, seafood, shellfish, or EGGS may increase your RISK of foodborne illness, especially if you have certain medical conditions. ^{Pf}

3-7 Contaminated Food

Subparts

3-701 Disposition

Disposition

3-701.11 Discarding or Reconditioning Unsafe, Adulterated, or Contaminated Food.

- (A) A FOOD that is unsafe, ADULTERATED, or not honestly presented as specified under § 3-101.11 shall be discarded or reconditioned according to an APPROVED procedure. ^P
- (B) FOOD that is not from an APPROVED source as specified under §§ 3-201.11 - .17 shall be discarded. ^P
- (C) READY-TO-EAT FOOD that may have been contaminated by an EMPLOYEE who has been RESTRICTED or EXCLUDED as specified under § 2-201.12 shall be discarded. ^P
- (D) FOOD that is contaminated by FOOD EMPLOYEES, CONSUMERS, or other PERSONS through contact with their hands, bodily discharges, such as nasal or oral discharges, or other means shall be discarded. ^P

3-8 Special Requirements for Highly Susceptible Populations

Subparts

3-801 Additional Safeguards

Additional Safeguards

3-801.11 Pasteurized Foods, Prohibited Re-Service, and Prohibited Food.

In a FOOD ESTABLISHMENT that serves a HIGHLY SUSCEPTIBLE POPULATION:

- (A) The following criteria apply to JUICE:
 - (1) For the purposes of this paragraph only, children who are age 9 or less and receive FOOD in a school, day care setting, or similar facility that provides custodial care are included as HIGHLY SUSCEPTIBLE POPULATIONS;
 - (2) PrePACKAGED JUICE or a prePACKAGED BEVERAGE containing JUICE, that bears a warning label as specified in 21 CFR, 101.17(g) Food labeling, warning, notice, and safe handling statements, Juices that have not been specifically processed to prevent, reduce, or eliminate the presence of pathogens, or a PACKAGED JUICE or BEVERAGE containing JUICE, that bears a warning label as specified under ¶ 3-404.11(B) may not be served or offered for sale; ^P and
 - (3) UnPACKAGED JUICE that is prepared on the premises for service or sale in a READY-TO-EAT form shall be processed under a HACCP PLAN that contains the information specified under ¶¶ 8-201.14(C) - (E) and as specified in 21 CFR Part 120 – Hazard Analysis and Critical Control Point (HACCP) Systems, Subpart B Pathogen Reduction, 120.24 Process controls. ^P
- (B) Pasteurized EGGS or EGG PRODUCTS shall be substituted for raw EGGS in the preparation of: ^P
 - (1) FOODS such as Caesar salad, hollandaise or Béarnaise sauce, mayonnaise, meringue, EGGnog, ice cream, and EGG-fortified BEVERAGES, ^P and
 - (2) *Except as specified in ¶ (F) of this section*, recipes in which more than one EGG is broken and the EGGS are combined; ^P
- (C) The following FOODS may not be served or offered for sale in a READY-TO-EAT form: ^P
 - (1) Raw animal FOODS such as raw FISH, raw-marinated FISH, raw MOLLUSCAN SHELLFISH, and steak tartare, ^P
 - (2) A partially cooked animal FOOD such as lightly cooked FISH, rare MEAT, soft-cooked EGGS that are made from raw EGGS, and meringue; ^P and
 - (3) Raw seed sprouts. ^P
- (D) FOOD EMPLOYEES may not contact READY-TO-EAT FOOD as specified under ¶¶ 3-301.11(B) and (D). ^P
- (E) Time only, as the public health control as specified under ¶ 3-501.19(D), may not be used for raw EGGS. ^P

- (F) *Subparagraph (B)(2) of this section does not apply if:*
- (1) *The raw EGGS are combined immediately before cooking for one CONSUMER'S serving at a single meal, cooked as specified under Subparagraph 3-401.11(A)(1), and served immediately, such as an omelet, soufflé, or scrambled EGGS;*
 - (2) *The raw EGGS are combined as an ingredient immediately before baking and the EGGS are thoroughly cooked to a READY-TO-EAT form, such as a cake, muffin, or bread; or*
 - (3) *The preparation of the food is conducted under a HACCP PLAN that:*
 - (a) *Identifies the FOOD to be prepared,*
 - (b) *Prohibits contacting READY-TO-EAT FOOD with bare hands,*
 - (c) *Includes specifications and practices that ensure:*
 - (i) ***Salmonella Enteritidis** growth is controlled before and after cooking, and*
 - (ii) ***Salmonella Enteritidis** is destroyed by cooking the EGGS according to the temperature and time specified in Subparagraph 3-401.11(A)(2),*
 - (d) *Contains the information specified under ¶ 8-201.14(D) including procedures that:*
 - (i) *Control cross contamination of READY-TO-EAT FOOD with raw EGGS, and*
 - (ii) *Delineate cleaning and SANITIZATION procedures for FOOD-CONTACT SURFACES, and*
 - (e) *Describes the training program that ensures that the FOOD EMPLOYEE responsible for the preparation of the FOOD understands the procedures to be used.*

Re-service of Food

- (G) *Except as specified in paragraph (H) of this section, FOOD may be re-served as specified under Subparagraph 3-306.14(B)(1) and (2).*

Prohibited Re-service of Food

- (H) *FOOD may not be re-served under the following conditions:*
- (1) *Any FOOD served to patients or clients who are under contact precautions in medical isolation or quarantine, or protective environment isolation may not be re-served to others outside.*
 - (2) *Packages of FOOD from any patients, clients, or other CONSUMERS should not be re-served to PERSONS in protective environment isolation.*

Chapter 4 - Equipment, Utensils, and Linens

Parts

- 4-1 MATERIALS FOR CONSTRUCTION AND REPAIR
- 4-2 DESIGN AND CONSTRUCTION
- 4-3 NUMBERS AND CAPACITIES
- 4-4 LOCATION AND INSTALLATION
- 4-5 MAINTENANCE AND OPERATION
- 4-6 CLEANING OF EQUIPMENT AND UTENSILS
- 4-7 SANITIZATION OF EQUIPMENT AND UTENSILS
- 4-8 LAUNDERING
- 4-9 PROTECTION OF CLEAN ITEMS

4-1 Materials for Construction and Repair

Subparts

- 4-101 Multiuse
- 4-102 Single-Service and Single-Use

Multiuse

4-101.11 Characteristics.

Materials that are used in the construction of UTENSILS and FOOD-CONTACT SURFACES OF EQUIPMENT may not allow the migration of deleterious substances or impart colors, odors, or tastes to FOOD and under normal use conditions shall be: ^P

- (A) Safe; ^P
- (B) Durable, CORROSION-RESISTANT, and nonabsorbent;
- (C) Sufficient in weight and thickness to withstand repeated WAREWASHING;
- (D) Finished to have a SMOOTH, EASILY CLEANABLE surface; and
- (E) Resistant to pitting, chipping, crazing, scratching, scoring, distortion, and decomposition.

4-101.12 Cast Iron, Use Limitation.

- (A) *Except as specified in ¶¶ (B) and (C) of this section, cast iron may not be used for UTENSILS or FOOD-CONTACT SURFACES of EQUIPMENT.*
- (B) *Cast iron may be used as a surface for cooking.*

(C) *Cast iron may be used in UTENSILS for serving FOOD if the UTENSILS are used only as part of an uninterrupted process from cooking through service.*

4-101.13 Lead, Use Limitation.

(A) Ceramic, china, and crystal UTENSILS, and decorative UTENSILS such as hand painted ceramic or china that are used in contact with FOOD shall be lead-free or contain levels of lead not exceeding the limits of the following UTENSIL categories: ^P

UTENSIL Category	Ceramic Article Description	Maximum Lead mg/L
Beverage Mugs, Cups, Pitchers	Coffee Mugs	0.5
Large Hollowware (excluding pitchers)	Bowls \geq 1.1 Liter (1.16 Quart)	1
Small Hollowware (excluding cups & mugs)	Bowls $<$ 1.1 Liter (1.16 Quart)	2.0
Flat TABLEWARE	Plates, Saucers	3.0

(B) Pewter alloys containing lead in excess of 0.05% may not be used as a FOOD-CONTACT SURFACE. ^P

(C) Solder and flux containing lead in excess of 0.2% may not be used as a FOOD-CONTACT SURFACE.

4-101.14 Copper, Use Limitation.

(A) *Except as specified in ¶ (B) of this section, copper and copper alloys such as brass may not be used in contact with a FOOD that has a pH below 6 such as vinegar, fruit JUICE, or wine or for a fitting or tubing installed between a backflow prevention device and a carbonator.* ^P

(B) *Copper and copper alloys may be used in contact with beer brewing ingredients that have a pH below 6 in the pre-fermentation and fermentation steps of a beer brewing operation such as a brewpub or microbrewery.*

4-101.15 Galvanized Metal, Use Limitation.

Galvanized metal may not be used for utensils or FOOD-CONTACT SURFACES of EQUIPMENT that are used in contact with acidic FOOD. ^P

4-101.16 Sponges, Use Limitation.

Sponges may not be used in contact with cleaned and SANITIZED or in-use FOOD-CONTACT SURFACES.

4-101.17 Wood, Use Limitation.

(A) *Except as specified in ¶¶ (B), (C), and (D) of this section, wood and wood wicker may not be used as a FOOD-CONTACT SURFACE.*

- (B) *Hard maple or an equivalently hard, close-grained wood may be used for:*
 - (1) *Cutting boards; cutting blocks; bakers' tables; and UTENSILS such as rolling pins, doughnut dowels, salad bowls, and chopsticks; and*
 - (2) *Wooden paddles used in confectionery operations for pressure scraping kettles when manually preparing confections at a temperature of 110°C (230°F) or above.*
- (C) *Whole, uncut, raw fruits and vegetables, and nuts in the shell may be kept in the wood shipping containers in which they were received, until the fruits, vegetables, or nuts are used.*
- (D) *If the nature of the FOOD requires removal of rinds, peels, husks, or shells before consumption, the whole, uncut, raw FOOD may be kept in:*
 - (1) *Untreated wood containers; or*
 - (2) *Treated wood containers if the containers are treated with a preservative that meets the requirements specified in 21 CFR 178.3800 Preservatives for wood.*

4-101.18 Nonstick Coatings, Use Limitation.

Multiuse KITCHENWARE such as frying pans, griddles, sauce pans, cookie sheets, and waffle bakers that have a perfluorocarbon resin coating shall be used with nonscoring or nonscratching UTENSILS and cleaning aids.

4-101.19 Nonfood-Contact Surfaces.

NonFOOD-CONTACT SURFACES of EQUIPMENT that are exposed to splash, spillage, or other FOOD soiling or that require frequent cleaning shall be constructed of a CORROSION-RESISTANT, nonabsorbent, and SMOOTH material.

Single-Service and Single-Use

4-102.11 Characteristics.

Materials that are used to make SINGLE-SERVICE and SINGLE-USE ARTICLES:

- (A) May not:
 - (1) Allow the migration of deleterious substances, P or
 - (2) Impart colors, odors, or tastes to FOOD; and
- (B) Shall be:
 - (1) Safe, P and
 - (2) Clean.

4-2 Design and Construction

Subparts

4-201	Durability and Strength	4-202	Cleanability
4-203	Accuracy		
4-204	Functionality		
4-205	Acceptability		

Durability and Strength

4-201.11 Equipment and Utensils.

EQUIPMENT and UTENSILS shall be designed and constructed to be durable and to retain their characteristic qualities under normal use conditions.

4-201.12 Food Temperature Measuring Devices.

FOOD TEMPERATURE MEASURING DEVICES may not have sensors or stems constructed of glass, *except that thermometers with glass sensors or stems that are encased in a shatterproof coating such as candy thermometers may be used.* P

Cleanability

4-202.11 Food-Contact Surfaces.

- (A) Multiuse FOOD-CONTACT SURFACES shall be:
- (1) SMOOTH; ^{Pf}
 - (2) Free of breaks, open seams, cracks, chips, inclusions, pits, and similar imperfections; ^{Pf}
 - (3) Free of sharp internal angles, corners, and crevices; ^{Pf}
 - (4) Finished to have SMOOTH welds and joints; ^{Pf} and
 - (5) *Except as specified in ¶ (B) of this section*, accessible for cleaning and inspection by one of the following methods:
 - (a) Without being disassembled, ^{Pf}
 - (b) By disassembling without the use of tools, ^{Pf} or
 - (c) By easy disassembling with the use of handheld tools commonly available to maintenance and cleaning personnel such as screwdrivers, pliers, open-end wrenches, and Allen wrenches. ^{Pf}
- (B) *Subparagraph (A)(5) of this section does not apply to cooking oil storage tanks, distribution lines for cooking oils, or BEVERAGE syrup lines or tubes.*

4-202.12 CIP Equipment.

- (A) CIP EQUIPMENT shall meet the characteristics specified under § 4-202.11 and shall

be designed and constructed so that:

- (1) Cleaning and SANITIZING solutions circulate throughout a fixed system and contact all interior FOOD-CONTACT SURFACES, *PF* and
 - (2) The system is self-draining or capable of being completely drained of cleaning and SANITIZING solutions; and
- (B) CIP EQUIPMENT that is not designed to be disassembled for cleaning shall be designed with inspection access points to ensure that all interior FOOD-CONTACT SURFACES throughout the fixed system are being effectively cleaned.

4-202.13 "V" Threads, Use Limitation.

Except for hot oil cooking or filtering EQUIPMENT, "V" type threads may not be used on FOOD-CONTACT SURFACES.

4-202.14 Hot Oil Filtering Equipment.

Hot oil filtering EQUIPMENT shall meet the characteristics specified under § 4-202.11 or § 4-202.12 and shall be readily accessible for filter replacement and cleaning of the filter.

4-202.15 Can Openers.

Cutting or piercing parts of can openers shall be readily removable for cleaning and for replacement.

4-202.16 Nonfood-Contact Surfaces.

NonFOOD-CONTACT SURFACES shall be free of unnecessary ledges, projections, and crevices, and designed and constructed to allow easy cleaning and to facilitate maintenance.

4-202.17 Kick Plates, Removable.

Kick plates shall be designed so that the areas behind them are accessible for inspection and cleaning by being:

- (A) Removable by one of the methods specified under Subparagraph 4- 202.11(A)(5) or capable of being rotated open; and
- (B) Removable or capable of being rotated open without unlocking EQUIPMENT doors.

4-202.18 Ventilation Hood Systems, Filters.

Filters or other grease extracting EQUIPMENT shall be designed to be readily removable for cleaning and replacement if not designed to be cleaned in place.

Accuracy

4-203.11 Temperature Measuring Devices, Food.

- (A) FOOD TEMPERATURE MEASURING DEVICES that are scaled only in Celsius or dually scaled in Celsius and Fahrenheit shall be accurate to $\pm 1^{\circ}\text{C}$ in the intended range of use. ^{Pf}
- (B) FOOD TEMPERATURE MEASURING DEVICES that are scaled only in Fahrenheit shall be accurate to $\pm 2^{\circ}\text{F}$ in the intended range of use. ^{Pf}

4-203.12 Temperature Measuring Devices, Ambient Air and Water.

- (A) Ambient air and water TEMPERATURE MEASURING DEVICES that are scaled in Celsius or dually scaled in Celsius and Fahrenheit shall be designed to be easily readable and accurate to $\pm 1.5^{\circ}\text{C}$ in the intended range of use. ^{Pf}
- (B) Ambient air and water TEMPERATURE MEASURING DEVICES that are scaled only in Fahrenheit shall be accurate to $\pm 3^{\circ}\text{F}$ in the intended range of use. ^{Pf}

4-203.13 Pressure Measuring Devices, Mechanical Warewashing Equipment.

Pressure measuring devices that display the pressures in the water supply line for the fresh hot water SANITIZING rinse shall have increments of 7 kilopascals (1 pound per square inch) or smaller and shall be accurate to ± 14 kilopascals (± 2 pounds per square inch) in the range indicated on the manufacturer's data plate.

Functionality

4-204.11 Ventilation Hood Systems, Drip Prevention.

Exhaust ventilation hood systems in FOOD preparation and WAREWASHING areas including components such as hoods, fans, guards, and ducting shall be designed to prevent grease or condensation from draining or dripping onto FOOD, EQUIPMENT, UTENSILS, LINENS, and SINGLE-SERVICE and SINGLE-USE ARTICLES.

4-204.12 Equipment Openings, Closures and Deflectors.

- (A) A cover or lid for EQUIPMENT shall overlap the opening and be sloped to drain.
- (B) An opening located within the top of a unit of EQUIPMENT that is designed for use with a cover or lid shall be flanged upward at least 5 millimeters (two-tenths of an inch).
- (C) *Except as specified under ¶ (D) of this section*, fixed piping, TEMPERATURE MEASURING DEVICES, rotary shafts, and other parts extending into equipment shall be provided with a watertight joint at the point where the item enters the EQUIPMENT.
- (D) If a watertight joint is not provided:
 - (1) The piping, TEMPERATURE MEASURING DEVICES, rotary shafts, and other parts extending through the openings shall be equipped with an apron designed to deflect condensation, drips, and dust from openings into the FOOD; and
 - (2) The opening shall be flanged as specified under ¶ (B) of this section.

4-204.13 Dispensing Equipment, Protection of Equipment and Food.

In EQUIPMENT that dispenses or vends liquid FOOD or ice in unPACKAGED form:

- (A) The delivery tube, chute, orifice, and splash surfaces directly above the container receiving the FOOD shall be designed in a manner, such as with barriers, baffles, or drip aprons, so that drips from condensation and splash are diverted from the opening of the container receiving the FOOD;
- (B) The delivery tube, chute, and orifice shall be protected from manual contact such as by being recessed;
- (C) The delivery tube or chute and orifice of EQUIPMENT used to vend liquid FOOD or ice in unPACKAGED form to self-service CONSUMERS shall be designed so that the delivery tube or chute and orifice are protected from dust, insects, rodents, and other contamination by a self-closing door if the EQUIPMENT is:
 - (1) Located in an outside area that does not otherwise afford the protection of an enclosure against the rain, windblown debris, insects, rodents, and other contaminants that are present in the environment, or
 - (2) Available for self-service during hours when it is not under the full-time supervision of a FOOD EMPLOYEE; and
- (D) The dispensing EQUIPMENT actuating lever or mechanism and filling device of CONSUMER self-service BEVERAGE dispensing EQUIPMENT shall be designed to prevent contact with the lip-contact surface of glasses or cups that are refilled.
- (E) Dispensing EQUIPMENT in which TIME/TEMPERATURE CONTROL FOR SAFETY FOOD in a homogenous liquid form is maintained outside of the temperature control requirements as specified under ¶ 3- 501.16(A) shall:
 - (1) be specifically designed and equipped to maintain the commercial sterility of aseptically PACKAGED FOOD in a homogenous liquid form for a specified duration from the time of opening the PACKAGING within the EQUIPMENT; P and
 - (2) conform to the requirements for this EQUIPMENT as specified in *NSF/ANSI 18-2006-Manual Food and Beverage Dispensing equipment.* ^P

4-204.14 Food Vending Machine, Vending Stage Closure.

The dispensing compartment of a FOOD VENDING MACHINE including a machine that is designed to vend prePACKAGED snack FOOD that is not TIME/TEMPERATURE CONTROL FOR SAFETY FOOD such as chips, party mixes, and pretzels shall be equipped with a self-closing door or cover if the machine is:

- (A) Located in an outside area that does not otherwise afford the protection of an enclosure against the rain, windblown debris, insects, rodents, and other contaminants that are present in the environment; or
- (B) Available for self-service during hours when it is not under the full-time supervision of a FOOD EMPLOYEE.

4-204.15 Bearings and Gear Boxes, Leakproof.

EQUIPMENT containing bearings and gears that require lubricants shall be designed and constructed so that the lubricant cannot leak, drip, or be forced into FOOD or onto FOOD-CONTACT SURFACES.

4-204.16 Beverage Tubing, Separation.

Except for cold plates that are constructed integrally with an ice storage bin, BEVERAGE tubing and cold-plate BEVERAGE cooling devices may not be installed in contact with stored ice.

4-204.17 Ice Units, Separation of Drains.

Liquid waste drain lines may not pass through an ice machine or ice storage bin.

4-204.18 Condenser Unit, Separation.

If a condenser unit is an integral component of EQUIPMENT, the condenser unit shall be separated from the FOOD and FOOD storage space by a dustproof barrier.

4-204.19 Can Openers on Food Vending Machines.

Cutting or piercing parts of can openers on FOOD VENDING MACHINES shall be protected from manual contact, dust, insects, rodents, and other contamination.

4-204.110 Molluscan Shellfish Tanks.

(A) *Except as specified under ¶ (B) of this section,* MOLLUSCAN SHELLFISH life support system display tanks may not be used to store or display shellfish that are offered for human consumption and shall be conspicuously marked so that it is obvious to the CONSUMER that the shellfish are for display only. ^P

(B) MOLLUSCAN SHELLFISH life-support system display tanks that are used to store or display shellfish that are offered for human consumption shall be operated and maintained in accordance with a variance granted by the REGULATORY AUTHORITY as specified in § 8-103.10 and a HACCP PLAN that: ^{Pf}

(1) Is submitted by the LICENSEE and APPROVED as specified under § 8-103.11; ^{Pf} and

(2) Ensures that:

(a) Water used with FISH other than MOLLUSCAN SHELLFISH does not flow into the molluscan tank, ^{Pf}

(b) The safety and quality of the shellfish as they were received are not compromised by the use of the tank, ^{Pf} and

(c) The identity of the source of the SHELLSTOCK is retained as specified under § 3-203.12. ^{Pf}

4-204.111 Food Vending Machines, Automatic Shutoff.

- (A) A machine vending TIME/TEMPERATURE CONTROL FOR SAFETY FOOD shall have an automatic control that prevents the machine from vending FOOD:
- (1) If there is a power failure, mechanical failure, or other condition that results in an internal machine temperature that cannot maintain FOOD temperatures as specified under Chapter 3; ^P and
 - (2) If a condition specified under Subparagraph (A)(1) of this section occurs, until the machine is serviced and restocked with FOOD that has been maintained at temperatures specified under Chapter 3. ^P
- (B) When the automatic shutoff within a machine vending TIME/TEMPERATURE CONTROL FOR SAFETY FOOD is activated:
- (1) In a refrigerated FOOD VENDING MACHINE, the ambient air temperature may not exceed 5°C (41°F) for more than 30 minutes immediately after the machine is filled, serviced, or restocked; ^P or
 - (2) In a hot holding FOOD VENDING MACHINE, the ambient air temperature may not be less than 57°C (135°F) for more than 120 minutes immediately after the machine is filled, serviced, or restocked. ^P

4-204.112 Temperature Measuring Devices.

- (A) In a mechanically refrigerated or hot FOOD storage unit, the sensor of a TEMPERATURE MEASURING DEVICE shall be located to measure the air temperature or a simulated product temperature in the warmest part of a mechanically refrigerated unit and in the coolest part of a hot FOOD storage unit.
- (B) *Except as specified in ¶ (C) of this section, cold or hot holding EQUIPMENT used for TIME/TEMPERATURE CONTROL FOR SAFETY FOOD shall be designed to include and shall be equipped with at least one integral or permanently affixed TEMPERATURE MEASURING DEVICE that is located to allow easy viewing of the device's temperature display.*
- (C) *Paragraph (B) of this section does not apply to EQUIPMENT for which the placement of a TEMPERATURE MEASURING DEVICE is not a practical means for measuring the ambient air surrounding the FOOD because of the design, type, and use of the EQUIPMENT, such as calorod units, heat lamps, cold plates, bainmaries, steam tables, insulated FOOD transport containers, and salad bars.*
- (D) TEMPERATURE MEASURING DEVICES shall be designed to be easily readable.
- (E) FOOD TEMPERATURE MEASURING DEVICES and water TEMPERATURE MEASURING DEVICES on WAREWASHING machines shall have a numerical scale, printed record, or digital readout in increments no greater than 1°C or 2°F in the intended range of use. ^{Pf}

4-204.113 Warewashing Machine, Data Plate Operating Specifications.

A WAREWASHING machine shall be provided with an easily accessible and readable data plate affixed to the machine by the manufacturer that indicates the machine's design and operation specifications including the:

- (A) Temperatures required for washing, rinsing, and SANITIZING;

- (B) Pressure required for the fresh water SANITIZING rinse *unless the machine is designed to use only a pumped SANITIZING rinse*; and
- (C) Conveyor speed for conveyor machines or cycle time for stationary rack machines.

4-204.114 Warewashing Machines, Internal Baffles.

WAREWASHING machine wash and rinse tanks shall be equipped with baffles, curtains, or other means to minimize internal cross contamination of the solutions in wash and rinse tanks.

4-204.115 Warewashing Machines, Temperature Measuring Devices.

A WAREWASHING machine shall be equipped with a TEMPERATURE MEASURING DEVICE that indicates the temperature of the water:

- (A) In each wash and rinse tank; ^{Pf} and
- (B) As the water enters the hot water SANITIZING final rinse manifold or in the chemical SANITIZING solution tank. ^{Pf}

4-204.116 Manual Warewashing Equipment, Heaters and Baskets.

If hot water is used for SANITIZATION in manual WAREWASHING operations, the SANITIZING compartment of the sink shall be:

- (A) Designed with an integral heating device that is capable of maintaining water at a temperature not less than 77°C (171°F); ^{Pf} and
- (B) Provided with a rack or basket to allow complete immersion of EQUIPMENT and UTENSILS into the hot water. ^{Pf}

4-204.117 Warewashing Machines, Automatic Dispensing of Detergents and Sanitizers.

A WAREWASHING machine that is installed after adoption of this Code by the REGULATORY AUTHORITY, shall be equipped to:

- (A) Automatically dispense detergents and SANITIZERS; ^{Pf} and
- (B) Incorporate a visual means to verify that detergents and SANITIZERS are delivered or a visual or audible alarm to signal if the detergents and SANITIZERS are not delivered to the respective washing and SANITIZING cycles. ^{Pf}

4-204.118 Warewashing Machines, Flow Pressure Device.

(A) WAREWASHING machines that provide a fresh hot water SANITIZING rinse shall be equipped with a pressure gauge or similar device such as a transducer that measures and displays the water pressure in the supply line immediately before entering the WAREWASHING machine; and

(B) If the flow pressure measuring device is upstream of the fresh hot water SANITIZING rinse control valve, the device shall be mounted in a 6.4 millimeter or one-fourth inch Iron Pipe Size (IPS) valve.

(C) Paragraphs (A) and (B) of this section do not apply to a machine that uses only a pumped or recirculated SANITIZING rinse.

4-204.119 Warewashing Sinks and Drainboards, Self-Draining.

Sinks and drainboards of WAREWASHING sinks and machines shall be self-draining.

4-204.120 Equipment, Drainage.

EQUIPMENT compartments that are subject to accumulation of moisture due to conditions such as condensation, FOOD or BEVERAGE drip, or water from melting ice shall be sloped to an outlet that allows complete draining.

4-204.121 Food Vending Machines, Liquid Waste Products.

(A) FOOD VENDING MACHINES designed to store BEVERAGES that are PACKAGED in containers made from paper products shall be equipped with diversion devices and retention pans or drains for container leakage.

(B) FOOD VENDING MACHINES that dispense liquid FOOD in bulk shall be:

(1) Provided with an internally mounted waste receptacle for the collection of drip, spillage, overflow, or other internal wastes; and

(2) Equipped with an automatic shutoff device that will place the machine out of operation before the waste receptacle overflows.

(C) Shutoff devices specified under Subparagraph (B)(2) of this section shall prevent water or liquid FOOD from continuously running if there is a failure of a flow control device in the water or liquid FOOD system or waste accumulation that could lead to overflow of the waste receptacle.

4-204.122 Case Lot Handling Apparatuses, Moveability.

Apparatuses, such as dollies, pallets, racks, and skids used to store and transport large quantities of PACKAGED FOODS received from a supplier in a cased or overwrapped lot, shall be designed to be moved by hand or by conveniently available apparatuses such as hand trucks and forklifts.

4-204.123 Food Vending Machine Doors and Openings.

(A) FOOD VENDING MACHINE doors and access opening covers to FOOD and container storage spaces shall be tight-fitting so that the space along the entire interface between the doors or covers and the cabinet of the machine, if the doors or covers are in a closed position, is no greater than 1.5 millimeters or one-sixteenth inch by:

(1) Being covered with louvers, screens, or materials that provide an equivalent opening of not greater than 1.5 millimeters or one-sixteenth inch. Screening of 12 or more mesh to 2.5 centimeters (12 mesh to 1 inch) meets this requirement;

(2) Being effectively gasketed;

- (3) Having interface surfaces that are at least 13 millimeters or one-half inch wide; or
 - (4) Jambs or surfaces used to form an L-shaped entry path to the interface.
- (B) FOOD VENDING MACHINE service connection openings through an exterior wall of a machine shall be closed by sealants, clamps, or grommets so that the openings are no larger than 1.5 millimeters or one-sixteenth inch.

Acceptability

4-205.10 Food Equipment, Certification and Classification.

FOOD EQUIPMENT that is certified or classified for sanitation by an American National Standards Institute (ANSI)-accredited certification program is deemed to comply with Parts 4-1 and 4-2 of this chapter.

4-3 Numbers and Capacities

Subparts

- 4-301 Equipment**
- 4-302 Utensils, Temperature Measuring Devices, and Testing Devices**
- 4-303 Cleaning Agents and Sanitizers**

Equipment

4-301.11 Cooling, Heating, and Holding Capacities.

EQUIPMENT for cooling and heating FOOD, and holding cold and hot FOOD, shall be sufficient in number and capacity to provide FOOD temperatures as specified under Chapter 3. ^{Pf}

4-301.12 Warewashing Equipment Requirements.

- (A) *Except as specified in ¶ (C) and ¶ (F) of this section, a sink with at least 3 compartments shall be provided for manually washing, rinsing, and SANITIZING EQUIPMENT and UTENSILS.* ^{Pf}
- (B) Sink compartments shall be large enough to accommodate immersion of the largest EQUIPMENT and UTENSILS. If EQUIPMENT or UTENSILS are too large for the WAREWASHING sink, a WAREWASHING machine or alternative EQUIPMENT as specified in ¶ (C) of this section shall be used. ^{Pf}
- (C) *Alternative manual WAREWASHING EQUIPMENT may be used when there are special cleaning needs or constraints and its use is APPROVED. Alternative manual WAREWASHING EQUIPMENT may include:*
 - (1) *High-pressure detergent sprayers;*
 - (2) *Low- or line-pressure spray detergent foamers;*

- (3) *Other task-specific cleaning EQUIPMENT;*
- (4) *Brushes or other implements;*
- (5) *2-compartment sinks as specified under ¶¶ (D) and (E) of this section; or*
- (6) *Receptacles that substitute for the compartments of a multicompartiment sink.*

(D) Before a 2-compartment sink is used:

- (1) The LICENSEE shall have its use APPROVED; and
- (2) The LICENSEE shall limit the number of KITCHENWARE items cleaned and SANITIZED in the 2-compartment sink, and shall limit WAREWASHING to batch operations for cleaning kitchenware such as between cutting one type of raw MEAT and another or cleanup at the end of a shift, and shall:
 - (a) Make up the cleaning and SANITIZING solutions immediately before use and drain them immediately after use, and
 - (b) Use a detergent-SANITIZER to SANITIZE and apply the detergent-sanitizer in accordance with the manufacturer's label instructions and as specified under § 4-501.115, or
 - (c) Use a hot water SANITIZATION immersion step as specified under ¶ 4- 603.16(C).

(E) A 2-compartment sink may not be used for WAREWASHING operations where cleaning and SANITIZING solutions are used for a continuous or intermittent flow of KITCHENWARE or TABLEWARE in an ongoing WAREWASHING process.

(F) Manual warewashing sinks are not required if a mechanical warewashing machine is properly used, operated, and maintained and the machine is large enough for washing, rinsing and SANITIZING the largest EQUIPMENT and UTENSILS.

4-301.13 Drainboards.

Drainboards, UTENSIL racks, or tables large enough to accommodate all soiled and cleaned items that may accumulate during hours of operation shall be provided for necessary UTENSIL holding before cleaning and after SANITIZING.

4-301.14 Ventilation Hood Systems, Adequacy.

Ventilation hood systems and devices shall be sufficient in number and capacity to prevent grease or condensation from collecting on walls and ceilings.

4-301.15 Clothes Washers and Dryers.

- (A) *Except as specified in ¶ (B) of this section, if work clothes or LINENS are laundered on the PREMISES, a mechanical clothes washer and dryer shall be provided and used.*
- (B) *If on-PREMISES laundering is limited to wiping cloths intended to be used moist, or wiping cloths are air-dried as specified under § 4-901.12, a mechanical clothes washer and dryer need not be provided.*

Utensils, Temperature Measuring Devices, and Testing Devices

4-302.11 Utensils, Consumer Self-Service.

A FOOD dispensing UTENSIL shall be available for each container displayed at a CONSUMER self-service unit such as a buffet or salad bar. ^{Pf}

4-302.12 Food Temperature Measuring Devices.

(A) FOOD TEMPERATURE MEASURING DEVICES shall be provided and readily accessible for use in ensuring attainment and maintenance of FOOD temperatures as specified under Chapter 3. ^{Pf}

(B) A TEMPERATURE MEASURING DEVICE with a suitable small-diameter probe that is designed to measure the temperature of thin masses shall be provided and readily accessible to accurately measure the temperature in thin FOODS such as MEAT patties and FISH filets. ^{Pf}

4-302.13 Temperature Measuring Devices, Manual Warewashing.

In manual WAREWASHING operations, a TEMPERATURE MEASURING DEVICE shall be provided and readily accessible for frequently measuring the washing and SANITIZING temperatures.

4-302.14 Sanitizing Solutions, Testing Devices.

A test kit or other device that accurately measures the concentration in mg/L of SANITIZING solutions shall be provided. ^{Pf}

Cleaning Agents and Sanitizers

4-303.11 Cleaning Agents and Sanitizers, Availability

(A) Cleaning agents that are used to clean EQUIPMENT and UTENSILS as specified under Part 4-6, shall be provided and available for use during all hours of operation. ^{Pf}

(B) Except for those that are generated on-site at the time of use, chemical SANITIZERS that are used to sanitize EQUIPMENT and UTENSILS as specified under Part 4-7, shall be provided and available for use during all hours of operation. ^{Pf}

4-4 Location and Installation

Subparts

4-401 Location

4-402 Installation

Location

4-401.11 Equipment, Clothes Washers and Dryers, and Storage Cabinets, Contamination Prevention.

(A) *Except as specified in ¶ (B) of this section, EQUIPMENT, a cabinet used for the storage of FOOD, or a cabinet that is used to store cleaned and SANITIZED EQUIPMENT, UTENSILS, laundered LINENS, and SINGLE-SERVICE and SINGLE-USE ARTICLES may not be located:*

- (1) In locker rooms;
- (2) In toilet rooms;
- (3) In garbage rooms;
- (4) In mechanical rooms;
- (5) Under sewer lines that are not shielded to intercept potential drips;
- (6) Under leaking water lines including leaking automatic fire sprinkler heads or under lines on which water has condensed;
- (7) Under open stairwells; or
- (8) Under other sources of contamination.

(B) *A storage cabinet used for LINENS or SINGLE-SERVICE or SINGLE-USE ARTICLES may be stored in a locker room.*

(C) *If a mechanical clothes washer or dryer is provided, it shall be located so that the washer or dryer is protected from contamination and only where there is no exposed FOOD; clean EQUIPMENT, UTENSILS, and LINENS; and unwrapped SINGLE-SERVICE and SINGLE-USE ARTICLES.*

Installation

4-402.11 Fixed Equipment, Spacing or Sealing.

(A) *EQUIPMENT that is fixed because it is not EASILY MOVABLE shall be installed so that it is:*

- (1) *Spaced to allow access for cleaning along the sides, behind, and above the EQUIPMENT;*
- (2) *Spaced from adjoining EQUIPMENT, walls, and ceilings a distance of not more than 1 millimeter or one thirty-second inch; or*
- (3) *SEALED to adjoining EQUIPMENT or walls, if the EQUIPMENT is exposed to spillage or seepage.*

(B) COUNTER-MOUNTED EQUIPMENT that is not EASILY MOVABLE shall be installed to allow cleaning of the EQUIPMENT and areas underneath and around the EQUIPMENT by being:

- (1) SEALED; or
- (2) Elevated on legs as specified under ¶ 4-402.12(D).

4-402.12 Fixed Equipment, Elevation or Sealing.

(A) *Except as specified in ¶¶ (B) and (C) of this section, floor-mounted EQUIPMENT that is not EASILY MOVABLE shall be SEALED to the floor or elevated on legs that provide at least a 15 centimeter (6 inch) clearance between the floor and the EQUIPMENT.*

(B) *If no part of the floor under the floor-mounted EQUIPMENT is more than 15 centimeters (6 inches) from the point of cleaning access, the clearance space may be only 10 centimeters (4 inches).*

(C) *This section does not apply to display shelving units, display refrigeration units, and display freezer units located in the CONSUMER shopping areas of a retail FOOD store, if the floor under the units is maintained clean.*

(D) *Except as specified in ¶ (E) of this section, COUNTER-MOUNTED EQUIPMENT that is not EASILY MOVABLE shall be elevated on legs that provide at least a 10 centimeter (4 inch) clearance between the table and the EQUIPMENT.*

(E) *The clearance space between the table and COUNTER-MOUNTED EQUIPMENT may be:*

- (1) *7.5 centimeters (3 inches) if the horizontal distance of the table top under the EQUIPMENT is no more than 50 centimeters (20 inches) from the point of access for cleaning; or*
- (2) *5 centimeters (2 inches) if the horizontal distance of the table top under the EQUIPMENT is no more than 7.5 centimeters (3 inches) from the point of access for cleaning*

4-5 Maintenance and Operation

Subparts

4-501 Equipment

4-502 Utensils and Temperature and Pressure Measuring Devices

Equipment

4-501.11 Good Repair and Proper Adjustment.

(A) EQUIPMENT shall be maintained in a state of repair and condition that meets the requirements specified under Parts 4-1 and 4-2.

(B) EQUIPMENT components such as doors, seals, hinges, fasteners, and kick plates shall be kept intact, tight, and adjusted in accordance with manufacturer's specifications.

(C) Cutting or piercing parts of can openers shall be kept sharp to minimize the creation of metal fragments that can contaminate FOOD when the container is opened.

4-501.12 Cutting Surfaces.

Surfaces such as cutting blocks and boards that are subject to scratching and scoring shall be resurfaced if they can no longer be effectively cleaned and SANITIZED, or discarded if they are not capable of being resurfaced.

4-501.13 Microwave Ovens.

Microwave ovens shall meet the safety standards specified in 21 CFR 1030.10 Microwave ovens.

4-501.14 Warewashing Equipment, Cleaning Frequency.

A WAREWASHING machine; the compartments of sinks, basins, or other receptacles used for washing and rinsing EQUIPMENT, UTENSILS, or FOODS, or laundering wiping cloths; and drainboards or other EQUIPMENT used to substitute for drainboards as specified under § 4-301.13 shall be cleaned and SANITIZED:

- (A) Before use;
- (B) Throughout the day at a frequency necessary to prevent recontamination of EQUIPMENT and UTENSILS and to ensure that the EQUIPMENT performs its intended function; and
- (C) If used, at least every 24 hours.

4-501.15 Warewashing Machines, Manufacturers' Operating Instructions.

- (A) A WAREWASHING machine and its auxiliary components shall be operated in accordance with the machine's data plate and other manufacturer's instructions.
- (B) A WAREWASHING machine's conveyor speed or automatic cycle times shall be maintained accurately timed in accordance with manufacturer's specifications.

4-501.16 Warewashing Sinks, Use Limitation.

- (A) A WAREWASHING sink may not be used for handwashing as specified under § 2-301.15.
- (B) If a WAREWASHING sink is used to wash wiping cloths, wash produce, or thaw FOOD, the sink shall be cleaned as specified under § 4-501.14 before and after each time it is used to wash wiping cloths or wash produce or thaw FOOD. Sinks used to wash or thaw FOOD shall be SANITIZED as specified under Part 4-7 before and after using the sink to wash produce or thaw FOOD.

4-501.17 Warewashing Equipment, Cleaning Agents.

When used for WAREWASHING, the wash compartment of a sink, mechanical warewasher, or wash receptacle of alternative manual WAREWASHING EQUIPMENT as specified in ¶ 4-301.12(C), shall contain a wash solution of soap, detergent, acid cleaner, alkaline cleaner, degreaser, abrasive cleaner, or other cleaning agent according to the cleaning agent manufacturer's label instructions. ^{Pf}

4-501.18 Warewashing Equipment, Clean Solutions.

The wash, rinse, and SANITIZE solutions shall be maintained clean.

4-501.19 Manual Warewashing Equipment, Wash Solution Temperature.

The temperature of the wash solution in manual WAREWASHING EQUIPMENT shall be maintained at not less than 43°C (110°F) or the temperature specified on the cleaning agent manufacturer's label instructions. ^{Pf}

4-501.110 Mechanical Warewashing Equipment, Wash Solution Temperature.

(A) The temperature of the wash solution in spray type WAREWASHERS that use hot water to SANITIZE may not be less than:

- (1) For a stationary rack, single temperature machine, 74°C (165°F); ^{Pf}
- (2) For a stationary rack, dual temperature machine, 66°C (150°F); ^{Pf}
- (3) For a single tank, conveyor, dual temperature machine, 71°C (160°F); ^{Pf} or
- (4) For a multitank, conveyor, multitemperature machine, 66°C (150°F). ^{Pf}

(B) The temperature of the wash solution in spray-type WAREWASHERS that use chemicals to SANITIZE may not be less than 49°C (120°F). ^{Pf}

4-501.111 Manual Warewashing Equipment, Hot Water Sanitization Temperatures.

If immersion in hot water is used for SANITIZING in a manual operation, the temperature of the water shall be maintained at 77°C (171°F) or above. ^P

4-501.112 Mechanical Warewashing Equipment, Hot Water Sanitization Temperatures.

(A) *Except as specified in ¶ (B) of this section, in a mechanical operation, the temperature of the fresh hot water SANITIZING rinse as it enters the manifold may not be more than 90°C (194°F), or less than:* ^{Pf}

- (1) For a stationary rack, single temperature machine, 74°C (165°F); ^{Pf} or
- (2) For all other machines, 82°C (180°F). ^{Pf}

(B) *The maximum temperature specified under ¶ (A) of this section, does not apply to the high pressure and temperature systems with wand-type, hand-held, spraying devices used for the in-place cleaning and SANITIZING of EQUIPMENT such as meat saws.*

4-501.113 Mechanical Warewashing Equipment, Sanitization Pressure.

The flow pressure of the fresh hot water SANITIZING rinse in a WAREWASHING machine, as measured in the water line immediately downstream or upstream from the fresh hot water SANITIZING rinse control valve, shall be within the range specified on the machine manufacturer's data plate and may not be less than 35 kilopascals (5 pounds per square inch) or more than 200 kilopascals (30 pounds per square inch).

4-501.114 Manual and Mechanical Warewashing Equipment, Chemical Sanitization - Temperature, pH, Concentration, and Hardness.

A chemical SANITIZER used in a SANITIZING solution for a manual or mechanical operation at contact times specified under ¶ 4-703.11(C) shall meet the criteria specified under § 7-204.11 SANITIZERS, Criteria, shall be used in accordance with the EPA-registered label use instructions, and shall be used as follows ^P:

(A) A chlorine solution shall have a minimum temperature based on the concentration and pH of the solution as listed in the following chart; ^P

Concentration Range	Minimum Temperature	
mg/L	pH 10 or less	pH 8 or less
25-49	49°C (120°F)	49°C (120°F)
50-99	38°C (100°F)	24°C (75°F)
100	13°C (55°F)	13°C (55°F)

(B) An iodine solution shall have a:

- (1) Minimum temperature of 20°C (68°F), ^P
- (2) pH of 5.0 or less or a pH no higher than the level for which the manufacturer specifies the solution is effective, ^P and
- (3) Concentration between 12.5 mg/L and 25 mg/L; ^P

(C) A quaternary ammonium compound solution shall:

- (1) Have a minimum temperature of 24°C (75°F), ^P
- (2) Have a concentration as specified under § 7-204.11 and as indicated by the manufacturer's use directions included in the labeling, ^P and
- (3) Be used only in water with 500 mg/L hardness or less or in water having a hardness no greater than specified by the EPA-registered label use instructions; ^P

(D) If another solution of a chemical specified under ¶¶ (A) - (C) of this section is used, the LICENSEE shall demonstrate to the REGULATORY AUTHORITY that the solution achieves SANITIZATION and the use of the solution shall be APPROVED; ^P or

(E) If a chemical SANITIZER other than chlorine, iodine, or a quaternary ammonium compound is used, it shall be applied in accordance with the EPA-registered label use instructions. ^P

4-501.115 Manual Warewashing Equipment, Chemical Sanitization Using Detergent-Sanitizers.

If a detergent-SANITIZER is used to SANITIZE in a cleaning and SANITIZING procedure where there is no distinct water rinse between the washing and SANITIZING steps, the agent applied in the SANITIZING step shall be the same detergent-SANITIZER that is used in the washing step.

4-501.116 Warewashing Equipment, Determining Chemical Sanitizer Concentration.

Concentration of the SANITIZING solution shall be accurately determined by using a test kit or other device. ^{Pf}

Utensils and Temperature and Pressure Measuring Devices

4-502.11 Good Repair and Calibration.

- (A) UTENSILS shall be maintained in a state of repair or condition that complies with the requirements specified under Parts 4-1 and 4-2 or shall be discarded.
- (B) FOOD TEMPERATURE MEASURING DEVICES shall be calibrated in accordance with manufacturer's specifications as necessary to ensure their accuracy. ^{Pf}
- (C) Ambient air temperature, water pressure, and water TEMPERATURE MEASURING DEVICES shall be maintained in good repair and be accurate within the intended range of use.

4-502.12 Single-Service and Single-Use Articles, Required Use.

A FOOD ESTABLISHMENT without facilities specified under Parts 4-6 and 4-7 for cleaning and SANITIZING KITCHENWARE and TABLEWARE shall provide only SINGLE-USE KITCHENWARE, SINGLE-SERVICE ARTICLES, and SINGLE-USE ARTICLES for use by FOOD EMPLOYEES and SINGLE-SERVICE ARTICLES for use by CONSUMERS. ^P

4-502.13 Single-Service and Single-Use Articles, Use Limitation.

- (A) SINGLE-SERVICE and SINGLE-USE ARTICLES may not be reused and may not be used if they have been handled or stored in a way that may have contaminated them.
- (B) The bulk milk container dispensing tube shall be cut on the diagonal leaving no more than one inch protruding from the chilled dispensing head.

4-502.14 Shells, Use Limitation.

Mollusk and crustacea shells may not be used more than once as serving containers.

4-6 Cleaning of Equipment and Utensils

Subparts

- 4-601 Objective
- 4-602 Frequency
- 4-603 Methods

Objective

4-601.11 Equipment, Food-Contact Surfaces, Nonfood-Contact Surfaces, and Utensils.

- (A) EQUIPMENT FOOD-CONTACT SURFACES and UTENSILS shall be clean to sight and touch. ^{Pf}
- (B) The FOOD-CONTACT SURFACES of cooking EQUIPMENT and pans shall be kept free of encrusted grease deposits and other soil accumulations.
- (C) NonFOOD-CONTACT SURFACES of EQUIPMENT shall be kept free of an accumulation of dust, dirt, FOOD residue, and other debris.

Frequency

4-602.11 Equipment Food-Contact Surfaces and Utensils.

- (A) EQUIPMENT FOOD-CONTACT SURFACES and UTENSILS shall be cleaned:
 - (1) *Except as specified in ¶ (B) of this section, before each use with a different type of raw animal FOOD such as beef, FISH, lamb, pork, or POULTRY;* ^P
 - (2) Each time there is a change from working with raw FOODS to working with READY-TO-EAT FOODS; ^P
 - (3) Between uses with raw fruits and vegetables and with TIME/TEMPERATURE CONTROL FOR SAFETY FOOD; ^P
 - (4) Before using or storing a FOOD TEMPERATURE MEASURING DEVICE; ^P and
 - (5) At any time during the operation when contamination may have occurred. ^P
- (B) *Subparagraph (A)(1) of this section does not apply if the FOOD-CONTACT SURFACE or UTENSIL is in contact with a succession of different raw animal FOODS each requiring a higher cooking temperature as specified under § 3-401.11 than the previous FOOD, such as preparing raw FISH followed by cutting raw POULTRY on the same cutting board.*
- (C) *Except as specified in ¶ (D) of this section, if used with TIME/TEMPERATURE CONTROL FOR SAFETY FOOD, EQUIPMENT FOOD-CONTACT SURFACES and UTENSILS shall be cleaned throughout the day at least every 4 hours.* ^P
- (D) *Surfaces of UTENSILS and EQUIPMENT contacting TIME/TEMPERATURE CONTROL FOR SAFETY FOOD may be cleaned less frequently than every 4 hours if:*
 - (1) *In storage, containers of TIME/TEMPERATURE CONTROL FOR SAFETY FOOD and their contents are maintained at temperatures specified under Chapter 3 and the containers are cleaned when they are empty;*
 - (2) *UTENSILS and EQUIPMENT are used to prepare FOOD in a refrigerated room*

or area that is maintained at one of the temperatures in the following chart and:

(a) *The UTENSILS and EQUIPMENT are cleaned at the frequency in the following chart that corresponds to the temperature; and*

Temperature	Cleaning Frequency
5.0°C (41°F) or less	24 hours
>5.0°C - 7.2°C (>41°F - 45°F)	20 hours
>7.2°C - 10.0°C (>45°F - 50°F)	16 hours
>10.0°C - 12.8°C (>50°F - 55°F)	10 hours

(b) *The cleaning frequency based on the ambient temperature of the refrigerated room or area is documented in the FOOD ESTABLISHMENT.*

(3) *Containers in serving situations such as salad bars, delis, and cafeteria lines hold READY-TO-EAT, TIME/TEMPERATURE CONTROL FOR SAFETY FOOD) that is maintained at the temperatures specified under Chapter 3, are intermittently combined with additional supplies of the same food that is at the required temperature, and the containers are cleaned at least every 24 hours;*

(4) *TEMPERATURE MEASURING DEVICES are maintained in contact with FOOD, such as when left in a container of deli FOOD or in a roast, held at temperatures specified under Chapter 3;*

(5) *EQUIPMENT is used for storage of PACKAGED OR UNPACKAGED FOOD such as a reach-in refrigerator and the EQUIPMENT is cleaned at a frequency necessary to preclude accumulation of soil residues;*

(6) *The cleaning schedule is APPROVED based on consideration of:*

(a) *Characteristics of the EQUIPMENT and its use,*

(b) *The type of FOOD involved,*

(c) *The amount of FOOD residue accumulation, and*

(d) *The temperature at which the FOOD is maintained during the operation and the potential for the rapid and progressive multiplication of pathogenic or toxigenic microorganisms that are capable of causing foodborne disease; or*

(7) *In-use UTENSILS are intermittently stored in a container of water in which the water is maintained at 57°C (135°F) or more and the UTENSILS and container are cleaned at least every 24 hours or at a frequency necessary to preclude accumulation of soil residues.*

(E) *Except when dry cleaning methods are used as specified under § 4-603.11, surfaces of UTENSILS and EQUIPMENT contacting FOOD that is not TIME/TEMPERATURE CONTROL FOR SAFETY FOOD shall be cleaned:*

(1) *At any time when contamination may have occurred;*

- (2) At least every 24 hours for iced tea dispensers and CONSUMER self-service UTENSILS such as tongs, scoops, or ladles;
- (3) Before restocking CONSUMER self-service EQUIPMENT and UTENSILS such as condiment dispensers and display containers; and
- (4) In EQUIPMENT such as ice bins and BEVERAGE dispensing nozzles and enclosed components of EQUIPMENT such as ice makers, cooking oil storage tanks and distribution lines, BEVERAGE and syrup dispensing lines or tubes, coffee bean grinders, and water vending EQUIPMENT:
 - (a) At a frequency specified by the manufacturer, or
 - (b) Absent manufacturer specifications, at a frequency necessary to preclude accumulation of soil or mold.

4-602.12 Cooking and Baking Equipment.

- (A) The FOOD-CONTACT SURFACES of cooking and baking EQUIPMENT shall be cleaned at least every 24 hours. *This section does not apply to hot oil cooking and filtering EQUIPMENT if it is cleaned as specified in Subparagraph 4-602.11(D)(6).*
- (B) The cavities and door seals of microwave ovens shall be cleaned at least every 24 hours by using the manufacturer's recommended cleaning procedure.

4-602.13 Nonfood-Contact Surfaces.

NonFOOD-CONTACT SURFACES of EQUIPMENT shall be cleaned at a frequency necessary to preclude accumulation of soil residues.

Methods

4-603.11 Dry Cleaning.

- (A) If used, dry cleaning methods such as brushing, scraping, and vacuuming shall contact only surfaces that are soiled with dry FOOD residues that are not TIME/TEMPERATURE CONTROL FOR SAFETY FOOD.
- (B) Cleaning EQUIPMENT used in dry cleaning FOOD-CONTACT SURFACES may not be used for any other purpose.

4-603.12 Precleaning.

- (A) FOOD debris on EQUIPMENT and UTENSILS shall be scrapped over a waste disposal unit or garbage receptacle or shall be removed in a WAREWASHING machine with a prewash cycle.
- (B) If necessary for effective cleaning, UTENSILS and EQUIPMENT shall be preflushed, presoaked, or scrubbed with abrasives.

4-603.13 Loading of Soiled Items, Warewashing Machines.

Soiled items to be cleaned in a WAREWASHING machine shall be loaded into racks, trays, or baskets or onto conveyors in a position that:

- (A) Exposes the items to the unobstructed spray from all cycles; and
- (B) Allows the items to drain.

4-603.14 Wet Cleaning.

- (A) EQUIPMENT FOOD-CONTACT SURFACES and UTENSILS shall be effectively washed to remove or completely loosen soils by using the manual or mechanical means necessary such as the application of detergents containing wetting agents and emulsifiers; acid, alkaline, or abrasive cleaners; hot water; brushes; scouring pads; high-pressure sprays; or ultrasonic devices.
- (B) The washing procedures selected shall be based on the type and purpose of the EQUIPMENT or UTENSIL, and on the type of soil to be removed.

4-603.15 Washing, Procedures for Alternative Manual Warewashing Equipment.

If washing in sink compartments or a WAREWASHING machine is impractical such as when the EQUIPMENT is fixed or the UTENSILS are too large, washing shall be done by using alternative manual WAREWASHING EQUIPMENT as specified in ¶ 4-301.12(C) in accordance with the following procedures:

- (A) EQUIPMENT shall be disassembled as necessary to allow access of the detergent solution to all parts;
- (B) EQUIPMENT components and UTENSILS shall be scrapped or rough cleaned to remove FOOD particle accumulation; and
- (C) EQUIPMENT and UTENSILS shall be washed as specified under ¶ 4-603.14(A).

4-603.16 Rinsing Procedures.

Washed UTENSILS and EQUIPMENT shall be rinsed so that abrasives are removed and cleaning chemicals are removed or diluted through the use of water or a detergent-sanitizer solution by using one of the following procedures:

- (A) Use of a distinct, separate water rinse after washing and before SANITIZING if using:
 - (1) A 3-compartment sink,
 - (2) Alternative manual WAREWASHING EQUIPMENT equivalent to a 3-compartment sink as specified in ¶ 4-301.12(C), or
 - (3) A 3-step washing, rinsing, and SANITIZING procedure in a WAREWASHING system for CIP EQUIPMENT;
- (B) Use of a detergent-SANITIZER as specified under § 4-501.115 if using:
 - (1) Alternative WAREWASHING EQUIPMENT as specified in ¶ 4-301.12(C) that is APPROVED for use with a detergent-SANITIZER, or
 - (2) A WAREWASHING system for CIP EQUIPMENT;
- (C) Use of a nondistinct water rinse that is integrated in the hot water SANITIZATION immersion step of a 2-compartment sink operation;

(D) If using a WAREWASHING machine that does not recycle the SANITIZING solution as specified under ¶ (E) of this section, or alternative manual WAREWASHING EQUIPMENT such as sprayers, use of a nondistinct water rinse that is:

- (1) Integrated in the application of the SANITIZING solution, and
- (2) Wasted immediately after each application; or

(E) If using a WAREWASHING machine that recycles the SANITIZING solution for use in the next wash cycle, use of a nondistinct water rinse that is integrated in the application of the SANITIZING solution.

4-603.17 Returnables, Cleaning for Refilling.

(A) *Except as specified in ¶¶ (B) and (C) of this section, returned empty containers intended for cleaning and refilling with FOOD shall be cleaned and refilled in a regulated FOOD PROCESSING PLANT.*^P

(B) *A FOOD-specific container for BEVERAGES may be refilled at a FOOD ESTABLISHMENT if:*

- (1) *Only a BEVERAGE that is not a TIME/TEMPERATURE CONTROL FOR SAFETY FOOD is used as specified under ¶ 3- 304.17(A);*
- (2) *The design of the container and of the rinsing EQUIPMENT and the nature of the BEVERAGE, when considered together, allow effective cleaning at home or in the FOOD ESTABLISHMENT;*
- (3) *Facilities for rinsing before refilling returned containers with fresh, hot water that is under pressure and not recirculated are provided as part of the dispensing system;*
- (4) *The CONSUMER-owned container returned to the FOOD ESTABLISHMENT for refilling is refilled for sale or service only to the same CONSUMER; and*
- (5) *The container is refilled by:*
 - (a) *An EMPLOYEE of the FOOD ESTABLISHMENT, or*
 - (b) *The owner of the container if the BEVERAGE system includes a contamination-free transfer process that cannot be bypassed by the container owner.*

(C) *CONSUMER-owned containers that are not FOOD-specific may be filled at a water FOOD VENDING MACHINE or system.*

4-7 Sanitization of Equipment and Utensils

Subparts

- 4-701 Objective
- 4-702 Frequency
- 4-703 Methods

Objective

4-701.10 Food-Contact Surfaces and Utensils.

EQUIPMENT FOOD-CONTACT SURFACES and UTENSILS shall be SANITIZED.

Frequency

4-702.11 Before Use After Cleaning.

UTENSILS and FOOD-CONTACT SURFACES of EQUIPMENT shall be SANITIZED before use after cleaning. ^P

Methods

4-703.11 Hot Water and Chemical.

After being cleaned, EQUIPMENT FOOD-CONTACT SURFACES and UTENSILS shall be SANITIZED in:

- (A) Hot water manual operations by immersion for at least 30 seconds and as specified under § 4-501.111; ^P
- (B) Hot water mechanical operations by being cycled through EQUIPMENT that is set up as specified under §§ 4-501.15, 4-501.112, and 4-501.113 and achieving a UTENSIL surface temperature of 71°C (160°F) as measured by an irreversible registering temperature indicator; ^P or
- (C) Chemical manual or mechanical operations, including the application of SANITIZING chemicals by immersion, manual swabbing, brushing, or pressure spraying methods, using a solution as specified under § 4-501.114. Contact times shall be consistent with those on EPA-registered label use instructions by providing:
 - (1) *Except as specified under Subparagraph (C)(2) of this section*, a contact time of at least 10 seconds for a chlorine solution specified under ¶ 4-501.114(A); ^P
 - (2) A contact time of at least 7 seconds for a chlorine solution of 50 mg/L that has a pH of 10 or less and a temperature of at least 38°C (100°F) or a pH of 8 or less and a temperature of at least 24°C (75°F); ^P
 - (3) A contact time of at least 30 seconds for other chemical SANITIZING solutions; ^P or
 - (4) A contact time used in relationship with a combination of temperature, concentration, and pH that, when evaluated for efficacy, yields SANITIZATION as defined in Subparagraph 1-201.10(B). ^P

4-8 Laundering

Subparts

- 4-801 Objective
- 4-802 Frequency
- 4-803 Methods

Objective

4-801.11 Clean Linens.

Clean LINENS shall be free from FOOD residues and other soiling matter.

Frequency

4-802.11 Specifications.

- (A) LINENS that do not come in direct contact with FOOD shall be laundered between operations if they become wet, sticky, or visibly soiled.
- (B) Cloth gloves used as specified in ¶ 3-304.15(D) shall be laundered before being used with a different type of raw animal FOOD such as beef, FISH, lamb, pork or POULTRY.
- (C) LINENS and napkins that are used as specified under § 3-304.13 and cloth napkins shall be laundered between each use.
- (D) Wet wiping cloths shall be laundered daily.
- (E) Dry wiping cloths shall be laundered as necessary to prevent contamination of FOOD and clean serving UTENSILS.

Methods

4-803.11 Storage of Soiled Linens.

Soiled LINENS shall be kept in clean, nonabsorbent receptacles or clean, washable laundry bags and stored and transported to prevent contamination of FOOD, clean EQUIPMENT, clean UTENSILS, and SINGLE-SERVICE and SINGLE-USE ARTICLES.

4-803.12 Mechanical Washing.

- (A) *Except as specified in ¶ (B) of this section*, LINENS shall be mechanically washed.
- (B) *In FOOD ESTABLISHMENTS in which only wiping cloths are laundered as specified in ¶ 4-301.15(B), the wiping cloths may be laundered in a mechanical washer, sink designated only for laundering wiping cloths, or a WAREWASHING or FOOD preparation sink that is cleaned as specified under § 4-501.14.*

4-803.13 Use of Laundry Facilities.

- (A) *Except as specified in ¶ (B) of this section*, laundry facilities on the PREMISES of a FOOD ESTABLISHMENT shall be used only for the washing and drying of items used in the operation of the establishment.

(B) *Separate laundry facilities located on the PREMISES for the purpose of general laundering such as for institutions providing boarding and lodging may also be used for laundering FOOD ESTABLISHMENT items.*

4-9 Protection of Clean Items

Subparts

- 4-901 Drying**
- 4-902 Lubricating and Reassembling**
- 4-903 Storing Contamination**
- 4-904 Preventing Contamination**

Drying

4-901.11 Equipment and Utensils, Air-Drying Required.

After cleaning and SANITIZING, EQUIPMENT and UTENSILS:

(A) Shall be air-dried or used after adequate draining as specified in the first paragraph of 40 CFR 180.940 Tolerance exemptions for active and inert ingredients for use in antimicrobial formulations (food-contact surface SANITIZING solutions), before contact with FOOD; and

(B) May not be cloth dried *except that UTENSILS that have been air-dried may be polished with cloths that are maintained clean and dry.*

4-901.12 Wiping Cloths, Air-Drying Locations.

Wiping cloths laundered in a FOOD ESTABLISHMENT that does not have a mechanical clothes dryer as specified in ¶ 4-301.15(B) shall be air-dried in a location and in a manner that prevents contamination of FOOD, EQUIPMENT, UTENSILS, LINENS, and SINGLE-SERVICE and SINGLE-USE ARTICLES and the wiping cloths. *This section does not apply if wiping cloths are stored after laundering in a SANITIZING solution as specified under § 4-501.114.*

Lubricating and Reassembling

4-902.11 Food-Contact Surfaces.

Lubricants as specified under § 7-205.11 shall be applied to FOOD-CONTACT SURFACES that require lubrication in a manner that does not contaminate FOOD-CONTACT SURFACES.

4-902.12 Equipment.

EQUIPMENT shall be reassembled so that FOOD-CONTACT SURFACES are not contaminated.

Storing

4-903.11 Equipment, Utensils, Linens, and Single-Service and Single-Use Articles.

(A) *Except as specified in ¶ (D) of this section, cleaned EQUIPMENT and UTENSILS,*

laundered LINENS, and SINGLE-SERVICE and SINGLE-USE ARTICLES shall be stored:

- (1) In a clean, dry location;
- (2) Where they are not exposed to splash, dust, or other contamination; and
- (3) At least 15 cm (6 inches) above the floor.

(B) Clean EQUIPMENT and UTENSILS shall be stored as specified under ¶ (A) of this section and shall be stored:

- (1) In a self-draining position that allows air drying; and
- (2) Covered or inverted.

(C) SINGLE-SERVICE and SINGLE-USE ARTICLES shall be stored as specified under ¶ (A) of this section and shall be kept in the original protective PACKAGE or stored by using other means that afford protection from contamination until used.

(D) *Items that are kept in closed PACKAGES may be stored less than 15 cm (6 inches) above the floor on dollies, pallets, racks, and skids that are designed as specified under § 4-204.122.*

4-903.12 Prohibitions.

(A) *Except as specified in ¶ (B) of this section, cleaned and SANITIZED EQUIPMENT, UTENSILS, laundered LINENS, and SINGLE-SERVICE and SINGLE-USE ARTICLES may not be stored:*

- (1) In locker rooms;
- (2) In toilet rooms;
- (3) In garbage rooms;
- (4) In mechanical rooms;
- (5) Under sewer lines that are not shielded to intercept potential drips;
- (6) Under leaking water lines including leaking automatic fire sprinkler heads or under lines on which water has condensed;
- (7) Under open stairwells; or
- (8) Under other sources of contamination.

(B) *Laundered LINENS and SINGLE-SERVICE and SINGLE-USE ARTICLES that are PACKAGED or in a facility such as a cabinet may be stored in a locker room.*

Preventing Contamination

4-904.11 Kitchenware and Tableware.

(A) SINGLE-SERVICE and SINGLE-USE ARTICLES and cleaned and SANITIZED UTENSILS shall be handled, displayed, and dispensed so that contamination of FOOD- and lip-contact surfaces is prevented.

(B) Knives, forks, and spoons that are not prewrapped shall be presented so that only the handles are touched by EMPLOYEES and by CONSUMERS if CONSUMER self-service is provided.

(C) *Except as specified under ¶ (B) of this section, SINGLE-SERVICE ARTICLES that are intended for FOOD- or lip-contact shall be furnished for CONSUMER self-service with the original individual wrapper intact or from an APPROVED dispenser.*

4-904.12 Soiled and Clean Tableware.

Soiled TABLEWARE shall be removed from CONSUMER eating and drinking areas and handled so that clean TABLEWARE is not contaminated.

4-904.13 Preset Tableware.

(A) *Except as specified in ¶ (B) of this section, TABLEWARE that is preset shall be protected from contamination by being wrapped, covered, or inverted.*

(B) *Preset TABLEWARE may be exposed if:*

(1) *Unused settings are removed when a CONSUMER is seated; or*

(2) *Settings not removed when a CONSUMER is seated are cleaned and SANITIZED before further use.*

4-904.14 Rinsing Equipment and Utensils after Cleaning and Sanitizing.

After being cleaned and SANITIZED, EQUIPMENT and UTENSILS shall not be rinsed before air drying or use unless:

(A) The rinse is applied directly from a potable water supply by a WAREWASHING machine that is maintained and operated as specified under Subparts 4-204 and 4- 501; and

(B) The rinse is applied only after the EQUIPMENT and UTENSILS have been SANITIZED by the application of hot water or by the application of a chemical SANITIZER solution whose EPA-registered label use instructions call for rinsing off the SANITIZER after it is applied in a commercial WAREWASHING machine.

Chapter 5 - Water, Plumbing, and Waste

Parts

- 5-1 WATER
- 5-2 PLUMBING SYSTEM
- 5-3 MOBILE WATER TANK AND MOBILE FOOD ESTABLISHMENT
WATER TANK
- 5-4 SEWAGE, OTHER LIQUID WASTE, AND RAINWATER
- 5-5 REFUSE, RECYCLABLES, AND RETURNABLES

5-1 Water

Subparts

- 5-101 Source
- 5-102 Quality
- 5-103 Quantity and Availability
- 5-104 Distribution, Delivery, and Retention

Source

5-101.11 Approved System.

DRINKING WATER shall be obtained from an APPROVED source that is:

- (A) A PUBLIC WATER SUPPLY SYSTEM; ^P or
- (B) A nonPUBLIC WATER SUPPLY SYSTEM that is constructed, maintained, and operated according to LAW. ^P

5-101.12 System Flushing and Disinfection.

A DRINKING WATER system shall be flushed and disinfected before being placed in service after construction, repair, or modification and after an emergency situation, such as a flood, that may introduce contaminants to the system. ^P

5-101.13 Bottled Drinking Water.

BOTTLED DRINKING WATER used or sold in a FOOD ESTABLISHMENT shall be obtained from APPROVED sources in accordance with 21 CFR 129 - Processing and Bottling of Bottled DRINKING WATER. ^P

Quality

5-102.11 Standards.

Except as specified under § 5-102.12:

- (A) Water from a PUBLIC WATER SUPPLY SYSTEM shall meet DRINKING WATER quality standards as set forth in articles 15 and 15a of the rules and regulations adopted by the Kansas department of health and environment; ^P and

(B) Water from a nonPUBLIC WATER SUPPLY SYSTEM shall be safe for ingestion, which includes containing less than 20 ppm nitrates as nitrogen, zero colony forming units (CFU) of total coliforms, and zero CFU of fecal coliforms.^P

5-102.12 Nondrinking Water.

- (A) A nonDRINKING WATER supply shall be used only if its use is APPROVED.^P
- (B) NonDRINKING WATER shall be used only for nonculinary purposes such as air conditioning, nonFOOD EQUIPMENT cooling, and fire protection.^P

5-102.13 Sampling.

Except when used as specified under § 5-102.12, water from a nonPUBLIC WATER SUPPLY SYSTEM shall be sampled and tested at least annually and as required by state water quality regulations.^{Pf}

5-102.14 Sample Report.

The most recent sample report for the nonPUBLIC WATER SUPPLY SYSTEM shall be retained on file in the FOOD ESTABLISHMENT or the report shall be maintained as specified by state water quality regulations.

Quantity and Availability

5-103.11 Capacity.

- (A) The water source and system shall be of sufficient capacity to meet the water demands of the FOOD ESTABLISHMENT.^{Pf}
- (B) Hot water shall be available at all distribution points in the FOOD ESTABLISHMENT, at all times.^{Pf}

5-103.12 Pressure.

Water under pressure shall be provided to all fixtures, EQUIPMENT, and nonFOOD EQUIPMENT that are required to use water *except that water supplied as specified under §§ 5-104.12(A) and (B) to a TEMPORARY FOOD ESTABLISHMENT or in response to a temporary interruption of a water supply need not be under pressure.*^{Pf}

Distribution, Delivery, and Retention

5-104.11 System.

Water shall be received from the source through the use of:

- (A) An APPROVED public water main;^{Pf} or
- (B) One or more of the following that shall be constructed, maintained, and operated according to LAW:^{Pf}
- (1) Nonpublic water main, water pumps, pipes, hoses, connections, and other appurtenances,^{Pf}

- (2) Water transport vehicles,^{Pf} or
- (3) Water containers.^{Pf}

5-104.12 Alternative Water Supply.

Water meeting the requirements specified under Subparts 5-101, 5-102, and 5-103 shall be made available for a mobile facility, for a TEMPORARY FOOD ESTABLISHMENT without a permanent water supply, and for a FOOD ESTABLISHMENT with a temporary interruption of its water supply through:

- (A) A supply of containers of commercially BOTTLED DRINKING WATER;^{Pf}
- (B) One or more closed portable water containers;^{Pf}
- (C) An enclosed vehicular water tank;^{Pf}
- (D) An on-PREMISES water storage tank;^{Pf} or
- (E) Piping, tubing, or hoses connected to an adjacent APPROVED source.^{Pf}

5-2 Plumbing System

Subparts

- 5-201 Materials**
- 5-202 Design, Construction, and Installation**
- 5-203 Numbers and Capacities**
- 5-204 Location and Placement**
- 5-205 Operation and Maintenance**

Materials

5-201.11 Approved.

- (A) A PLUMBING SYSTEM and hoses conveying water shall be constructed and repaired with APPROVED materials according to LAW.^P
- (B) A water filter shall be made of SAFE MATERIALS.^P

Design, Construction, and Installation

5-202.11 Approved System and Cleanable Fixtures.

- (A) A PLUMBING SYSTEM shall be designed, constructed, and installed according to LAW.^P
- (B) A PLUMBING FIXTURE such as a HANDWASHING SINK, toilet, or urinal shall be EASILY CLEANABLE.

5-202.12 Handwashing Sink, Installation.

- (A) A HANDWASHING SINK shall be equipped to provide water at a temperature of at least 38°C (100°F) through a mixing valve or combination faucet.^{Pf}

- (B) A steam mixing valve may not be used at a HANDWASHING SINK.
- (C) A self-closing, slow-closing, or metering faucet shall provide a flow of water for at least 15 seconds without the need to reactivate the faucet.
- (D) An automatic handwashing facility shall be installed in accordance with manufacturer's instructions.

5-202.13 Backflow Prevention, Air Gap.

An air gap between the water supply inlet and the flood level rim of the PLUMBING FIXTURE, EQUIPMENT, or nonFOOD EQUIPMENT shall be at least twice the diameter of the water supply inlet and may not be less than 25 mm (1 inch).^P

5-202.14 Backflow Prevention Device, Design Standard.

A backflow or backsiphonage prevention device installed on a water supply system shall meet American Society of Sanitary Engineering (A.S.S.E.) standards for construction, installation, maintenance, inspection, and testing for that specific application and type of device.^P

5-202.15 Conditioning Device, Design.

A water filter, screen, and other water conditioning device installed on water lines shall be designed to facilitate disassembly for periodic servicing and cleaning. A water filter element shall be of the replaceable type.

Numbers and Capacities

5-203.11 Handwashing Sinks.

(A) *Except as specified in ¶ (B) of this section*, at least 1 HANDWASHING SINK that is not an automatic handwashing facility, a number of HANDWASHING SINKS necessary for their convenient use by EMPLOYEES in areas specified under § 5-204.11, and not fewer than the number of HANDWASHING SINKS required by LAW shall be provided.^{Pf}

(B) *If APPROVED and capable of removing the types of soils encountered in the FOOD operations involved, automatic handwashing facilities may be used for handwashing in a FOOD ESTABLISHMENT that has at least 1 HANDWASHING SINK that is not an automatic handwashing facility.*

5-203.12 Toilets.

(A) At least 1 toilet and not fewer than the toilets required by LAW shall be provided.

(B) EMPLOYEES and CONSUMERS may use the same toilet facilities provided that CONSUMERS have access to them without entering the FOOD preparation, FOOD storage, WAREWASHING, or UTENSIL storage areas of the FOOD ESTABLISHMENT.

5-203.13 Service Sink.

- (A) At least 1 service sink or 1 curbed cleaning facility equipped with a floor drain shall be provided and conveniently located for the cleaning of mops or similar wet floor cleaning tools and for the disposal of mop water and similar liquid waste.
- (B) Toilets and urinals may not be used as a service sink for the disposal of mop water and similar liquid waste.

5-203.14 Backflow Prevention Device, When Required.

A PLUMBING SYSTEM shall be installed to preclude backflow of a solid, liquid, or gas contaminant into the water supply system at each point of use at the FOOD ESTABLISHMENT, including on a hose bibb if a hose is attached or on a hose bibb if a hose is not attached and backflow prevention is required by LAW, by:

- (A) Providing an air gap as specified under § 5-202.13^P; or
- (B) Installing an APPROVED backflow prevention device as specified under § 5-202.14.^P

5-203.15 Backflow Prevention Device, Carbonator.

(A) If not provided with an air gap as specified under § 5-202.13, a dual check valve with an intermediate vent preceded by a screen of not less than 100 mesh to 25.4 mm (100 mesh to 1 inch) shall be installed upstream from a carbonating device and downstream from any copper in the water supply line.^P

(B) *A dual check valve attached to the carbonator need not be of the vented type if an air gap or vented backflow prevention device has been otherwise provided as specified under ¶ (A) of this section.*

Location and Placement

5-204.11 Handwashing Sinks.

A HANDWASHING SINK shall be located:

- (A) To allow convenient use by EMPLOYEES in FOOD preparation, FOOD dispensing, and WAREWASHING areas;^{Pf} and
- (B) In, or immediately adjacent to, toilet rooms.^{Pf}

5-204.12 Backflow Prevention Device, Location.

A backflow prevention device shall be located so that it may be serviced and maintained.

5-204.13 Conditioning Device, Location.

A water filter, screen, and other water conditioning device installed on water lines shall be located to facilitate disassembly for periodic servicing and cleaning.

Operation and Maintenance

5-205.11 Using a Handwashing Sink.

- (A) A HANDWASHING SINK shall be maintained so that it is accessible at all times for EMPLOYEE use.^{Pf}
- (B) A HANDWASHING SINK may not be used for purposes other than handwashing.^{Pf}
- (C) An automatic handwashing facility shall be used in accordance with manufacturer's instructions.^{Pf}

5-205.12 Prohibiting a Cross Connection.

- (A) A PERSON may not create a cross connection by connecting a pipe or conduit between the DRINKING WATER system and a nonDRINKING WATER system or a water system of unknown quality.^P
- (B) The piping of a nonDRINKING WATER system shall be durably identified so that it is readily distinguishable from piping that carries DRINKING WATER.^{Pf}

5-205.13 Scheduling Inspection and Service for a Water System Device.

A device such as a water treatment device or backflow preventer shall be scheduled for inspection and service, in accordance with manufacturer's instructions and as necessary to prevent device failure based on local water conditions, and records demonstrating inspection and service shall be maintained by the PERSON IN CHARGE.^{Pf}

5-205.14 Water Reservoir of Fogging Devices, Cleaning.

- (A) A reservoir that is used to supply water to a device such as a produce fogger shall be:
 - (1) Maintained in accordance with manufacturer's specifications;^P and
 - (2) Cleaned in accordance with manufacturer's specifications or according to the procedures specified under ¶ (B) of this section, whichever is more stringent.^P
- (B) Cleaning procedures shall include at least the following steps and shall be conducted at least once a week:
 - (1) Draining and complete disassembly of the water and aerosol contact parts;^P
 - (2) Brush-cleaning the reservoir, aerosol tubing, and discharge nozzles with a suitable detergent solution;^P
 - (3) Flushing the complete system with water to remove the detergent solution and particulate accumulation;^P and
 - (4) Rinsing by immersing, spraying, or swabbing the reservoir, aerosol tubing, and discharge nozzles with at least 50 MG/L hypochlorite solution.^P

5-205.15 System Maintained in Good Repair.

A PLUMBING SYSTEM shall be:

- (A) Repaired according to LAW;^P and
- (B) Maintained in good repair.

5-3 Mobile Water Tank And Mobile Food Establishment Water Tank

Subparts

- 5-301 Materials**
- 5-302 Design and Construction**
- 5-303 Numbers and Capacities**
- 5-304 Operation and Maintenance**

Materials

5-301.11 Approved.

Materials that are used in the construction of a mobile water tank, mobile FOOD ESTABLISHMENT water tank, and appurtenances shall be:

- (A) Safe;^P
- (B) Durable, CORROSION-RESISTANT, and nonabsorbent; and
- (C) Finished to have a SMOOTH, EASILY CLEANABLE surface.

Design and Construction

5-302.11 Enclosed System, Sloped to Drain.

A mobile water tank shall be:

- (A) Enclosed from the filling inlet to the discharge outlet; and
- (B) Sloped to an outlet that allows complete drainage of the tank.

5-302.12 Inspection and Cleaning Port, Protected and Secured.

If a water tank is designed with an access port for inspection and cleaning, the opening shall be in the top of the tank and:

- (A) Flanged upward at least 13 mm (one-half inch); and
- (B) Equipped with a port cover assembly that is:
 - (1) Provided with a gasket and a device for securing the cover in place; and
 - (2) Flanged to overlap the opening and sloped to drain.

5-302.13 "V" Type Threads, Use Limitation.

A fitting with "V" type threads on a water tank inlet or outlet shall be allowed only when a hose is permanently attached.

5-302.14 Tank Vent, Protected.

If provided, a water tank vent shall terminate in a downward direction and shall be covered with:

- (A) 16 mesh to 25.4 mm (16 mesh to 1 inch) screen or equivalent when the vent is in a protected area; or
- (B) A protective filter when the vent is in an area that is not protected from windblown dirt and debris.

5-302.15 Inlet and Outlet, Sloped to Drain.

- (A) A water tank and its inlet and outlet shall be sloped to drain.
- (B) A water tank inlet shall be positioned so that it is protected from contaminants such as waste discharge, road dust, oil, or grease.

5-302.16 Hose, Construction and Identification.

A hose used for conveying DRINKING WATER from a water tank shall be:

- (A) Safe;^P
- (B) Durable, CORROSION-RESISTANT, and nonabsorbent;
- (C) Resistant to pitting, chipping, crazing, scratching, scoring, distortion, and decomposition;
- (D) Finished with a SMOOTH interior surface; and
- (E) Clearly and durably identified as to its use if not permanently attached.

Numbers and Capacities

5-303.11 Filter, Compressed Air.

A filter that does not pass oil or oil vapors shall be installed in the air supply line between the compressor and DRINKING WATER system when compressed air is used to pressurize the water tank system.^P

5-303.12 Protective Cover or Device.

A cap and keeper chain, closed cabinet, closed storage tube, or other APPROVED protective cover or device shall be provided for a water inlet, outlet, and hose.

5-303.13 Mobile Food Establishment Tank Inlet.

A mobile FOOD ESTABLISHMENT'S water tank inlet shall be:

- (A) 19.1 mm (three-fourths inch) in inner diameter or less; and

(B) Provided with a hose connection of a size or type that will prevent its use for any other service.

Operation and Maintenance

5-304.11 System Flushing and Sanitization.

A water tank, pump, and hoses shall be flushed and SANITIZED before being placed in service after construction, repair, modification, and periods of nonuse.^P

5-304.12 Using a Pump and Hoses, Backflow Prevention.

A PERSON shall operate a water tank, pump, and hoses so that backflow and other contamination of the water supply are prevented.

5-304.13 Protecting Inlet, Outlet, and Hose Fitting.

If not in use, a water tank and hose inlet and outlet fitting shall be protected using a cover or device as specified under § 5-303.12.

5-304.14 Tank, Pump, and Hoses, Dedication.

(A) *Except as specified in ¶ (B) of this section*, a water tank, pump, and hoses used for conveying DRINKING WATER shall be used for no other purpose.^P

(B) *Water tanks, pumps, and hoses APPROVED for liquid FOODS may be used for conveying DRINKING WATER if they are cleaned and SANITIZED before they are used to convey water.*

5-4 Sewage, Other Liquid Waste, And Rainwater

Subparts

5-401 Mobile Holding Tank

5-402 Retention, Drainage, and Delivery

5-403 Disposal Facility

Mobile Holding Tank

5-401.11 Capacity and Drainage.

A SEWAGE holding tank in a mobile FOOD ESTABLISHMENT shall be:

(A) Sized 15 percent larger in capacity than the water supply tank; and

(B) Sloped to a drain that is 25 mm (1 inch) in inner diameter or greater, equipped with a shut-off valve.

Retention, Drainage, and Delivery

5-402.10 Establishment Drainage System.

FOOD ESTABLISHMENT drainage systems, including grease traps, that convey SEWAGE shall be designed and installed as specified under ¶ 5-202.11(A).

5-402.11 Backflow Prevention.

(A) *Except as specified in ¶¶ (B) and (C) of this section, a direct connection may not exist between the SEWAGE system and a drain originating from EQUIPMENT in which FOOD, portable EQUIPMENT, or UTENSILS are placed.*^P

(B) *Paragraph (A) of this section does not apply to floor drains that originate in refrigerated spaces that are constructed as an integral part of the building.*

(C) *If allowed by LAW, a WAREWASHING machine or WAREWASHING sink may have a direct connection between its waste outlet and a floor drain when the machine or sink is located within 1.5 meters (5 feet) of a trapped floor drain and the machine or sink outlet is connected to the inlet side of a properly vented floor drain trap.*

location and placement

5-402.12 Grease Trap.

If used, a grease trap shall be located to be easily accessible for cleaning.

operation and maintenance

5-402.13 Conveying Sewage.

SEWAGE shall be conveyed to the point of disposal through an APPROVED sanitary SEWAGE system or other system, including use of SEWAGE transport vehicles, waste retention tanks, pumps, pipes, hoses, and connections that are constructed, maintained, and operated according to LAW and in such a way as to not cause an IMMINENT HEALTH HAZARD.^P

5-402.14 Removing Mobile Food Establishment Wastes.

SEWAGE and other liquid wastes shall be removed from a mobile FOOD ESTABLISHMENT at an APPROVED waste SERVICING AREA or by a SEWAGE transport vehicle in such a way that a public health HAZARD or nuisance is not created.^{Pf}

5-402.15 Flushing a Waste Retention Tank.

A tank for liquid waste retention shall be thoroughly flushed and drained in a sanitary manner during the servicing operation.

Disposal Facility – design and construction

5-403.11 Approved Sewage Disposal System.

SEWAGE shall be disposed through an APPROVED facility that is:

- (A) A public SEWAGE treatment plant;^P or
- (B) An individual SEWAGE disposal system that is sized, constructed, maintained, and operated according to LAW.^P

5-403.12 Other Liquid Wastes and Rainwater.

Condensate drainage and other nonSEWAGE liquids and rainwater shall be drained from point of discharge to disposal according to LAW.

5-5 Refuse, Recyclables, And Returnables

Subparts

5-501 Facilities on the Premises

5-502 Removal

5-503 Facilities for Disposal and Recycling

Facilities on the premises –

Materials, design, Construction, and Installation

5-501.10 Indoor Storage Area.

If located within the FOOD ESTABLISHMENT, a storage area for REFUSE, recyclables, and returnables shall meet the requirements specified under §§ 6-101.11, 6-201.11 - 6-201.18, 6-202.15, and 6-202.16.

5-501.11 Outdoor Storage Surface.

An outdoor storage surface for REFUSE, recyclables, and returnables shall be constructed of nonabsorbent material such as concrete or asphalt and shall be SMOOTH, durable, and sloped to drain.

5-501.12 Outdoor Enclosure.

If used, an outdoor enclosure for REFUSE, recyclables, and returnables shall be constructed of durable and cleanable materials.

5-501.13 Receptacles.

(A) *Except as specified in ¶ (B) of this section,* receptacles and waste handling units for REFUSE, recyclables, and returnables and for use with materials containing FOOD residue shall be durable, cleanable, insect- and rodent-resistant, leakproof, and nonabsorbent.

(B) *Plastic bags and wet strength paper bags may be used to line receptacles for storage inside the FOOD ESTABLISHMENT, or within closed outside receptacles.*

5-501.14 Receptacles in Food Vending Machines.

Except for a receptacle for BEVERAGE bottle crown closures, a REFUSE receptacle may not be located within a FOOD VENDING MACHINE.

5-501.15 Outside Receptacles.

(A) Receptacles and waste handling units for REFUSE, recyclables, and returnables used with materials containing FOOD residue and used outside the FOOD ESTABLISHMENT shall be designed and constructed to have tight-fitting lids, doors, or covers.

(B) Receptacles and waste handling units for REFUSE and recyclables such as an on-site compactor shall be installed so that accumulation of debris and insect and rodent attraction and harborage are minimized and effective cleaning is facilitated around and, if the unit is not installed flush with the base pad, under the unit.

numbers and capacities

5-501.16 Storage Areas, Rooms, and Receptacles, Capacity and Availability.

(A) An inside storage room and area and outside storage area and enclosure, and receptacles shall be of sufficient capacity to hold REFUSE, recyclables, and returnables that accumulate.

(B) A receptacle shall be provided in each area of the FOOD ESTABLISHMENT or PREMISES where REFUSE is generated or commonly discarded, or where recyclables or returnables are placed.

(C) If disposable towels are used at handwashing lavatories, a waste receptacle shall be located at each lavatory or group of adjacent lavatories.

5-501.17 Toilet Room Receptacle, Covered.

A toilet room used by females shall be provided with a covered receptacle for sanitary napkins.

5-501.18 Cleaning Implements and Supplies.

(A) *Except as specified in ¶ (B) of this section, suitable cleaning implements and supplies such as high pressure pumps, hot water, steam, and detergent shall be provided as necessary for effective cleaning of receptacles and waste handling units for REFUSE, recyclables, and returnables.*

(B) *If APPROVED, off-PREMISES-based cleaning services may be used if on-PREMISES cleaning implements and supplies are not provided.*

location and placement

5-501.19 Storage Areas, Redeeming Machines, Receptacles and Waste Handling Units, Location.

(A) An area designated for REFUSE, recyclables, returnables, and, *except as specified in ¶ (B) of this section*, a redeeming machine for recyclables or returnables shall be located so that it is separate from FOOD, EQUIPMENT, UTENSILS, LINENS, and SINGLE-SERVICE and SINGLE-USE ARTICLES and a public health HAZARD or nuisance is not created.

(B) *A redeeming machine may be located in the PACKAGED FOOD storage area or CONSUMER area of a FOOD ESTABLISHMENT if FOOD, EQUIPMENT, UTENSILS, LINENS, and SINGLE-SERVICE and SINGLE-USE ARTICLES are not subject to contamination from the machines and a public health HAZARD or nuisance is not created.*

(C) The location of receptacles and waste handling units for REFUSE, recyclables, and returnables may not create a public health HAZARD or nuisance or interfere with the cleaning of adjacent space.

operation and maintenance

5-501.110 Storing Refuse, Recyclables, and Returnables.

REFUSE, recyclables, and returnables shall be stored in receptacles or waste handling units so that they are inaccessible to insects and rodents.

5-501.111 Areas, Enclosures, and Receptacles, Good Repair.

Storage areas, enclosures, and receptacles for REFUSE, recyclables, and returnables shall be maintained in good repair.

5-501.112 Outside Storage Prohibitions.

(A) *Except as specified in ¶ (B) of this section*, REFUSE receptacles not meeting the requirements specified under ¶ 5-501.13(A) such as receptacles that are not rodent-resistant, unprotected plastic bags and paper bags, or baled units that contain materials with FOOD residue may not be stored outside.

(B) *Cardboard or other packaging material that does not contain FOOD residues and that is awaiting regularly scheduled delivery to a recycling or disposal site may be stored outside without being in a covered receptacle if it is stored so that it does not create a rodent harborage problem.*

5-501.113 Covering Receptacles.

Receptacles and waste handling units for REFUSE, recyclables, and returnables shall be kept covered:

(A) Inside the FOOD ESTABLISHMENT if the receptacles and units:

(1) Contain FOOD residue and are not in continuous use; or

(2) After they are filled; and

(B) With tight-fitting lids or doors if kept outside the FOOD ESTABLISHMENT.

5-501.114 Using Drain Plugs.

Drains in receptacles and waste handling units for REFUSE, recyclables, and returnables shall have drain plugs in place.

5-501.115 Maintaining Refuse Areas and Enclosures.

A storage area and enclosure for REFUSE, recyclables, or returnables shall be maintained free of unnecessary items, as specified under § 6-501.114, and clean.

5-501.116 Cleaning Receptacles.

(A) Receptacles and waste handling units for REFUSE, recyclables, and returnables shall be thoroughly cleaned in a way that does not contaminate FOOD, EQUIPMENT, UTENSILS, LINENS, or SINGLE-SERVICE and SINGLE-USE ARTICLES, and waste water shall be disposed of as specified under § 5-402.13.

(B) Soiled receptacles and waste handling units for REFUSE, recyclables, and returnables shall be cleaned at a frequency necessary to prevent them from developing a buildup of soil or becoming attractants for insects and rodents.

Removal

5-502.11 Frequency.

REFUSE, recyclables, and returnables shall be removed from the PREMISES at a frequency that will minimize the development of objectionable odors and other conditions that attract or harbor insects and rodents.

5-502.12 Receptacles or Vehicles.

REFUSE, recyclables, and returnables shall be removed from the PREMISES by way of:

- (A) Portable receptacles that are constructed and maintained according to LAW; or
- (B) A transport vehicle that is constructed, maintained, and operated according to LAW.

Facilities for Disposal and Recycling

5-503.11 Community or Individual Facility.

Solid waste not disposed of through the SEWAGE system such as through grinders and pulpers shall be recycled or disposed of in an APPROVED public or private community recycling or REFUSE facility; or solid waste shall be disposed of in an individual REFUSE facility such as a landfill or incinerator which is sized, constructed, maintained, and operated according to LAW.

Chapter 6 - Physical Facilities

Parts

- 6-1 MATERIALS FOR CONSTRUCTION AND REPAIR
- 6-2 DESIGN, CONSTRUCTION, AND INSTALLATION
- 6-3 NUMBERS AND CAPACITIES
- 6-4 LOCATION AND PLACEMENT
- 6-5 MAINTENANCE AND OPERATION

6-1 Materials for Construction and Repair

Subparts

- 6-101 Indoor Areas
- 6-102 Outdoor Areas

Indoor Areas

6-101.11 Surface Characteristics.

- (A) *Except as specified in ¶ (B) of this section, materials for indoor floor, wall, and ceiling surfaces under conditions of normal use shall be:*
 - (1) SMOOTH, durable, and EASILY CLEANABLE for areas where FOOD ESTABLISHMENT operations are conducted;
 - (2) Closely woven and EASILY CLEANABLE carpet for carpeted areas; and
 - (3) Nonabsorbent for areas subject to moisture such as FOOD preparation areas, walk-in refrigerators, WAREWASHING areas, toilet rooms, mobile FOOD ESTABLISHMENT SERVICING AREAS, and areas subject to flushing or spray cleaning methods.
- (B) *In a TEMPORARY FOOD ESTABLISHMENT:*
 - (1) *If graded to drain, a floor may be concrete, machine-laid asphalt, or dirt or gravel if it is covered with mats, removable platforms, duckboards, or other APPROVED materials that are effectively treated to control dust and mud; and*
 - (2) *Walls and ceilings may be constructed of a material that protects the interior from the weather and windblown dust and debris.*

Outdoor Areas

6-102.11 Surface Characteristics.

- (A) The outdoor walking and driving areas shall be surfaced with concrete, asphalt, or gravel or other materials that have been effectively treated to minimize dust, facilitate maintenance, and prevent muddy conditions.
- (B) Exterior surfaces of buildings and mobile FOOD ESTABLISHMENTS shall be of weather-resistant materials and shall comply with LAW.

- (C) Outdoor storage areas for REFUSE, recyclables, or returnables shall be of materials specified under §§ 5-501.11 and 5-501.12.

6-2 Design, Construction, and Installation

Subparts

- 6-201 Cleanability**
- 6-202 Functionality**

Cleanability

6-201.11 Floors, Walls, and Ceilings.

Except as specified under § 6-201.14 and except for antislip floor coverings or applications that may be used for safety reasons, floors, floor coverings, walls, wall coverings, and ceilings shall be designed, constructed, and installed so they are SMOOTH and EASILY CLEANABLE.

6-201.12 Floors, Walls, and Ceilings, Utility Lines.

- (A) Utility service lines and pipes may not be unnecessarily exposed.
- (B) Exposed utility service lines and pipes shall be installed so they do not obstruct or prevent cleaning of the floors, walls, or ceilings.
- (C) Exposed horizontal utility service lines and pipes may not be installed on the floor.

6-201.13 Floor and Wall Junctures, Coved, and Enclosed or Sealed.

- (A) In FOOD ESTABLISHMENTS in which cleaning methods other than water flushing are used for cleaning floors, the floor and wall junctures shall be coved and closed to no larger than 1 mm (one thirty-second inch).
- (B) The floors in FOOD ESTABLISHMENTS in which water flush cleaning methods are used shall be provided with drains and be graded to drain, and the floor and wall junctures shall be coved and SEALED.

6-201.14 Floor Carpeting, Restrictions and Installation.

- (A) A floor covering such as carpeting or similar material may not be installed as a floor covering in FOOD preparation areas, walk-in refrigerators, WAREWASHING areas, toilet room areas where handwashing lavatories, toilets, and urinals are located, REFUSE storage rooms, or other areas where the floor is subject to moisture, flushing, or spray cleaning methods.
- (B) If carpeting is installed as a floor covering in areas other than those specified under ¶ (A) of this section, it shall be:
 - (1) Securely attached to the floor with a durable mastic, by using a stretch and tack method, or by another method; and

- (2) Installed tightly against the wall under the coving or installed away from the wall with a space between the carpet and the wall and with the edges of the carpet secured by metal stripping or some other means.

6-201.15 Floor Covering, Mats and Duckboards.

Mats and duckboards shall be designed to be removable and EASILY CLEANABLE.

6-201.16 Wall and Ceiling Coverings and Coatings.

(A) Wall and ceiling covering materials shall be attached so that they are EASILY CLEANABLE.

(B) *Except in areas used only for dry storage*, concrete, porous blocks, or bricks used for indoor wall construction shall be finished and SEALED to provide a SMOOTH, nonabsorbent, EASILY CLEANABLE surface.

6-201.17 Walls and Ceilings, Attachments.

(A) *Except as specified in ¶ (B) of this section*, attachments to walls and ceilings such as light fixtures, mechanical room ventilation system components, vent covers, wall mounted fans, decorative items, and other attachments shall be EASILY CLEANABLE.

(B) *In a CONSUMER area, wall and ceiling surfaces and decorative items and attachments that are provided for ambiance need not meet this requirement if they are kept clean.*

6-201.18 Walls and Ceilings, Studs, Joists, and Rafters.

Except for TEMPORARY FOOD ESTABLISHMENTS, studs, joists, and rafters may not be exposed in areas subject to moisture.

Functionality

6-202.11 Light Bulbs, Protective Shielding.

(A) *Except as specified in ¶ (B) of this section*, light bulbs shall be shielded, coated, or otherwise shatter-resistant in areas where there is exposed FOOD; clean EQUIPMENT, UTENSILS, and LINENS; or unwrapped SINGLE-SERVICE and SINGLE-USE ARTICLES.

(B) *Shielded, coated, or otherwise shatter-resistant bulbs need not be used in areas used only for storing FOOD in unopened packages, if:*

(1) *The integrity of the packages cannot be affected by broken glass falling onto them; and*

(2) *The packages are capable of being cleaned of debris from broken bulbs before the packages are opened.*

(C) An infrared or other heat lamp shall be protected against breakage by a shield surrounding and extending beyond the bulb so that only the face of the bulb is exposed.

6-202.12 Heating, Ventilating, Air Conditioning System Vents.

Heating, ventilating, and air conditioning systems shall be designed and installed so that make-up air intake and exhaust vents do not cause contamination of FOOD, FOOD-CONTACT SURFACES, EQUIPMENT, or UTENSILS.

6-202.13 Insect Control Devices, Design and Installation.

- (A) Insect control devices that are used to electrocute or stun flying insects shall be designed to retain the insect within the device.
- (B) Insect control devices shall be installed so that:
 - (1) The devices are not located over a FOOD preparation area; and
 - (2) Dead insects and insect fragments are prevented from being impelled onto or falling on exposed FOOD; clean EQUIPMENT, UTENSILS, and LINENS; and unwrapped SINGLE-SERVICE and SINGLE-USE ARTICLES.

6-202.14 Toilet Rooms, Enclosed.

Except where a toilet room is located outside a FOOD ESTABLISHMENT and does not open directly into the FOOD ESTABLISHMENT, such as a toilet room that is provided by the management of a shopping mall, a toilet room located on the PREMISES shall be completely enclosed and provided with a tight-fitting and self-closing door.

6-202.15 Outer Openings, Protected.

- (A) *Except as specified in ¶¶ (B), (C), and (E) and under ¶ (D) of this section, outer openings of a FOOD ESTABLISHMENT shall be protected against the entry of insects and rodents by:*
 - (1) Filling or closing holes and other gaps along floors, walls, and ceilings;
 - (2) Closed, tight-fitting windows; and
 - (3) Solid, self-closing, tight-fitting doors.
- (B) *Paragraph (A) of this section does not apply if a FOOD ESTABLISHMENT opens into a larger structure, such as a mall, airport, or office building, or into an attached structure, such as a porch, and the outer openings from the larger or attached structure are protected against the entry of insects and rodents.*
- (C) *Exterior doors used as exits need not be self-closing if they are:*
 - (1) *Solid and tight-fitting;*
 - (2) *Designated for use only when an emergency exists, by the fire protection authority that has jurisdiction over the FOOD ESTABLISHMENT; and*
 - (3) *Limited-use so they are not used for entrance or exit from the building for purposes other than the designated emergency exit use.*

(D) *Except as specified in ¶¶ (B) and (E) of this section, if the windows or doors of a FOOD ESTABLISHMENT, or of a larger structure within which a FOOD ESTABLISHMENT is located, are kept open for ventilation or other purposes or a TEMPORARY FOOD ESTABLISHMENT is not provided with windows and doors as specified under ¶ (A) of this section, the openings shall be protected against the entry of insects and rodents by:*

- (1) 16 mesh to 25.4 mm (16 mesh to 1 inch) screens;
- (2) Properly designed and installed air curtains to control flying insects; or
- (3) Other effective means.

(E) *Paragraph (D) of this section does not apply if flying insects and other pests are absent due to the location of the ESTABLISHMENT, the weather, or other limiting condition.*

6-202.16 Exterior Walls and Roofs, Protective Barrier.

Perimeter walls and roofs of a FOOD ESTABLISHMENT shall effectively protect the establishment from the weather and the entry of insects, rodents, and other animals.

6-202.17 Outdoor Food Vending Areas, Overhead Protection.

Except for machines that vend canned BEVERAGES, if located outside, a machine used to vend FOOD shall be provided with overhead protection.

6-202.18 Outdoor Servicing Areas, Overhead Protection.

Except for areas used only for the loading of water or the discharge of SEWAGE and other liquid waste, through the use of a closed system of hoses, SERVICING AREAS shall be provided with overhead protection.

6-202.19 Outdoor Walking and Driving Surfaces, Graded to Drain.

Exterior walking and driving surfaces shall be graded to drain.

6-202.110 Outdoor Refuse Areas, Curbed and Graded to Drain.

Outdoor REFUSE areas shall be constructed in accordance with LAW and shall be curbed and graded to drain to collect and dispose of liquid waste that results from the REFUSE and from cleaning the area and waste receptacles.

6-202.111 Private Homes and Living or Sleeping Quarters, Use Prohibition.

A private home, a room used as living or sleeping quarters, or an area directly opening into a room used as living or sleeping quarters may not be used for conducting FOOD ESTABLISHMENT operations.^P

6-202.112 Living or Sleeping Quarters, Separation.

Living or sleeping quarters located on the PREMISES of a FOOD ESTABLISHMENT such as those provided for lodging registration clerks or resident managers shall be separated from rooms and areas used for FOOD ESTABLISHMENT operations by complete partitioning and solid self-closing doors.

6-3 Numbers and Capacities

Subparts

6-301 Handwashing Sinks

6-302 Toilets

6-303 Lighting

6-304 Ventilation

6-305 Dressing Areas and Lockers 6-306 Service Sinks

Handwashing Sinks

6-301.10 Minimum Number.

HANDWASHING SINKS shall be provided as specified under § 5-203.11.

6-301.11 Handwashing Cleanser, Availability.

Each HANDWASHING SINK or group of 2 adjacent HANDWASHING SINKS shall be provided with a supply of hand cleaning liquid, powder, or bar soap.^{Pf}

6-301.12 Hand Drying Provision.

Each HANDWASHING SINK or group of adjacent HANDWASHING SINKS shall be provided with:

- (A) Individual, disposable towels;^{Pf}
- (B) A continuous towel system that supplies the user with a clean towel;^{Pf}
- (C) A heated-air hand drying device;^{Pf} or
- (D) A hand drying device that employs an air-knife system that delivers high velocity, pressurized air at ambient temperatures.^{Pf}

6-301.13 Handwashing Aids and Devices, Use Restrictions.

A sink used for FOOD preparation or UTENSIL washing, or a service sink or curbed cleaning facility used for the disposal of mop water or similar wastes, may not be provided with the handwashing aids and devices required for a HANDWASHING SINK as specified under §§ 6-301.11 and 6-301.12 and ¶ 5-501.16(C).

6-301.14 Handwashing Signage.

A sign or poster that notifies FOOD EMPLOYEES to wash their hands shall be provided at all HANDWASHING SINKS used by FOOD EMPLOYEES and shall be clearly visible to FOOD EMPLOYEES.

6-301.20 Disposable Towels, Waste Receptacle.

A HANDWASHING SINK or group of adjacent HANDWASHING SINKS that is provided with disposable towels shall be provided with a waste receptacle as specified under ¶ 5-501.16(C).

Toilets

6-302.10 Minimum Number.

Toilets shall be provided as specified under § 5-203.12.

6-302.11 Toilet Tissue, Availability.

A supply of toilet tissue shall be available at each toilet. ^{Pf}

Lighting

6-303.11 Intensity.

The light intensity shall be:

(A) At least 108 lux (10 foot candles) at a distance of 75 cm (30 inches) above the floor, in walk-in refrigeration units and dry FOOD storage areas and in other areas and rooms during periods of cleaning;

(B) At least 215 lux (20 foot candles):

(1) At a surface where FOOD is provided for CONSUMER self-service such as buffets and salad bars or where fresh produce or PACKAGED FOODS are sold or offered for consumption,

(2) Inside EQUIPMENT such as reach-in and under-counter refrigerators; and

(3) At a distance of 75 cm (30 inches) above the floor in areas used for handwashing, WAREWASHING, and EQUIPMENT and UTENSIL storage, and in toilet rooms; and

(C) At least 540 lux (50 foot candles) at a surface where a FOOD EMPLOYEE is working with FOOD or working with UTENSILS or EQUIPMENT such as knives, slicers, grinders, or saws where EMPLOYEE safety is a factor.

Ventilation

6-304.11 Mechanical.

If necessary to keep rooms free of excessive heat, steam, condensation, vapors, obnoxious odors, smoke, and fumes, mechanical ventilation of sufficient capacity shall be provided.

Dressing Areas and lockers

6-305.11 Designation.

- (A) Dressing rooms or dressing areas shall be designated if EMPLOYEES routinely change their clothes in the establishment.
- (B) Lockers or other suitable facilities shall be provided for the orderly storage of EMPLOYEES' clothing and other possessions.

Service Sinks

6-306.10 Availability.

A service sink or curbed cleaning facility shall be provided as specified under ¶ 5-203.13(A).

6-4 Location and Placement

Subparts

- 6-401 Handwashing Sinks**
- 6-402 Toilet Rooms**
- 6-403 Employee Accommodations**
- 6-404 Distressed Merchandise**
- 6-405 Refuse, Recyclables, and Returnables**

Handwashing sinks

6-401.10 Conveniently Located.

HANDWASHING SINKS shall be conveniently located as specified under § 5-204.11.

Toilet Rooms

6-402.11 Convenience and Accessibility.

Toilet rooms shall be conveniently located and accessible to EMPLOYEES during all hours of operation.

Employee Accommodations

6-403.11 Designated Areas.

- (A) Areas designated for EMPLOYEES to eat, drink, and use tobacco shall be located so that FOOD, EQUIPMENT, LINENS, and SINGLE-SERVICE and SINGLE-USE ARTICLES are protected from contamination.
- (B) Lockers or other suitable facilities shall be located in a designated room or area where contamination of FOOD, EQUIPMENT, UTENSILS, LINENS, and SINGLE-SERVICE and SINGLE-USE ARTICLES cannot occur.

Distressed Merchandise

6-404.11 Segregation and Location.

Products that are held by the LICENSEE for credit, redemption, or return to the distributor, such as damaged, spoiled, or recalled products, shall be segregated and held in designated areas that are separated from FOOD, EQUIPMENT, UTENSILS, LINENS, and SINGLE-SERVICE and SINGLE-USE ARTICLES.^{Pf}

Refuse, Recyclables, and Returnables

6-405.10 Receptacles, Waste Handling Units, and Designated Storage Areas.

Units, receptacles, and areas designated for storage of REFUSE and recyclable and returnable containers shall be located as specified under § 5-501.19.

6-5 Maintenance and Operation

Subpart

6-501 Premises, Structures, Attachments, and Fixtures - Methods

6-501.11 Repairing.

PHYSICAL FACILITIES shall be maintained in good repair.

6-501.12 Cleaning, Frequency and Restrictions.

- (A) PHYSICAL FACILITIES shall be cleaned as often as necessary to keep them clean.
- (B) *Except for cleaning that is necessary due to a spill or other accident, cleaning shall be done during periods when the least amount of FOOD is exposed such as after closing.*

6-501.13 Cleaning Floors, Dustless Methods.

- (A) *Except as specified in ¶ (B) of this section, only dustless methods of cleaning shall be used, such as wet cleaning, vacuum cleaning, mopping with treated dust mops, or sweeping using a broom and dust-arresting compounds.*
- (B) *Spills or drippage on floors that occur between normal floor cleaning times may be cleaned:*
 - (1) *Without the use of dust-arresting compounds; and*
 - (2) *In the case of liquid spills or drippage, with the use of a small amount of absorbent compound such as sawdust or diatomaceous earth applied immediately before spot cleaning.*

6-501.14 Cleaning Ventilation Systems, Nuisance and Discharge Prohibition.

- (A) Intake and exhaust air ducts shall be cleaned and filters changed so they are not a source of contamination by dust, dirt, and other materials.
- (B) If vented to the outside, ventilation systems may not create a public health HAZARD or nuisance or unLAWful discharge.

6-501.15 Cleaning Maintenance Tools, Preventing Contamination.

FOOD preparation sinks, HANDWASHING SINKS, and WAREWASHING EQUIPMENT may not be used for the cleaning of maintenance tools, the preparation or holding of maintenance materials, or the disposal of mop water and similar liquid wastes.^{Pf}

6-501.16 Drying Mops.

After use, mops shall be placed in a position that allows them to air-dry without soiling walls, EQUIPMENT, or supplies.

6-501.17 Absorbent Materials on Floors, Use Limitation.

Except as specified in ¶ 6-501.13(B), sawdust, wood shavings, granular salt, baked clay, diatomaceous earth, or similar materials may not be used on floors.

6-501.18 Cleaning of Plumbing Fixtures.

PLUMBING FIXTURES such as HANDWASHING SINKS, toilets, and urinals shall be cleaned as often as necessary to keep them clean.

6-501.19 Closing Toilet Room Doors.

Except during cleaning and maintenance operations, toilet room doors as specified under § 6-202.14 shall be kept closed.

6-501.110 Using Dressing Rooms and Lockers.

- (A) Dressing rooms shall be used by EMPLOYEES if the EMPLOYEES regularly change their clothes in the establishment.
- (B) Lockers or other suitable facilities shall be used for the orderly storage of EMPLOYEE clothing and other possessions.

6-501.111 Controlling Pests.

- (A) The PREMISES shall be maintained free of insects, rodents, and other pests.^P
- (B) The presence of insects, rodents, and other pests shall be controlled to eliminate their presence on the PREMISES by:
 - (1) Routinely inspecting incoming shipments of FOOD and supplies;
 - (2) Routinely inspecting the PREMISES for evidence of pests;

- (3) Using methods, if evidence of pests is found, such as trapping devices or other means of pest control as specified under §§ 7-202.12, 7-206.12, and 7-206.13;^{Pf} and
- (4) Eliminating harborage conditions.

6-501.112 Removing Dead or Trapped Birds, Insects, Rodents, and Other Pests.

Dead or trapped birds, insects, rodents, and other pests shall be removed from control devices and the PREMISES at a frequency that prevents their accumulation, decomposition, or the attraction of pests.

6-501.113 Storing Maintenance Tools.

Maintenance tools such as brooms, mops, vacuum cleaners, and similar items shall be:

- (A) Stored so they do not contaminate FOOD, EQUIPMENT, UTENSILS, LINENS, and SINGLE-SERVICE and SINGLE-USE ARTICLES; and
- (B) Stored in an orderly manner that facilitates cleaning the area used for storing the maintenance tools.

6-501.114 Maintaining Premises, Unnecessary Items and Litter.

The PREMISES shall be free of:

- (A) Items that are unnecessary to the operation or maintenance of the establishment such as EQUIPMENT that is nonfunctional or no longer used; and
- (B) Litter.

6-501.115 Prohibiting Animals.

(A) *Except as specified in ¶¶ (B), (C), and (D) of this section, live animals may not be allowed on the PREMISES of a FOOD ESTABLISHMENT.* ^{Pf}

(B) *Live animals may be allowed in the following situations if the contamination of FOOD; clean EQUIPMENT, UTENSILS, and LINENS; and unwrapped SINGLE-SERVICE and SINGLE-USE ARTICLES cannot result:*

- (1) *Edible FISH or decorative FISH in aquariums, shellfish or crustacea on ice or under refrigeration, and shellfish and crustacea in display tank systems;*
- (2) *Patrol dogs accompanying police or security officers in offices and dining, sales, and storage areas, and sentry dogs running loose in outside fenced areas;*
- (3) *In areas that are not used for FOOD preparation and that are usually open for customers, such as dining and sales areas, SERVICE ANIMALS that are controlled by the disabled EMPLOYEE or PERSON, if a health or safety HAZARD will not result from the presence or activities of the SERVICE ANIMAL;*
- (4) *Pets in the common dining areas of institutional care facilities such as nursing homes, assisted living facilities, group homes, or residential care facilities at times other than during meals if:*

- (a) *Effective partitioning and self-closing doors separate the common dining areas from FOOD storage or FOOD preparation areas,*
- (b) *Condiments, EQUIPMENT, and UTENSILS are stored in enclosed cabinets or removed from the common dining areas when pets are present, and*
- (c) *Dining areas including tables, countertops, and similar surfaces are effectively cleaned before the next meal service; and*
- (5) *In areas that are not used for FOOD preparation, storage, sales, display, or dining, in which there are caged animals or animals that are similarly confined, such as in a variety store that sells pets or a tourist park that displays animals.*
- (C) *Live or dead FISH bait may be stored if contamination of FOOD; clean EQUIPMENT, UTENSILS, and LINENS; and unwrapped SINGLE-SERVICE and SINGLE-USE ARTICLES cannot result.*
- (D) *Dogs that are not SERVICE ANIMALS may be allowed in exterior dining areas of FOOD ESTABLISHMENTS, and are not required to be leashed, if:*
 - (1) *The food establishment has a written plan describing the processes and procedures in place to prevent food contamination from on-premises dogs;*
 - (2) *Dogs are under handler control, are well-behaved, and respond to handler commands;*
 - (3) *Dogs are not allowed on dining surfaces such as tables, bars, and countertops;*
 - (4) *Dogs are not fed or watered from any FOOD ESTABLISHMENT UTENSILS such as to plates, bowls, and flatware with the exception of SINGLE-SERVICE ITEMS that are disposed of immediately following use;*
 - (5) *An area outside of the FOOD ESTABLISHMENT is designated for dog urination and defecation;*
- (6) *EMPLOYEES wash their hands after dog-contact of any kind as specified under Subpart 2-301; and*
- (7) *Written plans addressing each element of ¶ (D) of this section are posted next to the food establishment license in the establishment, EMPLOYEES of the establishment are trained on the plan, and the plan is made available to the REGULATORY AUTHORITY upon request.*

Chapter 7 - Poisonous or Toxic Materials

Parts

- 7-1 LABELING AND IDENTIFICATION
- 7-2 OPERATIONAL SUPPLIES AND APPLICATIONS
- 7-3 STOCK AND RETAIL SALE

7-1 Labeling and Identification

Subparts

- 7-101 Original Containers
- 7-102 Working Containers

Original Containers

7-101.11 Identifying Information, Prominence.

Containers of POISONOUS OR TOXIC MATERIALS and PERSONAL CARE ITEMS shall bear a legible manufacturer's label. ^{Pf}

Working Containers

7-102.11 Common Name.

Working containers used for storing POISONOUS OR TOXIC MATERIALS such as cleaners and SANITIZERS taken from bulk supplies shall be clearly and individually identified with the common name of the material. ^{Pf}

7-2 Operational Supplies, Stock, Retail Sales, and Applications

Subparts

- 7-201 Storage
- 7-202 Presence and Use
- 7-203 Container Prohibitions
- 7-204 Chemicals
- 7-205 Lubricants
- 7-206 Pesticides
- 7-207 Medicines
- 7-208 First Aid Supplies
- 7-209 Other Personal Care Items

Storage

7-201.11 Separation.

POISONOUS OR TOXIC MATERIALS shall be stored, held for use, and displayed for retail sale so they cannot contaminate FOOD, EQUIPMENT, UTENSILS, LINENS, and SINGLE-SERVICE and SINGLE-USE ARTICLES by:

- (A) Separating the POISONOUS OR TOXIC MATERIALS by spacing or partitioning; ^P and
- (B) Locating the POISONOUS OR TOXIC MATERIALS in an area that is not above FOOD, EQUIPMENT, UTENSILS, LINENS, and SINGLE-SERVICE or SINGLE-USE ARTICLES. *This paragraph does not apply to EQUIPMENT and UTENSIL cleaner and SANITIZERS that are stored in WAREWASHING areas for availability and convenience if the materials are stored to prevent contamination of FOOD, EQUIPMENT, UTENSILS, LINENS, and SINGLE-SERVICE and SINGLE-USE ARTICLES.* ^P

Presence and Use

7-202.11 Restriction.

- (A) Only those POISONOUS OR TOXIC MATERIALS that are required for the operation and maintenance of a FOOD ESTABLISHMENT, such as for the cleaning and SANITIZING of EQUIPMENT and UTENSILS and for the control of insects and rodents, shall be allowed in a FOOD ESTABLISHMENT. ^{Pf}
- (B) *Paragraph (A) of this section does not apply to PACKAGED POISONOUS OR TOXIC MATERIALS that are for retail sale.*

7-202.12 Conditions of Use.

POISONOUS OR TOXIC MATERIALS shall be:

- (A) Used according to:
 - (1) LAW and this Code,
 - (2) Manufacturer's use directions included in labeling, and, for a pesticide, manufacturer's label instructions that state that use is allowed in a FOOD ESTABLISHMENT, ^P
 - (3) The conditions of certification, if certification is required, for use of the pest control materials, ^P and
 - (4) Additional conditions that may be established by the REGULATORY AUTHORITY; and
- (B) Applied so that:
 - (1) A HAZARD to EMPLOYEES or other PERSONS is not constituted, ^P and
 - (2) Contamination including toxic residues due to drip, drain, fog, splash or spray on FOOD, EQUIPMENT, UTENSILS, LINENS, and SINGLE-SERVICE and SINGLE-USE ARTICLES is prevented by following manufacturer's use directions and: ^P
 - (a) Removing the items, ^P
 - (b) Covering the items with impermeable covers, ^P or
 - (c) Taking other appropriate preventive actions, ^P and

(d) Cleaning and SANITIZING EQUIPMENT and UTENSILS after the application.^P

(C) A RESTRICTED USE PESTICIDE shall be applied only by a certified applicator as defined in K.S.A. 2-2438a or a PERSON under the direct supervision of a certified applicator.^P

Container Prohibition

7-203.11 Poisonous or Toxic Material Containers.

A container previously used to store POISONOUS OR TOXIC MATERIALS may not be used to store, transport, or dispense FOOD, EQUIPMENT, UTENSILS, LINENS, and SINGLE-SERVICE or SINGLE-USE ARTICLES.^P

Chemicals

7-204.11 Sanitizers, Criteria.

Chemical SANITIZERS, including chemical sanitizing solutions generated on-site, and other chemical antimicrobials applied to FOOD-CONTACT SURFACES shall:

(A) Meet the requirements specified in 40 CFR 180.940 Tolerance exemptions for active and inert ingredients for use in antimicrobial formulations (food-contact surface sanitizing solutions)^P, or

(B) Meet the requirements specified in 40 CFR 180.2020 Pesticide Chemicals Not Requiring a Tolerance or Exemption from Tolerance-Non-food determinations.^P

7-204.12 Chemicals for Washing, Treatment, Storage and Processing Fruits and Vegetables, Criteria.

Chemicals, including those generated on-site, used to wash or peel raw, whole fruits and vegetables or used in the treatment, storage, and processing of fruits and vegetables shall:

(A) Be an approved food additive listed for this intended use in 21 CFR 173 Secondary Direct Food Additives Permitted in Food for Human Consumption,^P

(B) Be generally recognized as safe (GRAS) for this intended use,^P

(C) Be the subject of an effective food contact notification for this intended use (only effective for the manufacturer or supplier identified in the notification),^P and

(D) Meet the requirements in 40 CFR 156 Labeling Requirements for Pesticides and Devices

7-204.13 Boiler Water Additives, Criteria.

Chemicals used as boiler water ADDITIVES shall meet the requirements specified in 21 CFR 173.310 Boiler water additives.^P

7-204.14 Drying Agents, Criteria.

Drying agents used in conjunction with SANITIZATION shall:

- (A) Contain only components that are listed as one of the following:
- (1) Generally recognized as safe for use in FOOD as specified in 21 CFR 182 - Substances Generally Recognized as Safe, or 21 CFR 184 - Direct Food Substances Affirmed as Generally Recognized as Safe,^P
 - (2) Generally recognized as safe for the intended use as specified in 21 CFR 186 - Indirect Food Substances Affirmed as Generally Recognized as Safe,^P
 - (3) APPROVED for use as a drying agent under a prior sanction specified in 21 CFR 181 - Prior-Sanctioned Food Ingredients,^P
 - (4) Specifically regulated as an indirect FOOD ADDITIVE for use as a drying agent as specified in 21 CFR Parts 175-178,^P or
 - (5) APPROVED for use as a drying agent under the threshold of regulation process established by 21 CFR 170.39 Threshold of regulation for substances used in food-contact articles;^P and
- (B) When SANITIZATION is with chemicals, the APPROVAL required under Subparagraph (A)(3) or (A)(5) of this section or the regulation as an indirect FOOD ADDITIVE required under Subparagraph (A)(4) of this section, shall be specifically for use with chemical SANITIZING solutions.^P

Lubricants

7-205.11 Incidental Food Contact, Criteria.

Lubricants shall meet the requirements specified in 21 CFR 178.3570 Lubricants with incidental food contact, if they are used on FOOD-CONTACT SURFACES, on bearings and gears located on or within FOOD-CONTACT SURFACES, or on bearings and gears that are located so that lubricants may leak, drip, or be forced into FOOD or onto FOOD-CONTACT SURFACES.^P

Pesticides

7-206.11 Restricted Use Pesticides, Criteria.

RESTRICTED USE PESTICIDES specified under ¶ 7-202.12(C) shall meet the requirements specified in 40 CFR 152 Subpart I - Classification of Pesticides.^P

7-206.12 Rodent Bait Stations.

Except when placed according to manufacturer's use directions in indoor areas that are not accessible to children under the age of 15, rodent bait shall be contained in a covered, tamper-resistant bait station.^P

7-206.13 Tracking Powders, Pest Control and Monitoring.

- (A) *Except as specified in ¶ (B) of this section, a tracking powder pesticide may not be used in a FOOD ESTABLISHMENT.*^P
- (B) If used, a nontoxic tracking powder such as talcum or flour may not contaminate FOOD, EQUIPMENT, UTENSILS, LINENS, and SINGLE-SERVICE and SINGLE-USE ARTICLES.

Medicines

7-207.11 Restriction and Storage.

- (A) *Except for medicines that are stored or displayed for retail sale, only those medicines that are necessary for the health of EMPLOYEES shall be allowed in a FOOD ESTABLISHMENT.*^{Pf}
- (B) Medicines that are in a FOOD ESTABLISHMENT for the EMPLOYEES' use shall be labeled as specified under § 7-101.11 and located to prevent the contamination of FOOD, EQUIPMENT, UTENSILS, LINENS, and SINGLE-SERVICE and SINGLE-USE ARTICLES.^P

7-207.12 Refrigerated Medicines, Storage.

Medicines belonging to EMPLOYEES or to children in a day care center that require refrigeration and are stored in a FOOD refrigerator shall be:

- (A) Stored in a package or container and kept inside a covered, leakproof container that is identified as a container for the storage of medicines;^P and
- (B) Located so they are inaccessible to children.^P

First Aid Supplies

7-208.11 Storage.

First aid supplies that are in a FOOD ESTABLISHMENT for the EMPLOYEES' use shall be:

- (A) Labeled as specified under § 7-101.11;^{Pf} and
- (B) Stored in a kit or a container that is located to prevent the contamination of FOOD, EQUIPMENT, UTENSILS, and LINENS, and SINGLE-SERVICE and SINGLE-USE ARTICLES.^P

Other Personal Care Items

7-209.11 Storage.

Except as specified under §§ 7-207.12 and 7-208.11, EMPLOYEES shall store their PERSONAL CARE ITEMS in facilities as specified under ¶ 6-305.11(B).

Chapter 8 - Compliance and Enforcement

Parts

- 8-1 CODE APPLICABILITY
- 8-2 PLAN SUBMISSION AND APPROVAL
- 8-3 LICENSE TO OPERATE
- 8-4 INSPECTION AND CORRECTION OF VIOLATIONS
- 8-5 PREVENTION OF FOODBORNE DISEASE TRANSMISSION BY EMPLOYEES

8-1 Code Applicability

Subparts

- 8-102 Additional Requirements
- 8-103 Variances

Additional Requirements

8-102.10 Preventing Health Hazards, Provision for Conditions Not Addressed.

If necessary to protect against public health HAZARDS or nuisances, the REGULATORY AUTHORITY may impose specific requirements in addition to the requirements contained in this Code that are authorized by LAW.

Variances

8-103.10 Modifications and Waivers.

The REGULATORY AUTHORITY may grant a VARIANCE by modifying or waiving the requirements of this Code if in the opinion of the REGULATORY AUTHORITY a health HAZARD or nuisance will not result from the VARIANCE.

8-103.11 Documentation of Proposed Variance and Justification.

Before a VARIANCE from a requirement of this Code is APPROVED, the information that shall be provided by the PERSON requesting the VARIANCE includes:

- (A) A statement of the proposed VARIANCE of the Code requirement citing relevant Code section numbers;^{Pf}
- (B) An analysis of the rationale for how the potential public health HAZARDS and nuisances addressed by the relevant Code sections will be alternatively addressed by the proposal;^{Pf} and
- (C) A HACCP PLAN if required as specified under ¶ 8-201.13(A) that includes the information specified under § 8-201.14 as it is relevant to the VARIANCE requested.^{Pf}

8-103.12 Conformance with Approved Procedures.

If the REGULATORY AUTHORITY grants a VARIANCE as specified in § 8-103.10, or a HACCP PLAN is otherwise required as specified under § 8-201.13, the LICENSEE shall:

- (A) Comply with the HACCP PLANS and procedures that are submitted as specified under § 8-201.14 and APPROVED as a basis for the modification or waiver; ^{Pf} and
- (B) Maintain and provide to the REGULATORY AUTHORITY, upon request, records specified under §§ 8-201.14(D) and (E)(3) that demonstrate that the following are routinely employed;
 - (1) Procedures for monitoring the CRITICAL CONTROL POINTS, ^{Pf}
 - (2) Monitoring of the CRITICAL CONTROL POINTS, ^{Pf}
 - (3) Verification of the effectiveness of the operation or process, ^{Pf} and
 - (4) Necessary corrective actions if there is failure at a CRITICAL CONTROL POINT. ^{Pf}

8-2 Plan Submission and Approval

Subparts

8-201 Facility and Operating Plans 8-202 Confidentiality

Facility and Operating Plans

8-201.11 When Plans Are Required.

- (A) A LICENSE applicant or LICENSEE shall submit to the REGULATORY AUTHORITY properly prepared plans and specifications for review and APPROVAL before:
 - (1) The construction of a FOOD ESTABLISHMENT; ^{Pf}
 - (2) The conversion of an existing structure for use as a FOOD ESTABLISHMENT; ^{Pf} or
 - (3) The remodeling of a FOOD ESTABLISHMENT or a change of type of FOOD ESTABLISHMENT or FOOD operation if the REGULATORY AUTHORITY determines that plans and specifications are necessary to ensure compliance with this Code. ^{Pf}
- (B) *APPROVAL of plans by the regulatory authority shall not negate the liability of the applicant to comply with the requirements of these regulations.*

8-201.12 Contents of the Plans and Specifications.

The plans and specifications for a FOOD ESTABLISHMENT, including a FOOD ESTABLISHMENT specified under § 8-201.13, shall include, as required by the REGULATORY AUTHORITY based on the type of operation, type of FOOD preparation, and FOODS prepared, the following information to demonstrate conformance with Code provisions:

- (A) Intended menu;
- (B) Anticipated volume of FOOD to be stored, prepared, and sold or served;

- (C) Proposed layout, mechanical schematics, construction materials, and finish schedules;
- (D) Proposed EQUIPMENT types, manufacturers, model numbers, locations, dimensions, performance capacities, and installation specifications;
- (E) Evidence that standard procedures that ensure compliance with the requirements of this Code are developed or are being developed; and
- (F) Other information that may be required by the REGULATORY AUTHORITY for the proper review of the proposed construction, conversion or modification, and procedures for operating a FOOD ESTABLISHMENT.

8-201.13 When a HACCP Plan is Required.

- (A) Before engaging in an activity that requires a HACCP PLAN, a LICENSE applicant or LICENSEE shall submit to the REGULATORY AUTHORITY for APPROVAL a properly prepared HACCP PLAN as specified under § 8-201.14 and the relevant provisions of this Code if:
 - (1) Submission of a HACCP PLAN is required according to LAW;
 - (2) A VARIANCE is required as specified under Subparagraph 3-401.11(D)(4), § 3- 502.11, or ¶ 4-204.110(B);
 - (3) The REGULATORY AUTHORITY determines that a FOOD preparation or processing method requires a VARIANCE based on a plan submittal specified under § 8-201.12, an inspectional finding, or a VARIANCE request.
- (B) Before engaging in REDUCED OXYGEN PACKAGING without a VARIANCE as specified under § 3-502.12, a LICENSE applicant or LICENSEE shall submit a properly prepared HACCP PLAN to the REGULATORY AUTHORITY.

8-201.14 Contents of a HACCP Plan.

For a FOOD ESTABLISHMENT that is required under § 8-201.13 to have a HACCP PLAN, the LICENSE applicant or LICENSEE shall submit to the REGULATORY AUTHORITY a properly prepared HACCP PLAN that includes:

- (A) General information such as the name of the LICENSE applicant or LICENSEE, the FOOD ESTABLISHMENT address, and contact information;
- (B) A categorization of the types of TIME/TEMPERATURE CONTROL FOR SAFETY FOODS that are to be controlled under the HACCP PLAN; Pf
- (C) A flow diagram or chart for each specific FOOD or category type that identifies:
 - (1) Each step in the process; Pf
 - (2) The HAZARDS and controls for each step in the flow diagram or chart; Pf
 - (3) The steps that are CRITICAL CONTROL POINTS; Pf
 - (4) The ingredients, materials, and EQUIPMENT used in the preparation of that FOOD, Pf
 - (5) Formulations or recipes that delineate methods and procedural control measures that address the FOOD safety concerns involved. Pf

(D)

- (E) A CRITICAL CONTROL POINTS summary for each specific FOOD or category type that clearly identifies:
- (1) Each CRITICAL CONTROL POINT, ^{Pf}
 - (2) The CRITICAL LIMITS for each CRITICAL CONTROL POINT, ^{Pf}
 - (3) The method and frequency for monitoring and controlling each CRITICAL CONTROL POINT by the designated FOOD EMPLOYEE or the PERSON IN CHARGE, ^{Pf}
 - (4) The method and frequency for the PERSON IN CHARGE to routinely verify that the FOOD EMPLOYEE is following standard operating procedures and monitoring CRITICAL CONTROL POINTS, ^{Pf}
 - (5) Action to be taken by the designated FOOD EMPLOYEE or PERSON IN CHARGE if the CRITICAL LIMITS for each CRITICAL CONTROL POINT are not met, ^{Pf} and
 - (6) Records to be maintained by the PERSON IN CHARGE to demonstrate that the HACCP PLAN is properly operated and managed; ^{Pf} and
- (F) Supporting documents such as:
- (1) FOOD EMPLOYEE and supervisory training plan that addresses the FOOD safety issues of concern; ^{Pf}
 - (2) Copies of blank records forms that are necessary to implement the HACCP PLAN; ^{Pf}
 - (3) Additional scientific data or other information, as required by the REGULATORY AUTHORITY, supporting the determination that FOOD safety is not compromised by the proposal. ^{Pf}
- (G) Any other information required by the REGULATORY AUTHORITY.

Confidentiality

8-202.10 Trade Secrets.

Information that meets the criteria specified in LAW for a trade secret that is contained on inspection report forms and in the plans and specifications submitted as specified under §§ 8-201.12 and 8-201.14 will be treated as confidential in accordance with LAW,

8-3 License to Operate

Subparts

- 8-301 Requirement**
- 8-302 Application Procedure**
- 8-303 Issuance**
- 8-304 Conditions of Retention**

Requirement

8-301.11 Prerequisite for Operation.

A PERSON may not operate a FOOD ESTABLISHMENT without a valid LICENSE to operate issued by the REGULATORY AUTHORITY. ^{Pf}

8-302.12 Form of Submission.

A PERSON desiring to operate a FOOD ESTABLISHMENT shall submit to the REGULATORY AUTHORITY a written application for a LICENSE on a form provided by the REGULATORY AUTHORITY.

8-302.13 Qualifications and Responsibilities of Applicants.

To qualify for a LICENSE, an applicant shall:

- (A) Be an owner of the FOOD ESTABLISHMENT, an officer of the legal ownership, or a representative thereof;
- (B) Comply with the requirements of this Code;
- (C) As specified under § 8-402.11, agree to allow access to the FOOD ESTABLISHMENT and to provide required information; and
- (D) Pay the applicable LICENSE fees at the time the application is submitted.

Issuance

8-303.10 New, Converted, or Remodeled Establishments.

For FOOD ESTABLISHMENTS that are required to submit plans as specified under § 8-201.11 the REGULATORY AUTHORITY shall issue a LICENSE to the applicant after:

- (A) A properly completed application is submitted;
- (B) The required fee is submitted;
- (C) The required plans, specifications, and information are reviewed and APPROVED; and
- (D) A preoperational inspection shows that the establishment is built or remodeled in accordance with the APPROVED plans and specifications and that the establishment is in compliance with this Code.

8-304.11 Responsibilities of the Licensee.

Upon issuance of the LICENSE by the REGULATORY AUTHORITY, the LICENSEE shall:

- (A) Post the LICENSE in a location in the FOOD ESTABLISHMENT that is conspicuous to CONSUMERS;
- (B) Comply with the provisions of this Code including the conditions of a granted VARIANCE as specified under § 8-103.12, and APPROVED plans as specified under § 8-201.12;
- (C) If a FOOD ESTABLISHMENT is required under § 8-201.13 to operate under a HACCP PLAN, comply with the plan as specified under § 8-103.12;

- (D) Immediately contact the REGULATORY AUTHORITY to report an illness of a FOOD EMPLOYEE or CONDITIONAL EMPLOYEE as specified under ¶ 2-201.11(B);
- (E) Immediately discontinue operations and notify the REGULATORY AUTHORITY if an IMMINENT HEALTH HAZARD may exist as specified under § 8-404.11;
- (F) Allow representatives of the REGULATORY AUTHORITY access to the FOOD ESTABLISHMENT as specified under § 8-402.11;
- (G) Replace existing facilities and EQUIPMENT with facilities and EQUIPMENT that comply with this Code if:
 - (1) The REGULATORY AUTHORITY directs the replacement because the facilities and EQUIPMENT constitute a public health HAZARD or nuisance or no longer comply with the criteria upon which the facilities and EQUIPMENT were accepted,
 - (2) The REGULATORY AUTHORITY directs the replacement of the facilities and EQUIPMENT because of a change of ownership, or
 - (3) The facilities and EQUIPMENT are replaced in the normal course of operation;
- (H) Comply with directives of the REGULATORY AUTHORITY including time frames for corrective actions specified in inspection reports, notices, orders, warnings, and other directives issued by the REGULATORY AUTHORITY in regard to the FOOD ESTABLISHMENT or in response to community emergencies;
- (I) Accept notices issued and served by the REGULATORY AUTHORITY according to LAW; and
- (J) Be subject to the administrative, civil, injunctive, and criminal remedies authorized in LAW for failure to comply with this Code or a directive of the REGULATORY AUTHORITY, including time frames for corrective actions specified in inspection reports, notices, orders, warnings, and other directives.

8-304.20 Licenses Not Transferable.

A LICENSE may not be transferred from one PERSON to another PERSON, from one FOOD ESTABLISHMENT to another, or from one location to another.

8-4 Inspection and Correction of Violations

Subparts

- 8-402 Access**
- 8-403 Report of Findings**
- 8-404 Imminent Health Hazard**
- 8-405 Priority Item or Priority Foundation Item Violation**
- 8-406 Core Item Violation**

Access

8-402.11 Allowed at Reasonable Times after Due Notice.

After the REGULATORY AUTHORITY presents official credentials and provides notice of the purpose of, and an intent to conduct, an inspection, the PERSON IN CHARGE shall allow the REGULATORY AUTHORITY to determine if the FOOD ESTABLISHMENT is in compliance with this Code by allowing access to the establishment, allowing inspection, and providing information and records specified in this Code and to which the REGULATORY AUTHORITY is entitled according to LAW, during the FOOD ESTABLISHMENT'S hours of operation and other reasonable times.

8-403.50 Public Information.

Except as specified in § 8-202.10, the inspection report is a public document which is available for disclosure to a PERSON who requests it as provided in LAW.

Imminent Health Hazard

8-404.11 Ceasing Operations and Reporting.

(A) *Except as specified in ¶ (B) of this section*, a LICENSEE shall immediately discontinue operations and notify the REGULATORY AUTHORITY if an IMMEDIATE HEALTH HAZARD may exist because of an emergency such as a fire, flood, extended interruption of electrical or water service, SEWAGE backup, misuse of POISONOUS OR TOXIC MATERIALS, onset of an apparent foodborne illness outbreak, gross insanitary occurrence or condition, or other circumstance that may endanger public health. ^P

(B) *A LICENSEE need not discontinue operations in an area of an establishment that is unaffected by the IMMEDIATE HEALTH HAZARD.*

(C) *Considering the nature of the potential HAZARD involved and the complexity of the corrective action needed, the REGULATORY AUTHORITY may agree to continuing operations in the event of an extended interruption of electrical or water service if:*

(1) *A written emergency operating plan has been APPROVED;*

(2) *Immediate corrective action is taken to eliminate, prevent, or control any FOOD safety RISK or IMMEDIATE HEALTH HAZARD associated with the electrical or water service interruption; and*

(3) *the REGULATORY AUTHORITY is informed upon implementation of the written emergency operating plan.*

8-404.12 Resumption of Operations.

If operations are discontinued as specified under § 8-404.11 or otherwise according to LAW, the LICENSEE shall obtain prior written APPROVAL from the REGULATORY AUTHORITY before resuming operations.

Violation of Priority Item or Priority Foundation Item

8-405.11 Timely Correction.

(A) *Except as specified in ¶ (B) of this section, a LICENSEE shall at the time of inspection correct a violation of a PRIORITY ITEM OR PRIORITY FOUNDATION ITEM of this Code and implement corrective actions for a HACCP PLAN provision that is not in compliance with its CRITICAL LIMIT.* ^{Pf}

(B) *Considering the nature of the potential HAZARD involved and the complexity of the corrective action needed, the REGULATORY AUTHORITY may agree to or specify a longer time frame, not to exceed 10 calendar days after the inspection, for the LICENSEE to correct violations of a PRIORITY ITEM OR PRIORITY FOUNDATION ITEM or HACCP PLAN deviations.*

Core Item Violation

8-406.11 Time Frame for Correction.

(A) *Except as specified in ¶ (B) of this section, the LICENSEE shall correct CORE ITEMS by a date and time agreed to or specified by the REGULATORY AUTHORITY but no later than 90 calendar days after the inspection.*

(B) *The REGULATORY AUTHORITY may approve a compliance schedule that extends beyond the time limits specified under ¶ (A) of this section if a written schedule of compliance is submitted by the LICENSEE and no health HAZARD exists or will result from allowing an extended schedule for compliance.*

8-5 Prevention of Foodborne Disease Transmission by Employees

Subpart

8-501 Investigation and Control

Investigation and Control

8-501.20 Restriction or Exclusion of Food Employee.

Based on the findings of an investigation related to a FOOD EMPLOYEE or CONDITIONAL EMPLOYEE who is suspected of being infected or diseased, the REGULATORY AUTHORITY may issue an order to the suspected FOOD EMPLOYEE, CONDITIONAL EMPLOYEE or LICENSEE instituting one or more of the following control measures:

- (A) RESTRICTING the FOOD EMPLOYEE or CONDITIONAL EMPLOYEE; or
- (B) EXCLUDING the FOOD EMPLOYEE or CONDITIONAL EMPLOYEE.

**8-501.30 Restriction or Exclusion Order: Warning or Hearing Not Required,
Information Required in Order.**

Based on the findings of the investigation and to control disease transmission, the REGULATORY AUTHORITY may issue an order of RESTRICTION or EXCLUSION to a suspected FOOD EMPLOYEE or the LICENSEE without prior warning, notice of a hearing, or a hearing if the order:

- (A) States the reasons for the RESTRICTION or EXCLUSION that is ordered;
- (B) States the evidence that the FOOD EMPLOYEE or LICENSEE shall provide in order to demonstrate that the reasons for the RESTRICTION or EXCLUSION are eliminated;
- (C) States that the suspected FOOD EMPLOYEE or the LICENSEE may request an appeal hearing by submitting a timely request as provided in LAW; and
- (D) Provides the name and address of the REGULATORY AUTHORITY representative to whom a request for an appeal hearing may be made.

INDEX

- aw, definition,2
- Access
 - allowed after due notice, 143
 - owner agreement, 142
- Accuracy, 140
- Acidity. *See pH*, 10
- Accreditation
 - definition,2
 - equipment certification program,87
 - manager certification program,21
- Acknowledgments, *Preface*
- Additive, food and color definition,2
 - food upon receipt,41
 - limitations, 94, 134-136
 - sulfites,49
 - unapproved, protection from,49
- Adulterated
 - definition,2
 - food condition, 38
- Air-drying
 - equipment and utensils, 103
 - wiping cloths, locations, 103
- Air filtration, 113
- Air gap. *See Backflow Prevention, Plumbing System*
- Air temperature, 62
 - See also*
 - Ambient temperature measuring devices*
- Aisles in work spaces. *See Spacing*
- Alkalinity *See pH*
- Allergen
 - Latex* *see Major food allergen*
- Alligator. *See Fish*
- Ambient temperature measuring devices, 81
- Animal foods, raw
 - consumer self-service, limitations, 54
 - cooking requirements, 54-55
 - separation from other foods, 47-48
- Animal foods, raw or undercooked, consumer advisory 72-73
- Animals
 - commercially raised for food, 40-41, 55-56
 - exotic species, limitations as food source, 40
 - game 40-41, 55
 - handling by employees, prohibition and.. exception, 36
 - handwashing after handling, 33
 - live, prohibition and exceptions, 130
 - wild game, 40, 57
- Anti-slip floor coverings, 124
- Appeal
 - restriction or exclusion order, 144
- Applicant, responsibility to report illness, 141
- Application of Code
 - prevention of health hazards, 137
- Approved, definition,2
- Area
 - adjacent to easily movable equipment ..5
 - behind vending machine kickplates 77
 - consumer eating and drinking... 122, 130
 - consumer shopping, 118, 122, 130
 - designated for eating, drinking, and tobacco use, 34, 127
 - dining, 104, 130
 - distressed merchandise, 127
 - dressings, 126, 129
 - driving, 120, 124
 - dry storage, 122
 - exposed, 122
 - food preparation, 120-122, 132-133
 - handwashing, sink, 109-110, 121
 - light intensity by, 126
 - living, 124
 - outdoor, construction materials, 120
 - outside fenced, 130
 - poisonous or toxic materials, 132-134
 - prohibited food storage, 51
 - protected for tank vent, 113-114
 - refuse, 117, 118
 - registration for bed and breakfast, 6
 - requiring drip-free ventilation, 81
 - self-service, 21-22
 - separate, for raw foods 47-48
 - servicing, 120, 124
 - shellfish harvesting 42-43
 - sleeping 124
 - storage 116-117, 130, 133-134
 - underneath equipment for cleaning 90-91
 - underneath fingernails, cleaning 33
 - unaffected by imminent health hazard 143
 - vending machine (food) 7, 53, 124
 - walking 120, 124, 133
 - warewashing 125, 133-134
 - waste servicing 115
 - where unnecessary persons are not allowed 21-22
- Artificial color or flavor, declaration 71-72
- Asymptomatic carrier 25-32
- Asymptomatic, definition 2
- Attachments, wall and ceilings, cleanability ... 122
- Authority *Preface*
- Automatic shutoff, vending machines 84
- Backflow prevention, plumbing system
 - air gap 109
 - carbonator 110
 - knowledge of person in charge 20
 - sewage systems 114-115
 - water system operation 107
- Backflow prevention device, plumbing system
 - Carbonator 110
 - copper, use limitation 77
 - design standard 109
 - location 110
 - numbers and capacity 109, 110
 - operation and maintenance 110
- Backsiphonage *See Backflow*
- Bacon, slab, storage, 48
- Bacteria *See Disease outbreaks caused by*
- Baffles, internal, for warewashing machine, 85
- Bags *See Single-service articles*
- Bait
 - fish, 130
 - station, 135
- Bakery products, 72
- Balut, definition, 2

Basket, for warewashing equipment	85, 98-99
Bearings and gear boxes, leakproof.....	83
Bed and Breakfast. <i>See Food establishment definition</i>	
Beef	
consumer self-service	54
cooking requirement	55-57
minimum holding times for cooking, 55-57	
oven parameters for cooking	56
rare or raw, consumer advisory	72-73
raw, storage	47-48
use of clean equipment.....	96
use of laundered gloves.....	102
whole-muscle, intact, definition	17
whole-muscle, intact steak, cooking....	57
Beef roasts, cooking requirements.....	57
Beverage	
containers, consumer-owned, refilling	100
definition	2
tubing separation from stored ice,.....	83
vending machines, liquid waste disposal,	86
Birds, dead or trapped, removal	130
Boil..... <i>See Lesion, containing pus</i>	
Boiler water additives, criteria	134
Bottled drinking water	
definition	2
source.....	106
Botulism. <i>See Clostridium botulinum</i>	
Bowls. <i>See Tableware</i>	
Bread wrappers..... <i>See Single-use articles</i>	
Buffets, monitoring by food employees	54
Buildings	<i>See Physical facilities</i>
Bulk food	
dispensing methods.....	54
display, protection.....	54
labeling requirements.....	71-72
liquid, vended.....	86
raw animal food, prohibition	54
unpackaged, labeling exemptions.....	72
Bulk milk container dispensing tube	95
Cabinets	
storage.....	90, 104, 113, 134
vending machine.....	86
Calibration, temperature measuring devices	95
Can openers	
design and construction	80
maintenance and operation	91
on vending machines, design and	
construction	84
Cans, number 10..... <i>See Single-use articles</i>	
Canthaxanthin	71-72
Carbonator	110
Cardboard for recycling, outside storage	118
Carpeting, floor, restrictions and installation ..	121
Carrier, disease..... <i>See Asymptomatic carrier</i>	
Carry-out utensils	<i>See Single-service articles</i>
Case lot handling equipment, moveability	86
Casing	
definition	2
Cast iron utensils and equipment food-contact	
surfaces, use limitation	76
Catering operation..... <i>See Food establishment</i>	
Catsup bottles	<i>See Single-use articles</i>
Ceiling, ceiling coverings, and coatings, cleanability	
.....	121-122
Ceramic utensils, lead limitation	77
Certification number, definition.....	3
CFR, definition	3
Cheese	
datemarking	70
ROP	70
Chemicals	
preservatives, declaration	71
sanitization of equipment food-contact	
surfaces and utensils	101
sanitizers, criteria	134
washing fruits and vegetables, criteria,	134
working containers, of.....	132
Chicken, raw, immersion in ice or water.....	57
Children's menu	55
China utensils, lead imitation	77
Chlorine solutions, chemical sanitization.....	94
CIP	
definition	3
equipment, design and construction,	79-82
Clams, lightly cooked or raw, consumer advisory .	
.....	57-58, 72-73
<i>See also Molluscan shellfish; Fish</i>	
Cleanability	
carpeting	121-123
ceilings.....	122-124
floor and wall junctures	121
floors	120-124
food-contact surfaces.....	79
mats and duckboards.....	122
nonfood-contact surfaces.....	80
studs, joists, and rafters	124
utility lines	121
wall and ceiling attachments	124
wall and ceiling coverings and coatings,	122
walls.....	121-124
Cleanable fixtures, plumbing system.....	108-109
Cleaned in place	<i>See CIP</i>
Cleaners..... <i>See Poisonous or toxic materials</i>	
Cleaning agents	
handwashing.....	122
warewashing equipment	93
Cleaning and sanitizing	
equipment and supplies for reuse,	
recyclables, and returnables	115-119
equipment and utensils to prevent food cross	
contamination	96-100
knowledge demonstrated by person in	
charge.....	18-21
maintenance tools, preventing contamination	
.....	129
physical facilities, frequency and restrictions	
.....	129
procedure for employees' hands and arms	
.....	32-35
ventilation systems, nuisance and discharge	
prohibition	129
Cleaning of equipment and utensils	
criteria	96
frequency	96-98
methods.....	98-100
Cleanliness, personal, of employees	
fingernails	32, 34
hands and arms	32-36
jewelry, prohibition	34
outer clothing	34
Clostridium botulinum , preventing growth in	
reduced, atmosphere packaging, variance	
.....	67-70
<i>See also Time/Temperature Control for</i>	

<i>Safety Food definition</i>	identification.....	132
Clothes washers and dryer	use prohibition	132
availability	working, common name identification,132	
location for contamination prevention	<i>See also Single-service articles</i>	
.....	Contaminated food, disposition.....	73
.....90-91	Contamination of food after receiving, prevention .	
Clothing, outer, of employees, clean condition..35	47-58
Cloths	Contamination prevention, location of equipment,	
for use with raw foods of animal origin	clothes washer/dryers, and storage cabinets	90
treatment.....	Control of foodborne disease transmission by	
.....50-51	employees.....	144
for wiping food spills, criteria.....	Controlled atmosphere packaging.....	
.....50-51	<i>See Reduced oxygen packaging</i>
Code of Federal Regulations <i>See "CFR definition"</i>	Conversion of food establishment, plans and	
Cold holding of Time/Temperature Control for	specifications, requirement	138
Safety Food.....	Cook-chill packaging.....	
.....61-70	<i>See Reduced Oxygen Packaging</i>
Cold-plate beverage cooling devices, separation	Cooking	
from stored ice, design, and construction.....	equipment, cleaning frequency	98
.....82	destroying organisms of public health	
Color additive, definition.....	concern	55-57
.....3	requirements for raw animal foods,	
Commingle, definition.....	variance	57
.....3	Utensils.....	<i>See Kitchenware</i>
Comminuted,	Cooling	
definition	capacity, food equipment	87
.....3	methods to limit growth of organisms of	
cooking fish and meats	public health concern	63
.....55-56	time/temperature control for safety	
Commissary <i>See Food establishment definition</i>	cooked food	63-64
Common name.....	Copper and copper alloys, use limitation in food	
.....48	contact and fittings	77
Communicable	Core item, definition	3
..... <i>See infectious agent</i>	Core item violation, time frame for correction..	144
Community or individual facility for disposal of	Corned beef roasts	
refuse, recyclables, and returnables	minimum holding times for cooking, 55-56	
.....119	oven parameters for cooking	55
Compactors, on-site	Correction of priority violation.....	144
.....116	timeframe	142, 144
Compliance with Code, responsibility of license	timeliness.....	142, 144
holder	verification and documentation	138
.....136, 141-142	Correction of priority foundation violation	
Condenser unit, separation from food and food	Corrective action	
storage space.....	compliance.....	141-142
.....83	failure to demonstrate compliance	142
Condiments, protection from contamination by	Corrosion-resistant material, definition.....	4
consumers	Cosmetics	<i>See Personal care items</i>
.....54	Counter guards	<i>See Food display</i>
Conditional employee	Counter-mounted equipment	
definition	definition	4
.....3	elevation	91
responsibilities	Critical control points	
.....22-24	definition	4
Conditioning device, plumbing system	flow diagram	140
design	knowledge demonstration by person in	
.....109	charge.....	18-20
location	monitoring, responsibility of licensee,141	
.....110	standard operating procedures	138
Confidentiality	Critical limit	
protection.....	Definition.....	4
.....140	nonconformance documentation.....	143
Confirmed disease outbreak, definition.....	Cross connection, water supply system,	
.....3	prohibition	111
Construction	Cross contamination of food protection by	
food establishment, plans and	separation and segregation.....	47-48
specifications requirement	Crustacea shells, use limitation.....	95
.....138-139	Crystal utensils, lead limitation.....	76
mobile water tank and mobile food		
establishment water tank		
.....112		
plumbing system		
.....108-109		
Consumer		
advisory for raw or undercooked animal		
foods		
.....72-73		
definition		
.....3		
food on display, protection from		
contamination by.....		
.....54		
information requirements		
.....72-73		
self-service, clean tableware for refills		
51		
self-service operations, protection from		
contamination		
.....51		
Consumer-owned container, refilling.....		
.....52, 100		
Consumers at risk, advisory for fully cooked		
animal foods.....		
.....72-73		
Contact time, chemical sanitization of equipment		
food-contact surfaces and utensils.....		
.....101		
Container prohibitions for poisonous or toxic		
materials		
.....135		
Containers		
food storage, common name		
identification.....		
.....48		
poisonous or toxic materials labeling and		

Cups, refilling in consumer self-service.....	51-52	Documentation	
.....	<i>See also Tableware</i>	correction of critical violation.....	138
Cut, infected.....	<i>See Lesion, containing pus</i>	freezing for parasite destruction.....	57
Cut leafy greens		inspection report	140, 141
as PHF/TCS food.....	10-15	ROP	67-70
definition	4	Variances.....	138
Cutting surfaces		Dogs in food establishments	
Materials	77-78	patrol and sentry	130
Resurfacing.....	92	pets.....	130
		service	130
Data plate, warewashing machine	81	Dollies	<i>See Case lot handling equipment</i>
Date marking of ready-to-eat, time/temperature		Doors	
control for safety food.....	62-64	pets in common dining area of group	
Dealer's tag/label for molluscan shellstock		residence	130
requirements	42-43	equipment maintenance.....	90
Deli tissue, use to avoid contaminating food, 44-45		physical facility.....	123-124
Demonstration of knowledge.....		refuse receptacle	116
.....	<i>See Person in Charge; Supervision</i>	toilet room	129
Design, construction, and installation		vending machine.....	84, 86
equipment and utensils		Drain plugs for equipment and receptacles for	
acceptability	87	refuse, recyclables, and returnables	119
accuracy	81	Drainage of equipment compartments	86
cleanability	79	Drainage system, food establishment, design and	
durability and strength.....	79	installation	115
functionality.....	81	Drainboards	
physical facilities		capacity.....	88
cleanability	121-122	cleaning frequency.....	92
functionality.....	122-123	cleanability	79
mobile water tank and mobile food		warewashing self-draining	86
establishment water tank	113-114	Drains,	
plumbing system.....	108-111	Indirect.....	115
sewage system	114, 119	walk-in refrigerators	115
Design standard, backflow prevention device, 109		Dressing areas	
Detergents	<i>See Cleaning agents</i>	Designation.....	127
Detergent-sanitizers		use by employees.....	129
for warewashing equipment.....	95	Dried eggs, condition at receipt.....	41-42
rinsing procedures	99-100	Drinking by employees, food contamination	
Devices	<i>See Physical facilities</i>	prevention	35
Diarrhea, employee symptom	22	Drinking water	
Dipper wells	<i>See Utensils, in-use storage</i>	bottled, source	106
Disease of employee.....	22-32	definition	4
Disease or medical condition, reporting		Drinking water systems	
responsibility	22-24	approved.....	106
Disease outbreaks caused by Norovirus, S. Typhi ,		flushing and disinfection.....	106
Shigella spp., Shiga producing E. coli , or		Drip prevention, design and construction of	
hepatitis A virus.....	31	ventilation hood systems.....	80
Dish basket	<i>See Basket</i>	Driving surfaces <i>See Surface characteristics, outdoor</i>	
Dishes	<i>See Tableware</i>	Dry cleaning methods, equipment and utensils, 98	
Dishwashing.....	<i>See Warewashing</i>	Dry eggs.....	41
Disinfection		Dry milk	41
drinking water system	106	Dry storage area, definition	4
mobile water tank and mobile food		Drying agents, criteria	134-135
establishment water tank	113	Duckboards, cleanability	120
Dispensing equipment, design and construction		Dustless methods of cleaning floors.....	128
for protection of equipment and food.....	82	Easily cleanable, definition.....	5
Dispensing tube, bulk milk container.....	95	Easily movable, definition.....	5
Display	<i>See Food display</i>	Eating by employees, food contamination	
Disposable towels, waste receptacle	116-119	prevention	35
Disposal facilities		Egg	
refuse, recyclables, and returnables	115	boiled	<i>See Potentially hazardous food</i>
sewage, other liquid wastes, and		definition	
rainwater	113	cooking requirements.....	55-58, 74-75
Disposition of ready-to-eat, time/temperature		definition	5
control for safety food.....	65	lightly cooked or raw, consumer advisory	
		72-73
Distressed merchandise, segregation and location		liquid, frozen, and dry, condition at	
.....	128	receipt.....	42

pasteurized, substitute for shell eggs.....	48, 74-75		
pooling	48, 53, 74-75		
time/temperature control for safety food .			
.....	15-16		
restricted definition.....	13, 41		
service to highly susceptible populations			
.....	74-75		
Egg product, definition	5		
Eggs, raw, shell			
condition at receipt.....	41		
cooling	62		
labeling	38-39		
temperature at receipt.....	41		
Elderly	<i>See Highly susceptible population</i>		
Emergency occurrence. <i>See Imminent health hazard</i>			
Employee			
accommodations, location	127		
definition	5		
disease or medical condition.....	22-29		
dressing areas, number	127		
eating, drink, and tobacco use,			
designated areas	35		
food contaminated by, disposition.....	73		
hygiene	35		
ill, exclusions and restrictions	25-31		
practices, supervision of	21-31		
prevention of food contamination	45-47		
responsibility to report illness.....	22-24		
serving high-risk populations, exclusions			
and restrictions	25-31		
<i>See also Food employee; License holder;</i>			
<i>Person in charge</i>			
Emu.....	<i>See Ratites</i>		
Enclosures for refuse, recyclables, and			
returnables, operation and maintenance ..	116-117		
Enterohemorrhagic definition	5		
EPA, definition.....	5		
Equipment			
air-drying.....	103		
case lot handling.....	86		
cleaning criteria.....	96		
cleaning frequency food-contact			
surfaces/utensils	96-98		
nonfood-contact surfaces.....	96		
warewashing	91		
compartments, drainage	86		
cooling, heating, and holding capacities,			
.....	87		
definition	5		
design and construction, durability and			
strength.....	79		
existing.....	143		
fixed, elevation or sealing, installation...	91		
fixed, spacing or sealing, installation...	87		
food-contact surfaces and utensils,			
cleaning frequency.....	96-98		
HACCP plan	139-140		
location for contamination prevention .	90		
maintenance	91		
necessary replacement.....	143		
plans	138		
reassembly after cleaning	103-104		
repair and adjustment	97		
storage.....	130		
storage prohibitions	103-104		
Equipment certification and classification.....	87		
Equipment and utensils			
dry cleaning methods.....	98		
precleaning	98		
rinsing procedures	99-100		
Eq Equipment openings, closures and deflectors,			
design and construction	81		
Equipment, utensils, and linens			
cleaning	96-98		
design and construction	79-87		
laundering lines.....	102		
location and installation.....	90-91		
maintenance and operation	91-95		
materials for construction and repair.....			
.....	76-78		
numbers and capacities	87-89		
protection of clean items	103-105		
sanitization of equipment and utensils			
.....	101		
<i>See also Physical facilities</i>			
Escargot.....	<i>See Fish</i>		
Exclude, definition	5		
Exclusion of employee			
Illness.....	25-26		
infection or disease	25-26		
release	26-30		
removal.....	26-30		
Exclusion order			
for infected or diseased employee	144		
Expiration time for time/temperature control for			
safety food	63-66		
Exposure.....	22		
Facilities			
disposal, recycling, and refilling of waste			
.....	119		
necessary replacement.....	142		
on-premises for refuse, recyclables, and			
returnables.....	116-119		
Facility plans and specifications, submission			
and approval	138		
Faucet, handwashing sink.....	108		
Fee for operating license, issuance criteria.....	141		
Fever with sore throat, employee symptom	22		
Filter, compressed air, for drinking water system ..			
.....	113		
Filtering equipment, hot oil, design and			
construction.....	80		
Fingernails			
artificial, prohibition	34-35		
of employees, maintenance	34		
First aid supplies in food establishments, storage;			
<i>See Personal care items</i>			
Fish			
consumer self-service	54		
cooking requirements.....	55-57		
definition	5		
frozen by supplier, freezing records.....	59-60		
other than molluscan shellfish.....	38-39		
raw, storage	47-48		
recreationally caught.....	39		
use of clean equipment.....	96		
use of laundered gloves.....	102		
Fish, lightly cooked or raw			
aquacultured consumer advisory ...	72-73		
freezing to control parasites.....	59-60		
immersion in ice or water	49		
restriction on reduced oxygen packaging			
.....	64-65		

Fitting or tubing, copper and copper alloys, use limitation.....	77	scope, statement	1
Fixtures	<i>See Physical facilities</i>	standards	1
Flatware	<i>See Tableware</i>	title	1
Floor drains, cleanability	121	Food contact, copper, use limitation.....	77
Floor-mounted equipment, clearance.....	890-91	Food-contact surface	
Floors		cast iron equipment, use limitation.....	76
absorbent materials, use limitation ...	129	construction materials	76
and floor coverings, cleanability..	121-122	copper, use limitation	77
dustless cleaning methods.....	128	cleaning criteria.....	96
Flow pressure valve, warewashing machine.....	85	cleaning frequency of equipment ...	96-98
Flushing		definition	6
drinking water system	106	design and construction, cleanability ..	77
mobile water tank and mobile food establishment water tank	113-114	galvanized metal equipment, use limitation.....	77
waste retention tanks	115	lead, use limitation	77
Flux, use limitation for food-contact surfaces	76	linens and napkins, use limitation	50
Fogging devices, cleaning the water reservoir	111	lubricating	103
Food		sanitization criteria	101
additives.....	41, 49, 134-135	sanitization frequency	101
characteristics.....	37	sanitization methods for equipment ..	101
contact with equipment and utensils ...	48	"V" threads, use limitation	80
contaminated	73	wet cleaning methods for equipment ..	99
cooked, time/temperature control for safety, cooling.....	62	wood, use limitation	77-78
damaged, spoiled, or recalled, storage... ..	47	Food containers placement in cooling or cold holding equipment	62-63
definition	6	Food contamination	
destruction of organisms of public health concern	55-57	by persons, discarding	73
frozen, time/temperature control for safety	41, 61	by unclean utensils and equipment....	48
hermetically sealed, source	39	prevention after receiving.....	45-47
honest presentation	1, 71	prevention by employees	45-47
identity, presentation, and on-premises labeling	38-39, 71	Food display, preventing contamination by consumers	54
in contact with water or ice, storage or display.....	49	Food employee	
limitation of growth of organisms of public health concern	61-70	definition	6
packaged and unpackaged, separation, packaging and segregation.....	47-48	responsibility to report illness	22-24
packaged, labeling.....	37-38, 68-69	Food establishment	
protection from contamination.....	45-55	Definition.....	6
specialized preparation methods, variance requirement.....	58, 67, 82, 138-139	license to operate	138
standards of identity.....	71	Food guards.....	<i>See Food display</i>
temperature and time control, limiting growth of organisms of public health concern	61-70	Food management, plans	138
vended, time/temperature control for safety, original container	54	Food package integrity.....	42
Food, time/temperature control for safety		Food processing, variance required.....	67
HACCP plan	139-140	Food processing plant, definition.....	6
preparation, application for license ...	141	Food Protection Manager Certification	20-21
temperature at receipt.....	41	Food reheated in microwave oven, requirements	60
time as public health control	65-70	Food safety	
Food, ready-to-eat, time/temperature control for safety date marking	64-66	control measures, HACCP plan .	139-140
disposition.....	64	intent of Food Code	1
Food Allergy, awareness.....	22	purpose of Code	1
Food bank	<i>See Food establishment</i>	Food service establishment	<i>See Food establishment</i>
Food cart.....	<i>See Food establishment, definition, mobile;</i>	Food sources	
Food Code		compliance with food law	38-39
conventions.....	<i>Preface</i>	original containers and records.....	44
intent.....	1	Food specifications for receiving.....	41
		temperature	41
		Food-specific container for beverages, refilling, 100	
		Food storage	
		containers, identification of food	48
		preventing contamination from premises	51
		prohibited areas	51
		Food temperature measuring devices	
		accessibility.....	89
		design and construction	79
		Food vending location/areas outdoor, overhead protection	124

.....	<i>See also Food establishment</i>	
Food volume, proposed, plans	138	
Foodborne disease outbreak		
definition	6	
prevention, knowledge	18-20	
Foodborne illness		
transmission by employees, prevention ..		
.....	144	
Foot candles.....		<i>See Lighting</i>
Fork lifts		<i>See Case lot handling equipment</i>
Forks		<i>See Tableware</i>
Freezing to destroy organisms of public health concern	61-62	
Frog.....		<i>See Fish</i>
Frozen eggs, condition at receipt	41-42	
Frozen food		
limiting growth of organisms of public health concern	61	
maintain frozen	61	
shipped frozen received frozen	41	
Fruits, raw		
cooking	58	
washing.....	49	
whole or cut, immersion in ice or water... ..	49	
whole, uncut, storage.....	48	
Galvanized metal, use limitation for utensils and food-contact surfaces of equipment	77	
Game animal		
commercially raised for food	40-41	
cooking requirements.....	55-58	
definition	7	
exotic species	55	
limitations as food source	40-41	
wild, field-dressed, limitations as food source.....	41, 55-58	
Gauge cock.....		<i>See Flow pressure valve</i>
Garbage		<i>See Refuse</i>
Garlic.....		
.....		<i>See time/temperature control for safety food definition</i>
Gastrointestinal illness, symptoms of employee... ..	22	
Glasses, refilling in consumer self-service	52	
Gloves		
cloth, laundering frequency.....	102	
handwash before donning.....	33	
single-use	51	
slash resistant.....	51	
Grease traps, in food establishment drainage Systems	115	
Ground beef . <i>See comminuted definition</i>	55	
Guard dog		<i>See Service animal</i>
HACCP plan		
compliance, responsibility of licensee	141	
.....	139	
contents	139	
criteria, reduced oxygen packaging	67-70	
.....	143	
critical limits, nonconformance.....	7	
definition	18-20	
knowledge by person in charge	67, 139	
variances		
HACCP principles, failure to demonstrate Knowledge	139	
Hair restraints for employees	35-36	
Hamburger		<i>See comminuted definition</i>
cooking	55	
hand drying available at handwashing sink	125	
part of cleaning procedure	33	
Hand, antiseptics.....	33-34	
Hand antiseptics for employees	33-34	
Handling		
kitchenware.....	104	
single-service and single-use articles	104	
.....	104	
tableware	104	
Hands and arms of employees		
clean condition	32	
cleaning procedure	32-33	
hand antiseptics	33-34	
when to wash.....	33	
where to wash.....	33-34	
Hands, employees		
alternative procedure to No Bare Hand Contact	45-47	
no bare hand contact with RTE food.....	45-47	
Handwashing cleanser		
availability	125	
food employees	45	
procedures, special, for employees	32-33	
.....	126	
signage	126	
Handwashing sinks		
automatic	33	
cleanability	108-109	
design and construction	108	
location and placement.....	109, 125	
maintaining and using	129	
numbers and capacities.....	109, 122	
operation and maintenance	109-110	
use required.....	32-33	
water temperature.....	108--109	
Handwashing sink, definition.....	7	
Harvester's tag/label for molluscan shellstock, requirements	42-43	
Hazard Analysis Critical Control Point.....		<i>See HACCP plan</i>
.....		
Hazard, definition	7	
Health hazard, imminent		
discontinuance of operations and reporting requirement.....	143	
prevention, Code application, additional requirements.....	137, 143	
Health practitioner		
definition	7	
Health status of employee, required reporting	141-142	
.....	122	
Heat lamp, shield	85	
Heater, for manual warewashing equipment.....	87	
Heating capacity, food equipment.....	87	
Hepatitis A virus		
cause of disease outbreak.....	23-25	
cause of employee illness.....	23	
conditions for release of employee from restriction or exclusion	26-30, 145	
Hermetically sealed container		
definition	7	
food, source	38-39	
food containers, cleaning	47	
reheating, food taken from a container	60-61	
High-risk population		

.....	See <i>Highly susceptible population</i>		
Highly susceptible population			
consumer advisory.....	72-73		
definition	7		
exclusions and restrictions of ill employees	25-26		
special requirements.....	74-75		
Holding capacity, food equipment	87		
Holding tank	See <i>Sewage, holding tank</i>		
Holding time, minimum			
comminuted meats	55		
cooking, roast beef and corned beef.....			
.....	55-57		
Hollowware	See <i>Tableware</i>		
Homes and living/sleeping quarters, private, use prohibition	124-125		
Honest presentation, intent of Food Code not misleading.....	1		
Hooks, Meat, slab bacon.....	48		
Hood	See <i>Ventilation systems</i>		
Hot holding of time/temperature control for safety food.....	63		
Hot water			
quantity and availability.....	107		
sanitization of equipment food-contact surfaces and utensils	101		
Hygienic practices of employees			
food contamination prevention.....	35		
hair restraints	35-36		
handling animals, prohibition	36		
Ice			
as food.....	41		
exterior cooling, prohibition as ingredient	49		
source.....	42		
storage or display of food in contact with	49		
Ice units, separation of drains, design and construction.....	83		
Identity standards for food, definition	71		
Illness prevention, intent of Food Code.....	1		
Imminent health hazard			
ceasing operations and reporting.....	143		
definition	8		
Immunocompromised persons			
.....	See <i>Highly susceptible population</i>		
In-place cleaning.....	See <i>CIP definition</i>		
Incinerators for solid waste	119		
Individual sewage disposal system, disposal through approved system.....	115-116		
Indoor areas, materials	120		
Infection, employee, symptom.....	18-20		
Infectious agent, employee freedom from removal of restriction.....	26-30		
Ingredients, HACCP plan	139		
Injected, definition	8		
Insect control			
devices, design, and installation	123		
food establishments, poisonous or toxic materials	133		
maintenance	130		
outer openings protected	123		
.....	See also <i>Pest control</i>		
Insects, dead or trapped, removal.....	130		
Inspection port, enclosed water system	112		
Inspection, preoperational.....	141		
Inspection report			
			public information.....
			144
Installation			
equipment.....	91		
plumbing system.....	108		
Institutional food service.....			
.....	See <i>Food establishment, highly susceptible population</i>		
Interaction of pH and a _w			
.....	See <i>time/temperature control for safety food</i>		
Interstate Certified Shellfish Shippers List, sources of molluscan shellfish	39		
Intestinal illness of employee	18-20		
Iodine solutions, chemical sanitization	94		
Jars	See <i>Single-use articles</i>		
Jaundiced employee			
exclusions and restrictions.....	25		
removal of exclusions and restrictions	28		
symptom	22, 23		
Jewelry, employees, prohibition exception.....	34		
medical alert	34		
Juice			
definition	8		
HACCP system.....	43-44		
packaged	43-44		
prohibition	74		
service to highly susceptible populations	74		
treated.....	61		
warning label.....	61		
Junctures, floor and wall, covered and enclosed or sealed, cleanability.....	121-125		
Justification, variances	138		
Kick plates, removable, design and construction	80		
Kitchenware			
definition	8		
handling	104		
Knives	See <i>Tableware</i>		
Label, common name on food container	48		
Labeling			
packaged food	38		
compliance with law	71-72		
poisonous or toxic materials and personal care items	132		
Lamb	See <i>Meat</i>		
Landfills for solid waste	119		
Laundering linens			
criteria	102		
frequency	102		
mechanical washing.....	102		
methods.....	102		
Laundry facilities, use limitations.....	102		
Lavatories	See <i>Handwashing facilities</i>		
Law, definition	8		
Layout, proposed, plans.....	138		
Lead limitation in ceramic, china, crystal, and decorative utensils	77		
Leafy greens, cut			
as PHF/TCS food.....	16		
definition	4		
Lesion, containing pus	22		
License, definition	8		
Licensee			
agreement, replacement of facilities or			

equipment.....	142	definition	9
definition	8	rare or raw, consumer advisory	72-73
posting in food establishment		raw, storage	44-46
responsibility	141	use of clean equipment.....	96-98
responsibilities for license retention	141-142	use of laundered gloves.....	98
.....	141-142	Mechanical warewashing	<i>See Warewashing.</i>
.....	<i>See also Employee</i>	Mechanically tenderized.....	9, 55
License to operate food establishment.....	141-142	Medical condition of employee	22-32
Light bulbs, protective shielding	122	Medicines in food establishments	
Lighting, intensity	126	restriction and storage	136
Linens and napkins, use limitation for food-contact		<i>see also Personal care items</i>
surfaces	50	Melons, cut.....	
Linens		<i>See time/temperature control for safety</i>
definition	8	<i>food definition.</i>
laundering criteria	102	Menu, proposed, plans.....	138
laundering frequency	102	Menu items, consumer advisory.....	72-73
laundering methods	102	Meringue	48, 74
mechanical washing methods.....	102	mg/L, definition.....	9
soiled, storage methods.....	102	Microwave ovens	
storage after cleaning	103-104	cooking	56
storage prohibitions	104	reheating food, requirements	60
Liquid eggs, condition at receipt.....	41	safety standards	92
Liquid food or ice, dispensing equipment, design		Milk and milk products, dry, fluid, and frozen,	
and construction.....	82	pasteurized at receipt.....	41-42
Liquid food vending machines, waste receptacle ..		Milk, fluid, and milk products	
.....	86	cooling	63
Liquid waste		dispensing tube.....	95
drain lines, design and construction....	83	raw, consumer advisory	72-73
other than sewage, disposal facility	79	source	38-39
products from vending machines	86	temperature at receipt.....	41
.....	<i>See also Sewage</i>	Mixing valve, handwashing sink	108
Litter, removal	130	Mobile facility, alternative water supply	108
Living/sleeping quarters, separation.....	124	Mobile food establishment	
Loading soiled items, warewashing machines.....	98-99	sewage holding tank, capacity and	
Location, grease trap	115	drainage.....	115
Lockers		water tank, inlet.....	113
designation	127	waste removal.....	112
location	127	Mobile water tank and mobile food establishment	
using	129	water tank design and construction ..	114
Lubricants, incidental food contact, criteria	133	flushing and disinfection.....	112
Lubricating food-contact surfaces	103	materials	114
Maintenance		numbers and capacities	112
equipment, storage	130	operation and maintenance	113
refuse areas and enclosures.....	116	Modifications	<i>See also Variance and Waivers</i>
tools, cleaning.....	129	code application.....	137
.....	<i>See also Operation and maintenance</i>	conformance with approved procedures .	
Major food allergen definition	8-9	138
Management and personnel		Modified atmosphere packaging	
employee health	22-32	<i>See Reduced Oxygen Packaging</i>
hygienic practices	35-36	Molluscan shellfish	
personal cleanliness	32-35	commingling.....	44
supervision.....	18-22	definition	9
Manager certification, national recognition	20	lightly cooked or raw, consumer advisory	
Manual warewashing	<i>See Warewashing</i>	72-73
Manufacturers' dating information	64	original container, requirements.....	44
Materials		packaging and identification.....	41
construction and repair, surface		shellfish, source	38
characteristics.....	120	shucked, original container, labeling.....	
mobile water tank and mobile food		44
establishment water tank	112	tanks, use limitations.....	83
.....	<i>See also Physical facilities</i>	tanks, variance.....	83
Mats, floor, cleanability.....	122	Molluscan shellstock	
Meal portions, individual, from bulk container ...	64	condition on receipt.....	44
Meat		cooling	63
cooking requirements.....	55-56	identification specifications	42-43
cured.....	64	temperature at receipt.....	41
consumer self-service	54	Mollusk	<i>See Fish</i>
		Mollusk shells, use limitation	95

Mops, drying.....	129	Outdoor walking and driving surfaces, graded to drain	124
Mouthwash.....	<i>See Personal care items</i>	Outside receptacles for refuse, recyclables, and returnables, design and construction	116
Moveability, case lot handling equipment.....	86	Outside storage of refuse, recyclables, and returnables, prohibitions	118
Moveable	<i>See Easily moveable</i>	Oven	
Multiuse utensils and food-contact surfaces, construction materials, characteristics	76-78	cooking temperature	55-56
Mushrooms		microwave.....	57, 58, 92, 98
cultivated wild species, source	39	Overhead protection for outdoor food vending and servicing areas	124
wild, source	39	Overwraps, colored, for food, limitations	71
Mussels, lightly cooked or raw, consumer advisory	72-73	Oysters, lightly cooked or raw, consumer advisory	72-73
.....	<i>See also Molluscan shellfish</i>	<i>See also Molluscan shellfish</i>
Napkins, cloth, laundering frequency	102	Package integrity.....	42
.....	<i>See also Linens</i>	Packaged, definition.....	9
National Shellfish Sanitation Program		Packaged food	
certification number	3	labeling	38
Guide for the Control of Molluscan Shellfish	39	labels, compliance with law.....	71-72
Nitrates, nitrites, and salt for curing, variance specifications.....	67	separation and segregation from unpackaged food	47-48
Non-continuous cooking		Packaging and identification of shucked molluscan shellfish	42, 43
definition	9	Packaging, reduced oxygen	
criteria.....	58-59	conditions not requiring a variance,67-70	
Nondrinking water, quality	107	conditions requiring a variance	67
Nonfood-contact surfaces		definition	9
cleaning criteria.....	96	HACCP plan and variance criteria	67
cleaning frequency.....	98	Pallets	<i>See Case lot handling equipment</i>
construction materials, characteristics	78	Parasite destruction in fish by freezing.....	59
design and construction	80	Parts per million	<i>See mg/L, definition</i>
Norovirus		Patrol dogs.....	130-131
employee illness	22-24	Person, definition	9
reporting.....	24	Person in charge	
restriction/exclusion	25-26	assignment	18
reinstatement	29-30	definition	9
Nutrition labeling	71-72	demonstration of knowledge	18-20
Nuts in shell, storage.....	47	duties	21-22
Odors		employee responsibility for reporting illness.....	21-22
mechanical ventilation.....	126-127	responsibility to report certain employee illness.....	24
multiuse equipment materials	76-77	responsibilities, rights, and authorities, explanation	18-24
refuse removal frequency	119	<i>See also Employee</i>
single-service/use article materials	78	Personal care items	
Off-premise cleaning services for refuse recyclables and returnables	118	definition	9
Oil equipment		first aid supplies, storage	136
“V” threads	80	in food establishments, storage	136
filtering	80	labeling and identification.....	132
On-site cleaning of returnables	100	medicines, restriction and storage	136
Openings, to outdoors, protection against insects and rodents	123	operational supplies and applications	132-136
Operation and maintenance		stock and retail sale	136
mobile water tank and mobile food establishment water tank	113	Personal cleanliness	32-35
physical facilities	128	Personal medications.....	<i>See Medicines</i>
plumbing system.....	111	Personnel, supervision.....	21-22
resumption after suspension.....	143	Pest	
sewage system	115	control.....	129
suspension for imminent health hazard	143	outer openings protected	123
Organisms of public health concern destruction.....	55	..	<i>See also Insect control; Rodent control</i>
growth limitation.....	61	Pesticides in food establishments	
Outdoor areas, materials.....	120	application.....	133
Ostrich. <i>See</i> Ratites		bait station	135
Outdoor refuse areas, curbed and graded to drain	124	restricted use pesticide, conditions of	

use.....	133	bait stations.....	135
restricted use pesticide, criteria	133	boiler water additives, criteria	134
tracking powders.....	135	chemical sanitizers, criteria.....	134
.... See also <i>Poisonous or toxic materials</i>		chemicals for washing fruits and	
Pests, dead or trapped, removal	130	vegetables, criteria.....	134
Pets in group residence dining areas restrictions..		common name	132
.....	130	containers, prohibition for food use ...	134
Pewter, use limitation for food-contact surfaces....		definition	10
.....	77	drying agents, criteria.....	134-135
pH		in food establishments, use conditions ...	
chemical sanitization, warewashing		134-135
equipment.....	94, 101	knowledge by person in charge ...	19-21
definition	10	lubricants, incidental food contact,	
Physical facilities		criteria	135
cleaning		pesticides, restricted use	133
floors, dustless methods	128	restriction of presence and use in food	
frequency and restrictions.....	128	establishments.....	133
maintenance tools, preventing		storage, separation	132
contamination	129	tracking powders.....	10
ventilation systems, nuisance and		<i>See also Pesticides in food establishments</i>	
discharge prohibition.....	129	Pork.....	<i>See Meat</i>
controlling pests.....	129-130	Portable.....	<i>See Easily moveable</i>
definition	10	Potable water	<i>See Drinking water</i>
design, construction, and installation		Poultry	
.....	121-124	cooking requirements.....	56
dressing rooms and lockers, using ...	129	consumer self-service	54
drying mops	129	definition	10
handwashing sinks, maintaining and using		rare or raw, consumer advisory	72-73
.....	125	raw, storage.....	47-48
location and placement.....	127	use of clean equipment.....	96-98
maintaining premises	128	use of laundered gloves.....	102
maintenance and operation	128-131	Precleaning equipment and utensils	98
materials for construction and repair.	120	Premises	
minimizing attractants and contaminants		definition	10
on floors	128-131	maintenance	131
numbers and capacities	125-126	<i>See also Physical facilities</i>
pests, dead or trapped, removal	129	Presentation of food.....	71
prohibiting animals.....	130	Preset tableware, handling.....	104
repairing.....	128	Pressure, water	107
storage, of maintenance tools.....	129	Pressure spray, wet cleaning	95
toilet room doors, closing	129	Primal cut, definition.....	10
Pickle barrels.....	<i>See Single-use articles</i>	storage on hooks or racks.....	47
Pinning	<i>See Injected, definition</i>	Priority item, definition.....	13
Plans and specifications for food establishment		Priority foundation item, definition	13-14
contents	138	Private home, unapproved food source	37-38
facility and operating, requirement.....		operations prohibited	22, 121
.....	138-140	Probe-type price and identification tags	
issuance criteria for operating.....	140	<i>See utensil.....</i>	17
Plastic tubs, buckets	<i>See Single-use articles</i>	Processing at retail.....	64-67
Plates	<i>See Tableware</i>	Produce.....	<i>See Fruits, raw; Vegetables, raw</i>
Plumbing fixture, definition	10	Prosthetic device.....	31-32
Plumbing system		Public information, inspection report	141
air gap.....	109	Public sewage treatment plant, disposal through	
backflow prevention	109	approved facility	112
conditioning device, design.....	109	Public water system, definition	14
construction	109	Pushcart.....	
definition	10	<i>See Food establishment, definition, mobile</i>
design	108-109	Quaternary ammonium compounds, chemical	
device, water system, inspection and		sanitization	91
service	111	Racks	
handwashing sink design and		case lot handling.....	83
construction	107	meat storage.....	47
installation.....	107-108	warewasher	78, 81-82
location and placement.....	100	Rainwater, disposal facility	112-113
materials	107	<i>See also Sewage</i>
numbers and capacities	109-110	Rapid	
operation and maintenance	110-111		
Poisonous or toxic materials			

growth, <i>See time/temperature control for safety food definition</i>	15-16	rooms, and receptacles, capacity and availability	117
reheating.....	60	storage prohibitions	118
Ratites		toilet room receptacle, covered.....	117
cooking	55	Regulatory authority	
definition	11	definition	13
game animal definition	7	Reheating	
poultry definition.....	10	food from a hermetically sealed container	60
Ready-to-eat food		hot holding, temperature requirements	60
consumer self-service, utensils and dispensers	54	ready-to-eat food, requirements.....	60
definition	11-12	Reinstatement	
time/temperature control for safety food date marking; disposition	64-65	excluded or restricted employee ...	26-31
Reassembly of equipment after cleaning	103	Remodeling of food establishment, plans and specifications.....	138
Receptacles for refuse, recyclables, and returnables capacity and availability.....	117	Removal, refuse, recyclables, and returnables,119	
cleaning	119	Reporting, disease; medical condition	
covering	113	by conditional employee	22-23
design and construction	116	by food employee	22-23
drain plugs	119	by licensee.....	141-142
equipment and storage	113	by person in charge	24-25
location	118	Reporting, imminent health hazard by licensee	141-142, 143
maintenance	118-119	Re-service of unopened packaged food and unused	
Receptacles for removal of refuse, recyclables and returnables	116-119	definition	13
Records		food, prohibition	54-55
availability, responsibility of licensee.....	141-142	HSP	74-75
fish, freezing raw.....	38-39, 59	Responsibilities	
HACCP	139-140	food employee reporting illness	22-23
HACCP plan conformance, failure to demonstrate.....	139, 140	person in charge duties and authorities	21-22
molluscan shellstock.....	42-43	person in charge reporting ill employee	22-23
water system service schedule	111	licensee for ceasing operations	143
Recyclables.		licensee for license retention	141-142
<i>See Refuse recycling facilities</i>	117	Restaurant	<i>See Food establishment</i>
Redeeming machines, location	117	Restrict, definition.....	13
Reduced oxygen packaging		Restricted use pesticide, definition.....	13
conditions not requiring a variance, 67-70		Restriction	
conditions requiring variance	67	employee, release	26-31, 145
definition	12-13	infected or diseased employee, 26-31, 145	
HACCP plan and variance criteria	67	Restriction order	
Refilling		for infected or diseased employee	25
clean tableware.....	51-52	Restrictions	
consumer self-service, using facilities,100		employees, removal.....	26-31, 145
returnables.....	52-53, 100	ill employees	22-23
Refrigeration, cooling and cold holding	62-63	Resumption of operations	143
Refuse areas and enclosures, maintenance ...	119	Retail food store.....	<i>See Food establishment</i>
Refuse, definition	13	Retention tank.....	<i>See Sewage, holding tank</i>
Refuse, recyclables, and returnables		Retirement home.....	<i>See Group residence</i>
cleaning implements and supplies	117	Returnables	
design and construction	116	on-site cleaning and refilling	100
facilities, on the premises.....	116	refilling	52-53
facilities for disposal and recycling....	118	<i>See also Refuse</i>
indoor storage area, design	116	Reuse of shells.....	95
location	116	Review of plans.....	<i>See Facility plans and specifications</i>
outdoor enclosure, construction	116	Revocation of license	<i>See Summary license suspension</i>
outdoor storage areas, construction materials	116	Rhea	<i>See Ratites</i>
outdoor storage surface, design and construction	116, 123-124	Rinsing procedures, equipment and utensils	99-100
removal.....	119	Roasts, beef and pork	
storage, operation, and maintenance.....	118-119	minimum holding times for cooking, 55-58	
storage areas		oven parameters for cooking	56-57
equipment, and receptacles, location	118	reheating.....	60

definition	14	location	118
time/temperature control for safety frozen food, conditions.....	61	Storage cabinets, location for contamination prevention	90
Slash-resistant gloves	51	Storing food to prevent cross contamination, 47-48	
Sleeping quarters	<i>See Living/sleeping quarters</i>	Straws	<i>See Single-service articles</i>
Smoking	<i>See Tobacco use by employees</i>	Street foods.....	<i>See Food establishment, definition, mobile</i>
Smooth, definition	15	Studs, joists, and rafters, cleanability	122
Sneeze guards	<i>See Food display</i>	Stuffing, cooking.....	55-57
Sneezing, coughing, or runny nose by employees, food contamination prevention	35	Sulfites	<i>See Additives</i>
Soap.....	<i>See Cleaning agents</i>	Supervision of personnel	
Soiled tableware, handling	104-105	demonstration of knowledge	18-20
Solder, use limitation for food-contact surfaces, 77		person in charge	18
Source, approved		Surface characteristics	
drinking water	106	indoor areas.....	120
food.....	38-39	outdoor areas.....	120-121, 124
shellfish.....	39-40, 42	Sweeping compounds.....	<i>See Floors, dustless cleaning methods</i>
Sous vide packaging	<i>See Reduced Oxygen Packaging</i>	Table-mounted equipment	
Spacing		definition, <i>see counter-mounted equipment definition</i>	4
carpet installation	121	elevation	91
counter-mounted equipment	91	Tablecloths.....	<i>See Linens</i>
equipment installation	90-91	Tableware	
fixed equipment	90-91	clean, consumer use in self-service area, supervisor responsibility.....	22
toxic material separation	133	definition	15
Spatulas, use to avoid contaminating food...45-46		handling	104-105
Specifications	<i>See Plans</i>	preset, handling	104-105
Sponges, use limitation	77	soiled and clean, handling	105
Spoons.....	<i>See Tableware</i>	<i>See also Single-service articles</i>
Spot cleaning	<i>See Floors, dustless cleaning methods</i>	Tag/label, for molluscan shellstock	
Sprouts, seed....	<i>See time/temperature control for safety food definition variance</i>	record keeping	45
Stainless steel. <i>See Cleanability; Easily cleanable</i>	67	requirements	44-45
Standards of identity	71	Take-home food containers, refilling, limitations ...	52-53
.....	<i>See also Juice definition</i>	TCS food.....	<i>See time/temperature control for safety food</i>
Standards		Temperature – Food	
Food Code	1	cold and hot food holding.....	63
Steak, whole-muscle intact beef.....	38, 57	cooking	55-61
Steak tartare, consumer advisory.....	72-73	cooling	62
Steam		plant food	58
cleaning equipment.....	117	receiving	41
mixing valves	108-109	reheating.....	60
tables, temperature measurement	84	roast beef and corned beef	56
ventilation.....	126	seared steak	<i>see steak, whole-muscle intact</i>
Stitch pumping	<i>See Injected</i>	thawing	61-62
Stirrers	<i>See Single-service articles</i>	Temperature – Warewashing	
Stock and retail sale of poisonous or toxic materials and personal care items, storage and display.....	133	wash water, manual.....	93
Storage		wash water, mechanical.....	93
clean equipment, utensils, linens, and single- service and single-use articles	103-104	sanitization, manual	94
first aid supplies in food establishments,136		sanitization, mechanical.....	94
food in contact with water or ice....49-50		Temperature measurement device	
maintenance equipment.....	130	accuracy, calibration	95
medicines in food establishments	136	definition	15
methods for soiled linens	102	design and construction	79, 80-81
poisonous or toxic materials, separation.	133	food, provided and accessible	89
refuse, recyclables, and returnables, operation and maintenance	119	food storage unit air	81
Storage and display of items for stock and retail sale, separation.....	133	manual warewashing, accessibility	89
Storage areas for refuse, recyclables, and returnables capacity and availability .	117	probe, small diameter	89
designated	128	scale	81
		warewashing machines.....	85
		Tempered water, handwashing sink.....	108-109
		Temporary facility, water availability.....	108
		Temporary food establishment	

construction materials.....	120-121
definition	15
Testing kit for sanitizing solutions, availability ...	89
Thawing time/temperature control for safety frozen food, conditions.....	61-62
Thermistor, thermocouple, thermometer See <i>Temperature measuring device</i>
Threads, "V"-type	80
Three compartment sink See <i>Sink compartment Requirements</i>
Time as public health control for time/temperature control for safety food.....	65-66
in highly susceptible populations (HSP) 66
Time frame	
correction of priority item or priority foundation item violation	144
Core item violation	144
Time/temperature control for safety food	15-16
Tobacco use by employees, food contamination prevention	35
Tofu, immersion in ice or water	49
Toilet rooms	
convenience and accessibility.....	127
doors, closing.....	129
enclosed, design and installation	123
numbers.....	109, 126
receptacle for sanitary napkins	117
Toilet tissue, availability	126
Toiletries See <i>Personal care items</i>
Toilets	
number.....	109
use limitation.....	109
Tongs, use to avoid contaminating food.....	45
Toothpaste See <i>Personal care items</i>
Toothpicks..... See <i>Single-service articles</i>
Towelettes, chemically treated, for handwashing, conditions.....	109
Towels	
availability	126
disposable, waste receptacle.....	126
Toxic See <i>Poisonous or toxic materials</i>
Tracking powder..... See <i>Pesticides in food establishments</i>
Trade secrets	
Protection.....	140
Training plan, food safety, for employees and for bare hand	
contact	22
supervisors, HACCP plan	139
ROP	21-22
Training of employees.....	21-22, 68, 75, 139
Transport	
case lot moving.....	86
game animals	40-41
insulated containers	84
refuse vehicles	119
sewage vehicles	115
soiled linens	102
transportation vehicle.....	14
water vehicles	107-108
Trash..... See <i>Refuse</i>
Tumblers See <i>Tableware</i>
Tuna.....	59
Turtle..... See <i>Fish</i>
Two compartment sink See <i>Sink compartment Requirements</i>

Unnecessary	
Items.....	119, 130
ledges, projections and crevices.....	80
persons.....	21
"Use by" date..... See <i>date marking</i>
User information..... Preface
Utensils	
air-drying.....	103
cast iron, use limitation	76-77
ceramic, china, crystal, and decorative, lead limitation	77
cleaning criteria.....	96
cleaning frequency.....	96-98
consumer self-service, availability	89
contact with food.....	50
definition	16-17
design and construction, durability and strength.....	79
galvanized metal, use limitation	77
in-use storage	50
maintenance and operation	95
multiuse, construction materials.....	76-78
racks, capacity	101
sanitization.....	97
serving, for consumer self-service operations	54
storage after cleaning	103-104
wet cleaning methods	95
Utility lines, cleanability	121
"V" threads, use limitation for food-contact surfaces	80
Vacuum packaging..... See <i>Reduced oxygen packaging</i>
Variance	
cooking raw animal foods	55-58
conformance with approved procedures 138
definition	17
documentation and justification.....	137
HACCP plan	137-138, 139-140
modifications and waivers, Code application.....	137
molluscan shellfish tanks	83
rationale	137
requirement for specialized food processing methods.....	67
sprouting	67
Vegetables, raw	
cooking for hot holding.....	58
washing.....	49
whole or cut, immersion in ice or water... ..	49-50
whole, uncut, raw, storage	49-50
..... See also <i>Sprouts; time/temperature control for safety food definition</i>	
Vehicles for removal of refuse, recyclables, and returnables	119
Vending machines	
automatic shutoff	84
can openers, design and construction,83	
contamination	54
definition	7
design and construction of vending stage closure	82
doors and openings, design and construction	86-87
liquid waste products	86

location, definition	7	Warewashing sinks	
time/temperature control for safety food,		alternative use limitation	92
original container	81-82, 84	and drainboards, self-draining	86
refuse receptacles in	117	Wash solution temperature, warewashing	
temperature	84	equipment	93
Ventilation, mechanical	81	Washers/dryers, clothes, availability	88
Ventilation systems		Washing	
capacity	88	mechanical methods, linens	90, 102
cleaning, nuisance and discharge		methods, equipment, and utensils	
prohibition	80	98-100
exhaust vents, design and installation,	81	raw fruits and vegetables	49
hood, adequacy	80	Waste	
drip prevention, design and construction		liquid	<i>See Sewage</i>
.....	81	solid	<i>See Refuse</i>
Vermin		Waste receptacle for disposable towels	126
... <i>See Insect control; Pest control; Rodent control</i>		Waste retention tank, flushing	115
Violations, priority item and priority foundation item		Water	
demonstration of knowledge compliance with Code		alternative supply	108
.....	18-20	distribution, delivery, and retention	
inspection and correction	144	107-108
uncorrected	144	hot, quantity and availability	107
Core item, time frame for correction, 144		inlet/outlet, protective device	113
timely correction	144	nondrinking	107
Virus	<i>See Disease outbreaks caused by</i>	pressure	107
Vomiting, employee symptom	22-31	quality	106-107
Waivers	<i>See also Modifications; Variance</i>	sample report	107
code requirements	137	sampling	107
conformance with approved procedures .		standards	106-107
.....	138	quantity and availability	107
Walk-in refrigerator, carpeting prohibition drains...		source	
.....	121	approved system	106
Walking surfaces	<i>See Surface characteristics</i>	bottled drinking	106
Wall and ceiling coverings and coatings,		capacity	107
cleanability	122	disinfection	106
Walls, exterior, protective barrier	124	knowledge by person in charge	
Warewashing		18-19
definition	17	system flushing	106
manual, sink compartment requirements		storage or display of food in contact with	
.....	87-88	49-50
manual, temperature measuring devices,		Water activity, definition	2
accessibility	89	Water conditioning device	109
Warewashing equipment		Water reservoir of fogging devices, cleaning ..	111
chemical sanitizer concentration,		Water supply	
determining	95	alternative supply	108
clean solutions	93	system, prohibition of cross connection ..	
manual		111
alternative	87-88	Water system, compressed air filter	113
chemical sanitization	101	Water system device, inspection and service ..	111
detergent-sanitizers for chemical		Water systems, public and nonpublic	106
sanitization	88, 95	Water tank	
cleaning agents	93	hose, construction and identification ..	113
heaters and baskets	85	inlet/outlet	
hot water sanitization rinsing,	99	and hose fitting, protection	
temperatures	87, 93, 99	113-114
wash solution temperature ..	93	sloped to drain	112, 113
mechanical		use limitation of "V" type	
chemical sanitization	94	threads	113
sanitization pressure		pump, and hoses, dedicated use	114
.....	81, 85-86, 94	vent, protected	113
wash solution temperature ..	93	Watertight joint, equipment openings	81
Warewashing machines		Water treatment device	111
data plate operating specifications,	84-85	Wet cleaning methods, equipment and utensils ...	
flow pressure valve	85-86	99
internal baffles	85	Wet storage. <i>See Storage, food in contact with</i>	
loading of soiled items	98-99	<i>water and ice; Molluscan shellfish, tanks</i>	
manufacturers' operating instructions, 92		Wetting agents	99
sanitizer level indicator	85	Whole-muscle, intact beef	
temperature measuring devices	84	definition	17

consumer advisory exemption, 38, 72-73	
cooking	55-56
labeling	38, 72-73
Windows, tight-fitting	123
Wiping cloths	
air-drying locations.....	103
laundering	102
stored in sanitizer.....	51
use for one purpose.....	51
Wood, use limitation for food-contact surfaces	
.....	77-78
Work clothes	<i>See Clothing, outer</i>
Wound, infected	<i>See Lesion, containing pus</i>
Wrapped food	
honestly presented	37, 71
preventing contamination.....	104-105
.....	<i>See also packaged, definition</i>
Wrapped tableware, handling	104-105