




wood.



Your engagement in this process is important to the success of this project, so thank you for taking the time to be here today!





#### **Kansas Department of Agriculture**

Tara Lanzrath, CFM
Floodplain Mapping
Coordinator

Joanna Rohlf, CFM Floodplain Mapping Specialist

William Pace, CFM
Floodplain Mapping
Specialist

Steve Samuelson, CFM
State NFIP Coordinator

Cheyenne Sun Eagle
NFIP Specialist

**FEMA – Region VII** 

Andy Megrail
Regional Project Officer

#### **Wood Environment & Infrastructure Solutions**

Joe File, PE, CFM Senior Associate / Program Manager

Maria Neeland, PE, CFM
Project Manager /
Engineer



# Today's Goals

Share details on the mapping project

Get initial feedback on modeling methods

Review future steps




# **Background**

- Lower Neosho Custom Watershed BLE Project
  - Kick-off Meeting and BLE Review: November 19, 2019
  - Discovery Meeting: April 15, 2020
- Verdigris Custom Watershed BLE Project
  - Kick-off Meeting and BLE Review: January 28, 2020
  - Discovery Meeting: April 21, 2020

# **Background**

- Neosho County Effective Mapping is dated January 2010
- Through Discovery and conversations with County stakeholders, it was determined that updated modeling and mapping would benefit Neosho County.



#### Neosho County 2021 Proposed Mapping Updates

#### **Scoped Studies**

#### New Zone A - Gage Analysis

New Zone A studies will be developed for these streams using 2D "excess rainfall-on grid" hydrology calibrated to Gage Analysis Flows, and 2D Hec-Ras hydraulics.

#### New Zone A - Excess Rainfall on Grid

New Zone A studies will be developed for these streams using 2D "excess rainfall-on grid" hydrology and 2D Hec-Ras hydraulics.

#### New Zone A - HEC-HMS

New Zone A studies will be developed for these streams using 2D Hec-Ras hydraulics and hydrology calibrated to HEC-HMS model flows.

#### New Enhanced Zone A - Excess Rainfall on Grid

New Enhanced Zone A studies will be developed for these streams using 2D "excess rainfall-on grid" hydrology and 2D Hec-Ras hydraulics. Field measured structure data will be incorporated into the modeling.

#### New Enhanced Zone A - HEC-HMS

New Enhanced Zone A studies will be developed for these streams using rainfall-runoff modeling. Field measured structure data will be incorporated into the modeling.

#### New Enhanced Zone A - Gage Analysis

New Enhanced Zone A studies will be developed for these streams using 2D Hec-Ras hydraulics and hydrology calibrated to gage analysis flows. Field measured structure data will be incorporated into the modeling.

#### New Zone AE with Floodway - HEC-HMS

New Zone AE studies will be developed for these streams using 1D or 2D Hec-Ras hydraulics and hydrology calibrated to HEC-HMS model flows. Floodways will be developed. Field measured structure data will be incorporated into the modeling. BFEs will be shown on the maps.

#### New Zone AE with Floodway - Gage Analysis

New Zone AE studies will be developed for these streams using 1D or 2D Hec-Ras hydraulics and hydrology calibrated to gage analysisl flows. Floodways will be developed. Field measured structure data will be incorporated into the modeling. BFEs will be shown on the maps.


#### New Zone AE without Floodway - Excess Rainfall on Grid


New Zone AE studies will be developed for these streams using 2D "excess rainfall-on-grid" hydrology and 2D Hec-Ras hydraulics. Floodways will not be developed. Field measured structure data will be incorporated into the modeling.BFEs will be shown on the maps.

#### New Static Zone AE

New Static Zone AE studies will be developed for these streams using rainfall-runoff modeling. Field measured structure data will be incorporated into the modeling.







#### Chanute:


- Neosho River
- Second Street Channel
- Little Turkey Creek

#### • Erie:

 Puckets Run Creek and 1 Tributary








#### North of Parsons:

- Labette Creek
- Tolen Creek






#### Chanute:

Little Turkey Creek and 1 Tributary






#### Chanute:


- Village Creek and 6 Tributaries
- Turkey Creek and 4 Tributaries
- 1 Tributary to Little Turkey Creek






#### Erie:

- Neosho River and 2 Tributaries
- 1 Tributary to Puckets Run Creek
- St. Paul
  - 2 Tributaries to the Neosho River
  - 1 Tributary to Walnut Creek







#### Earlton:


- 1 Tributary to Turkey
   Creek
- Thayer
  - 2 Tributaries to Chetopa Creek







Remainder of Streams in the County




## **Definitions**



**Hydrology** *How Much Water?* 




Hydraulics
How High Will Water Get?




- Enhancements will be made to the BLE modeling that was performed for the Zone A and Zone AE without Floodway streams.
  - Comments made and additional information gathered during the Discovery phase will be used to enhance the modeling
  - Enhanced Zone A and Zone AE without
     Floodway streams will include field measured data for culverts and bridges
- The hydrology is built into the RAS modeling platform using excess rainfall-on-grid methodology.
  - This will be calibrated to gage analysis and HEC-HMS model flows








- Gage Analyses will be performed for the Neosho River as it has USGS stream gages
  - Used as flows for 1D modeling or calibration information for 2D modeling
- HEC-HMS (Rainfall-Runoff) Modeling will be performed for the other Zone AE with Floodway streams
  - Used as flows for 1D modeling or calibration information for 2D modeling





A Floodway is the area within the floodplain that must be reserved in order to discharge the base flood without cumulatively increasing the WSE by more than 1.0 foot.



























- The local consulting community has more experience with 1D modeling
  - Especially important when considering LOMR applications and future use of the modeling
- 1D Floodway Guidance is more established
- 1D modeling has similar accuracy to 2D modeling in areas with more relief (steeper terrain)
- The floodway will look more similar to the effective floodways
- The FEMA reviewers are more familiar with 1D floodways




























- 2D more accurately portrays flooding where water flows in multiple directions, such as flat areas and braided streams; as well as shallow flooding.
- 2D modeling is at the forefront of modern modeling practices
  - 2D will be used for the Zone A and Zone AE without Floodway streams as well
  - Note that 2D floodway guidance has been released, but has not been put into practice for long




At this time, it would be Wood's recommendation to pursue 1D modeling for the Zone AE with Floodway streams in this project given the terrain in the area and the limited experience of the local consulting community with 2D modeling, but we want to hear your thoughts.



- There is 16 Non-Accredited Ag Levees in the County
- These levees are overtopped for the 1% annual chance storm and are considered hydraulically insignificant. They will be mapped as overtopping.





 There are 4 non-accredited levee systems in/near Chanute (Chanute Levee, Chanute Levee A, Chanute Levee B, Neosho County Levee)









 Chanute Levee B is not overtopped for the 1% annual chance storm and is considered hydraulically significant. This will be mapped using a with and without levee scenario.



 The other three levees are overtopped for the 1% annual chance storm and are considered hydraulically insignificant. They will be mapped as overtopping.



# Field Survey Base Map Terrain Collaborative Partnerships **Development** Updated Hydrologic and Hydraulic Modeling Floodplain Mapping **DFIRM** Production Post-Processing Map Adoption

### Project Tasks

- Field Survey
- Base Map and Topography Preparation
- Hydrologic and Hydraulic Modeling
- Floodplain Mapping
- **DFIRM** and **FIS** Production
- Post-Preliminary

We are about to begin the modeling task


**Data** 




- We will complete the engineering analysis previously described
- We will develop your draft regulatory floodplain maps.
  - Also known as your Flood Insurance Rate Map (FIRM)
- We will develop your draft Flood Insurance Study (FIS).
- We will have a community review period and a public review period



- We will also be developing flood risk products for all of Neosho County as part of this project.
  - Will use the latest data available for all streams





# **Project Timeline**

# Kick-off Meeting and Initial Community Feedback: [TODAY!]

# Data Development Work: [Now until the end of 2021]

- Base Map
- Topographic Data
- Field Survey
- Develop Hydrologic and Hydraulic Models
- Floodplain Mapping

# Flood Risk Review Meeting:

[~January 2022]

 Your review and feedback on the draft maps

# Project Timeline, continued

Community comments will be addressed

Public review of the draft maps

Includes PublicOpen House

**Preliminary Map Products** 

Preliminary DFIRM
 Community
 Coordination Meeting

Post-Preliminary Processing









# Key Takeaways

## Floodplain Mapping Projects take time

Your involvement in this process will result in better flood information for your community

## DON'T HESITATE TO CALL, WE ARE HERE TO HELP



# Online Project Information

#### **Project Website**

- Scoping Maps, Project Timeline, Meeting Presentations, Newsletters, Technical Reports, Web Review Map
- https://www.agriculture.ks.gov/divisions-programs/dwr/floodplain/mapping/mappingprojects/lists/mapping-projects/

#### **Web Review Map**

- Provide comments on areas impacted by past floods, community needs, etc.
- Review of floodplain data

#### **Story Maps**

- Project Info
- "Floodplain Current": Mapping Process 'Nuts and Bolts'

