Lower Neosho Custom Watershed Floodplain Mapping Project Kickoff Meeting

November 19, 2019







Your engagement in this process is important to the success of this project, so thank you for taking the time to be here today!

Discussion Topics

- Introductions
- Program Overview
- Project Discussion
- Community/Stakeholder Responsibilities

Why We're Here?

- The Lower Neosho Custom Watershed was chosen for a Discovery/ Base Level Engineering project.
- Develop a complete, current picture of your flood hazards and risks to help you better:
 - Plan for the risk
 - Take action to protect your communities
 - Communicate the risk to your citizens
- Determine the next steps for future projects.


Why Have Floodplain Maps?

- Determine where flood insurance is needed and rate its cost.
 - Flood Insurance Rate Map (FIRM)
- To provide the basis for executing community floodplain management ordinances.
- Understand flood risk so communities can make informed planning decisions.

FEMA Floodplain Mapping Program

- Risk Mapping Assessment and Planning
- Supports the National Flood Insurance Program. Performed on a watershed basis.
- Consists of both Regulatory & Non-Regulatory Products.
- FEMA Program that provides communities with flood information and tools they can use to enhance their mitigation plans and take action to better protect their citizens.






What is Base Level Engineering (BLE)?


- Development of initial draft floodplains
- Based on:
 - LiDAR Topography
 - 2D HEC-RAS Methodology
 - National Weather Service (NWS) Rainfall
 - National Land Cover Database Land Use
 - NRCS Soil Information
 - USGS Gage Data Calibration
- This is the first run to produce new floodplains, which will be further refined during data development phases


LiDAR versus 10m DEM

LIDAR



10m DEM






2D Hydraulics


Utilizes free Hec-Ras 2D modeling software

Uses "excess rainfall on grid" hydrology


- Uses gridded mesh approach to allow water to flow in multiple directions
- Water Surface Elevation and Depth Grids generated from model

2D Hydraulics Used for BLE Modeling






Draft Floodplains & Changes Since Last Firm







Parsons




lola




Pittsburg



Riverton



Chetopa



Neosho Falls




What is Data Development?

- Engineering Modeling & Mapping used for Regulatory Update
 - Includes all streams with a drainage area of at least 1-square mile, or were previously mapped.
- Considerations include:
 - Enhancements to BLE, including additional model calibration
 - Additional rainfall-runoff modeling for calibration purposes
 - Consideration of historical flooding events and other local data
 - Field-measured survey of structures, where specified
 - Robust review internally and externally
 - Considers and addresses community review comments

Planned Regulatory Updates

Planned Update
 No Planned
 Update



What is Hydrologic Analysis?

Determines the amount of water

- Peak Discharge (flow) is determined for the:
 - 10% flood event
 - 4% flood event
 - 2% flood event
 - 1% flood event
 - 1(+) flood event to show upper probability limits
 - 0.2% flood event

Hydrology Methods

Rainfall Runoff Modeling

- Models that mimic the characteristics of a watershed.
 - NWS Rainfall History
 - Infiltration (soils, pervious surfaces)
 - Storage (dams or other sinks)
 - Timing / Routing (how fast does water get from A to B)
- Two modeling options:
 - 2D Hec-Ras model, "excess rainfall-on grid"
 - Used for BLE models
 - HEC-HMS models used for calibrating/validating 2D flow results

Hydrology Methods

Gage Analysis

- Statistical analysis of a stream's flow history.
- What has happened in the past.
- Used for calibrating/validating 2D flow results

Regression

- USGS Equations
 - These were primarily used for Approximate Studies in the past
- Used for comparisons to 2D flow results

What is Hydraulic Analysis?

- Determines how high the water gets & where it goes
- Water surface elevations are determined for the:
 - 10% flood event
 - 4% flood event
 - 2% flood event
 - 1% flood event
 - 1(+) flood event to show upper probability limits
 - 0.2% flood event




Hydraulic Methods

Modeling that considers:

- Slope
- Friction
- Structures (culverts and bridges)
- Sinuosity
- Areas on non-conveyance (ineffective flow)
- Other variables affecting water conveyance

Will use the 2D BLE models as Base Model



Zone AE

- Culvert and Bridge Openings are included in the modeling
- Added detail to Breaklines and Land Cover Data in the modeling
- Additional Calibration to:
 - Gage Analysis
 - Rainfall-Runoff Modeling (HEC-HMS)
 - Historical Information
- Can be with or without a floodway
 - If there is a current floodway, must have a floodway
 - If there is not a current floodway, a floodway is optional

Zone AE

- Base Flood Elevations (BFEs) will be shown on the regulatory map
- Floodway, if scoped, will be shown on the regulatory map
- Water Surface Elevation and Depth Grids will be generated

Static Zone AE

- Statistical analysis of:
 - Historical operation of the dam/reservoir
 - Operational information of the dam/reservoir
 - Utilizes all available sources
 - USGS Gage Information
 - USACE Information
 - Rainfall-Runoff Modeling (HEC-HMS)
- Base Flood Elevations (BFEs) will be shown on the regulatory map
- Water Surface Elevation and Depth Grids will be generated

Zone A

Additional Calibration to:

Gage Analysis for watershed

Rainfall-Runoff Modeling (HEC-HMS) in watershed

Historical Information

- No Base Flood Elevations (BFEs) on the regulatory map, but available
- Water Surface Elevation and Depth Grids generated

Data Development Scope Hydrologic Analysis Performed

	Zone AE w/ Floodway	Zone AE w/o Floodway	Static AE	Zone A
Regression	For Comparison	For Comparison	N/A	For Comparison
2D Excess Rainfall on Grid	Performed	Performed	N/A	Performed
Gage Analysis	For Calibration, when Available	For Calibration, when Available	Performed, when Available	For Calibration, when Available
HEC-HMS	For Calibration, when scoped (specific area)	For Calibration, when scoped (specific area)	Performed, when scoped	For Calibration, when scoped (in watershed)

Data Development Scope Hydraulic Analysis Performed & Mapping

	Zone AE w/ Floodway	Zone AE w/o Floodway	Static AE	Zone A
Enhancements	Breaklines, Land Cover Data, Areas of Concern per Comments	Breaklines, Land Cover Data, Areas of Concern per Comments	Statistical Analysis, Areas of Concern per Comments	Areas of Concern per Comments
Structure Data	Survey Information Incorporated	Field-Measured Information Incorporated	Field-Measured or Plan Information Incorporated	Simulated in topography
Floodway Analysis	Performed	Not Performed	Not Performed	Not Performed
Base Flood Elevations	Shown on Map	Shown on Map	Shown on Map	Not Shown on Map

Project Timeline

Project Kickoff & Initial Map Review

- Meeting November 19, 2019
- Community Review of BLE floodplains- Until December 19, 2019
- Community Input on Data Development Scope-Until December 19, 2019
- Identify Community Mapping Needs and Concerns
- Lower Neosho Discovery meeting- ~February 2020
 - Data Collection from Community
 - Mitigation Discussion
 - Identification of Technical Assistance needs

Project Timeline

- Data Development Tasks (Allen, Cherokee, Crawford, Labette, Neosho, Woodson Counties)-Estimated for 2021
 - Base Map & Topography

Streets, PLSS, political boundaries, LiDAR

- Perform Field Measurements on specific structures
- Hydrology & Hydraulics (Modeling Enhancements)
- Floodplain Mapping & FIRM Database Updates
- Community and Public Review Periods
- Preliminary Map Products
- Post-Preliminary Processing

Technical Review

BLE and Draft Regulatory Floodplains have:

- Wood E&IS Review
 - Engineering reviewed by separate Wood E&IS office
- Independent Technical Review (ITR)
 - 3rd party review of engineering
 - > AECOM
- KDA Review
 - Visual review
 - "eye test"
 - Identify impact of the map

Draft Regulatory Floodplains also have a FEMA Review

Formal quality review process of regulatory products

Community Review

- This is your first opportunity to provide valuable input and to look out for your community.
- Consider coordinating Community Working Groups for this review
- A review web map has been provided for submitting comments

Comments are public facing (FYI)

Community Review

- Review the approximate Base Level Engineering (BLE) Data
 - Do the floodplains seem appropriate?
 - Are there areas of new development that aren't represented in the mapping (constructed after Lidar was flown)
 - Are there areas where enhancements appear to be needed for Regulatory Updates?
 - Keep in mind that this early BLE floodplain data is subject to change and we are at the very early stages of developing the data
 - Another round of Community Review will Occur after Data Development at the Flood Risk Review (FRR) Meeting


Community Map Review

- Review stream extents
- Provide input on the scope for Data Development/Regulatory Updates
- Comment period goes until 12-19-19 (More time can be provided if needed)
- Conduct as the Working Group / Community sees fit

Strongly recommend Working Groups!







Base Flood Elevation Portal

INSAS Kansas Base Flood Elevation Portal

Home

Help

Portal Registration

About

First Name Last Name User name Title Phone Email Address Address City Zip State Kansas		
User name Title Phone Email Address Address City Zip	First Name	
Title Phone Email Address Address City Zip	Last Name	
Phone Email Address Address City Zip	User name	
Email Address Address City Zip	Title	
Address City Zip	Phone	
City	Email Address	
Zip	Address	
	City	
State Kansas	Zip	
	State	Kansas

For Zone A Floodplains, you can request BFE Data. Keep in mind, BLE data is subject to change.



Ultimate Project Goals

- Update floodplains in the Lower Neosho Custom Watershed with modern mapping (AL, CK, CR, LB, NO, WO Counties new regulatory mapping).
- Leave a map that communities BELIEVE.
- Help communities and residents better understand and prepare for their flood risk.
- Identify mitigation opportunities.

KDA Mitigation Technical Assistance

- Funding has been available in recent years from the KS CTP Grant
 - Predefined projects & pot of money to allocate when projects are identified

Project Types:

- Modeling infrastructure improvements to see flooding reductions in SFHA
- Benefit-Cost Analysis (BCA)
- Structure Based Risk Assessment
- Community Outreach and Education Story Maps, Virtual Reality (VR)

KDA Mitigation Technical Assistance

- Timeline: Ideally performed during Base Level Engineering (BLE), Discovery or Data Development Phase
- Cannot fund the improvement project itself
- Website for Technical Assistance Projects
- Includes project specific information
- Link to fillable request form
 - https://www.agriculture.ks.gov/divisionsprograms/dwr/floodplain/mapping/ technical-assistance



KANSAS DEPARTMENT OF AGRICULTURE

Serving the State's Largest Industry

🔍 Search

Text Size: aA | aA | Reset

Home About Us	News & Events Divisions & Programs Services Public Information FAQs Contact Us
Kansas Floodplain Map Viewer	Home > Divisions & Programs > Division of Water Resources > Floodplain Management > Mapping > Technical Assistance
LOMC Search Mapping Projects	Technical Assistance
Technical Assistance	TECHNICAL ASSISTANCE PROJECTS
	 Gypsum Hoisington Solomon

- South Hutchinson
- Topeka

TECHNICAL ASSISTANCE INFORMATION

FEMA Funds for technical assistance projects have come available in recent Cooperating Technical Partner (CTP) funding cycles. These projects do not include funding for construction of projects, but they can be utilized for modeling mitigation scenarios for possible projects. These funds can be applied for grant-related purposes, ordinance or code support, engineering and analysis, planning, outreach and education. Communities within Kansas can apply for Technical Assistance support through KDA, though priority will be given where there are active mapping projects. For questions, please contact Tara Lanzrath, by phone at 785-296-2513 or email.

Technical Assistance Request Fillable Form

What Should You Do Next?

Initial Map Review

- Review BLE floodplains and comment
- Review stream extents and comment
- Provide information on community needs or areas of specific concern.
- Provide input on scope for Regulatory Updates

Project Kickoff Survey

- Follow up email, please fill out and return
- Organize Working Groups
- Consider Mitigation Projects
 - Should a Technical Assistance Request be submitted?
 - Should other Mitigation Projects be initiated

Key Takeaways

- The Process is going to take time
- The Community's Involvement will help us produce better maps!
 - Get out the word and encourage participation in this project
 - Review information as it becomes available

DON'T HESITATE TO CALL, WE ARE AVAILABLE

Stay Informed

Email List

- Get us names, addresses, and titles
- Will be main source of project updates

Project Updates

- Minimum of quarterly
- When important milestones are reached
- When action is necessary (reminders)

Meetings

- 5 planned in-person meetings
 - Kickoff, Discovery Meeting, Flood Risk Review, Open House, Post-Preliminary CCO meeting
- Others as needed

Online Project Information

Web Review Map -

- Initial Map Review
- Web link available upon request

Project Website

- Scoping Maps, Project Timeline, Meeting Presentations, Newsletters, Technical Reports, Web Review Map
- https://www.agriculture.ks.gov/divisionsprograms/dwr/floodplain/mapping/mappingprojects/lists/mapping-projects/

Story Maps

- Project Info
- "Floodplain Current": Mapping Process 'Nuts and Bolts'

Web Map Review and Discussion

Q&A

Tara Lanzrath Floodplain Mapping Coordinator Kansas Department of Agriculture Division of Water Resources 785-296-2513 tara.lanzrath@ks.gov